

Table 6.16 : TUBERCULOSIS CASES BY SEX, 2011 - 2018

Type	2011	2012	2013	2014	2015	2016	2017	2018
<b>Both sexes</b>								
1. Cases Under Treatment	126	120	165	127	137	239	202	204
2. Cases Released from Control	73	108	99	104	142	132	113	112
2.1 Treatment completed ( Sputum negative )	106	48	45	48	71	60	61	69
2.2 Cured ( Sputum positive )	25	46	54	45	41	47	52	48
2.3 Transferred Out	12	5	6	2	2	15	9	40
2.4 Default	2	0	3	2	19	10	0	5
2.5 Failure	1	0	0	0	0	0	0	0
Mortality of Tuberculosis Cases	4	4	5	7	9	9	2	6
Relapse Cases *	1	0	4	0	0	5	1	0
Newly Detected Tuberculosis Cases	88	110	110	131	153	163	136	138
<b>Male</b>								
1. Cases Under Treatment	70	72	99	62	79	165	128	151
2. Cases Released from Control	39	62	58	56	97	96	69	70
2.1 Treatment completed ( Sputum negative )	10	22	24	24	48	40	32	38
2.2 Cured ( Sputum positive )	18	31	34	25	26	32	37	37
2.3 Transferred Out	8	3	4	2	0	15	7	0
2.4 Default	1	0	1	2	15	9	0	5
2.5 Failure	0	0	0	0	0	0	0	0
Mortality of Tuberculosis Cases	3	0	2	3	8	7	1	3
Relapse Cases *	1	0	3	0	0	3	0	0
Newly Detected Tuberculosis Cases	59	53	68	71	97	112	83	106
<b>Female</b>								
Cases Under Treatment	56	48	66	65	58	74	74	53
Cases Released from Control	34	46	41	48	45	36	44	42
2.1 Treatment completed ( Sputum negative )	96	26	21	24	23	22	29	31
2.2 Cured ( Sputum positive )	7	15	20	20	15	13	15	11
2.3 Transferred Out	4	2	2	0	2	0	2	40
2.4 Default	1	0	2	0	4	1	0	0
2.5 Failure	1	0	0	0	0	0	0	0
Mortality of Tuberculosis Cases	1	4	3	4	1	2	1	3
Relapse Cases *	0	0	1	0	0	2	1	0
Newly Detected Tuberculosis Cases	29	57	42	60	56	51	53	32

\* A person who has been declared cured of any form of TB in the past by a physician, after one full course of chemotherapy and has become re infected.

Source: Center for Community Health Disease Control