

HIES2019_Household

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

IDENTIFICATION

No sub-sections, No rosters, Questions: 25, Static texts: 1.

F1. PERSON LIST

Sub-sections: 2, Rosters: 2, Questions: 30, Static texts: 6, Variables: 8.

F2. HOUSEHOLD FORM

Sub-sections: 13, Rosters: 14, Questions: 155, Static texts: 36, Variables: 13.

F3. EXPENDITURE UNIT

Sub-sections: 4, Rosters: 13, Questions: 68, Static texts: 61, Variables: 24.

F4. INDIVIDUAL FORM

Sub-sections: 16, Rosters: 4, Questions: 208, Static texts: 12, Variables: 16.

F7. CONSUMPTION

Sub-sections: 26, Rosters: 12, Questions: 175, Static texts: 51, Variables: 123.

END OF QUESTIONNAIRE

No sub-sections, No rosters, Questions: 20, Variables: 1.

APPENDIX A — ENABLING CONDITIONS

APPENDIX B — VALIDATION CONDITIONS AND MESSAGES

APPENDIX C — INSTRUCTIONS

APPENDIX D — CATEGORIES

APPENDIX E — VARIABLES

APPENDIX F — CATEGORIES FILTERS

LEGEND

SURVEY IDENTIFICATION INFORMATION
QUESTIONNAIRE DESCRIPTION

Basic information

Title HIES2019_Household

IDENTIFICATION

Atoll, island, block	TEXT SCOPE: IDENTIFYING atIsb1
Structure (ID)	TEXT SCOPE: IDENTIFYING nameOfUnit
Household Head (ID)	TEXT SCOPE: IDENTIFYING household
Apartment (Floor)	TEXT SCOPE: IDENTIFYING apartment
File	SINGLE-SELECT SCOPE: IDENTIFYING file 01 ☐ Main file 02 ☐ Secondary file
Sample/Replacement	SINGLE-SELECT SCOPE: IDENTIFYING selection 01 ☐ Sample 02 ☐ Replacement
Location	GPS SCOPE: IDENTIFYING Building_location
pre-loaded: Atoll and Island	SINGLE-SELECT: COMBO BOX SCOPE: HIDDEN atllIsInd 1000 ☐ MALE 1001 ☐ Henveiru 1002 ☐ Galolhu 1003 ☐ Machchangolhi 1004 ☐ Maafannu 1005 ☐ Villigili 1009 ☐ HulhuMale 2001 ☐ HA Thuraakunu 2002 ☐ HA Uligamu 2005 ☐ HA Mulhadhoo 2006 ☐ HA Hoarafushi 2007 ☐ HA Ihavandhoo 2008 ☐ HA Kelaa 2009 ☐ HA Vashafaru 2010 ☐ HA Dhidhdhoo 2011 ☐ HA Filladhoo And 381 other symbols [1]

pre-loaded: Block Number V1 self>=1 && self<116 M1 Block number should be between 1-116	NUMERIC: INTEGER SCOPE: HIDDEN block -----
pre-loaded: New ID	NUMERIC: INTEGER SCOPE: HIDDEN New_ID -----
pre-loaded: HH ID V1 self>=1 && self<100 M1 Block number should be between 1-99	NUMERIC: INTEGER SCOPE: HIDDEN hhid -----
pre-loaded: listing file identifier interview_id	TEXT SCOPE: HIDDEN listingfile -----
pre-loaded: listing building code	NUMERIC: INTEGER SCOPE: HIDDEN buildingCode -----
pre-loaded: listing dwelling code	NUMERIC: INTEGER SCOPE: HIDDEN dwellingCode -----
pre-loaded: name of the household head	TEXT SCOPE: HIDDEN HHHeadName -----
pre-loaded: dummy for replacement households	NUMERIC: INTEGER SCOPE: HIDDEN replacement -----
pre-loaded: listing, # of eligible hh in PSU	NUMERIC: INTEGER SCOPE: HIDDEN sum_eligible -----
pre-loaded: listing, # of hh selected of sum_eligible, incl. replacement hh	NUMERIC: INTEGER SCOPE: HIDDEN select_all -----
pre-loaded: listing, # of target hh selected of select_all, rest replacement	NUMERIC: INTEGER SCOPE: HIDDEN select_rp -----
pre-loaded: probability of this hh being selected at second stage	NUMERIC: DECIMAL SCOPE: HIDDEN selprob -----
INTERVIEWER: Have you been able to identify the household or labour quarter? E file==1	SINGLE-SELECT hhidfy 01 ☐ Yes, household 03 ☐ Yes, labour quarter 02 ☐ ސަރާއާ
INTERVIEWER: How many individuals in total live in this labour quarter? I INCLUDE MALDIVIANS AND FOREIGNERS E hhidfy==3	NUMERIC: INTEGER nbin1q -----

STATIC TEXT

E nbinlq>=10

INTERVIEWER: This labour quarter is not eligible for the household interview as 10 or more individuals live there. It needs to be replaced.

INTERVIEWER: Is an eligible respondent available? E hhidy==1 nbinlq<10	SINGLE-SELECT 01 ☐ "نعم" 02 ☐ "لا"	hhrpav
INTERVIEWER: Has the household given consent to participate? E hhrpav==1	SINGLE-SELECT 01 ☐ "نعم" 02 ☐ "لا"	hhcnst
INTERVIEWER: Are you using the secondary file? E file==2	SINGLE-SELECT 01 ☐ "نعم" 02 ☐ "لا"	secuse

F1. PERSON LIST

```
E  hhcnst==1 || secuse==1
```

SUPERVISOR: Q1. Only for secondary files, Did you look at the secondary file right after the main file? I there should be a supervisor comment for each interviewer comments E file==2	SINGLE-SELECT sup0 SCOPE: SUPERVISOR 01 ☐ سٲر 02 ☐ سٲر
INTERVIEWER: Take time E file==1	DATE: CURRENT TIME f1_strtime

F1. PERSON LIST

F1A. MEMBERS

```
F IsAnswered(f1 strtme) || file==2
```

[illegible]

[illegible]

F1. PERSON LIST / F1A. MEMBERS

Roster: MEMBERS

generated by list question [UsualHHMembers](#)

hhmembers

E file==1	
1سٲٲ. %roster%title%سٲٲ:	SINGLE-SELECT 01 ☐ سٲٲسٲٲسٲٲ 02 ☐ سٲٲسٲٲسٲٲسٲٲ Sex
SUPERVISOR: Q1. Is the sex of %roster%title% correct?	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ سٲٲسٲٲ 02 ☐ سٲٲسٲٲسٲٲ sup1

2. %rosteritle% نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز V1 self.InRange(1900,f1_strtme.Value.Year) self == -99 M1 Year of birth is outside of the allowed range! OR check if u have Entered the START TIME	NUMERIC: INTEGER DOBYear ----- SPECIAL VALUES -99 Don't know
3. %rosteritle% نۆسرىنىڭ ئايىنى كىرگۈزۈڭىز E DOBYear!==-99	SINGLE-SELECT DOBMonth 01 ☐ ئىسۋەين 02 ☐ ئۆكتەبىر 03 ☐ دېكەن 04 ☐ ئىيۇن 05 ☐ ئىيۇل 06 ☐ ئاۋغۇست 07 ☐ سېنتەبىر 08 ☐ ئۆكتەبىر 09 ☐ نۆۋەتتىكى 10 ☐ ئىيۇل 11 ☐ ئىيۇن 12 ☐ ئىسۋەين -99 ☐ Don't know
VARIABLE /* This calculate the age from dob and start date */ // if month is unknown, calculate age based on year of interview //and year of DOB DOBMonth == -99 & DOBYear > 0 ? /* if only year is known*/ f1_st And 289 other symbols [1]	LONG AgeCurrent
STATIC TEXT E DOBYear>=0 /* dob year not DK, closed by default */ نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز. %rosteritle% نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز: %AgeCurrent% نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز. %rosteritle% نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز.	
4. %rosteritle% نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز I (بۇ ئىشنىڭ نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز) E DOBYear== -99 V1 self>=0 self == -99 M1 Age may not be negative V2 self<=120 M2 Age must be smaller or equal to 120	NUMERIC: INTEGER AgeReported ----- SPECIAL VALUES -99 Don't know
VARIABLE f1_strtme.Value.Year-AgeReported	LONG YobCalculated
STATIC TEXT E AgeReported>=0 INTERVIEWER: Based on the reported age %rosteritle% was born in %YobCalculated%	
5. %rosteritle% نۆسرىنىڭ يىلىنى كىرگۈزۈڭىز I Help the respondent to estimate by comparing to other people. E AgeReported== -99 V1 self>=0 self == -99 M1 Age may not be negative V2 self<=120 M2 Age must be smaller or equal to 120	NUMERIC: INTEGER ageest -----

E @rowcode!=head V1 /* Check that head has different gender than spouse(s) * // if head is current person, and does at least one spouse exist? ishead==1 && UsualMembers.Any(x=>x.relhhh==2))? // if so, check that there And 150 other symbols [1] M1 The head and his/her spouse typically have different genders. Please confirm. V2 /* Check that spouse has different gender than head */ // if head is current person, and does at least one spouse exist? relhhh==2 && UsualMembers.Any(x=>x.ishead==1) // if so, check whether spouse And 127 other symbols [1] M2 Spouse typically has a different genders than his/her spouse (the head of household). Please confirm. V3 /* Check that children Age is atleast 12 years less than head */ // if child relhhh==3 ? // check the Age difference !(UsualMembers.Any(a=>a.ishead==1 && a.Age!=null && a.Age-12<Age)) : // if n And 19 other symbols [1] M3 Children age should be atleast 12 years less than fathers/Mothers's Age. V4 /* Check that Mother/Father Age is atleast 12 years greater than head */ // if mother/father relhhh==6 ? // if so, check the Age difference !(UsualMembers.Any(a=>a.ishead==1 && a.Age!=null && a.Age+ And 39 other symbols [1] M4 Mother/Father's Age should be atleast 12 years greater than children Age.	SINGLE-SELECT relhhh 02 ○ 03 ○ 04 ○ 05 ○ 06 ○ 07 ○ 08 ○ 09 ○ 10 ○ 11 ○ 12 ○ 13 ○
VARIABLE @rowcode==head ? 1 : 0	LONG ishead
VARIABLE expunit.Count(y=>y.exumem.Any(x=>x.Contains(@rowcode)))	LONG nbexut
VARIABLE (Nationality==2 && Age <=15) // if a foreigner and 15 or under Nationality==1 ? // or if Maldivian of any age category, then check if there is hmembers.Any(x=>(x.Se x==1 && x.Age >= (Age + 12) And 156 other symbols [2]	BOOLEAN askprt

Only list the expenditure units for which you want to record the form in this secondary file.
Spell the name exactly as in the main file.

E file==2 ? /* if secondary file */ aeusec!=2 : /* close if no exp unit form is record in secondary file*/ true /* in main file open*/	LIST expUnitsList
--	-------------------------------

F1. PERSON LIST / F1B. EXPENDITURE UNITS

Roster: EXP UNIT

generated by list question [expUnitsList](#)

expunit

E file==1

يٰ مُعْزِلُ اَسْرَدَ. وَبِئْسَ زُرْعَةٌ لِّمَنْ يَّزْرَعُهَا يَوْمَ تَرْجَمُ يٰ مُعْزِلُ اَسْرَدَ وَفَوْقَ جِزْرِ سَرِيٍّ وَفَوْقَ جِزْرِ سَرِيٍّ I Select all household members part of this expenditure unit. Make sure to account for all members. Do not select members in more than one group. V1 hhmembers.Count(x=>x.nbexut>1)==0 M1 %dblse1% selected in more than one expenditure unit	MULTI-SELECT: LINKED exumem
INTERVIEWER: Select the head of the expenditure group %rostertitle% F @current.exumem.Any(x=>x.Contains(@rowcode)) V1 exumem.Contains(self) M1 Head not in expense unit	SINGLE-SELECT: LINKED exuhed
INTERVIEWER: Confirm you have listed all expenditure units and accounted for all current household members E file==1 V1 self==1 M1 List all expenditure units and select the members in each. V2 expUnitsList.Length>0 M2 A household must have at least one expenditure unit. Often there is more than one, double check. V3 notsel.Length==0 M3 %notsel% has/have not been selected in any expenditure unit	SINGLE-SELECT 01 ☐ Confirm 02 ☐ Not yet exucmp
VARIABLE String.Join(", ", hhmembers .where(z=>z.nbexut>1) .Select(x=>\${x.rowname}"))	STRING dblse1
VARIABLE String.Join(", ", hhmembers .where(z=>z.nbexut==0) .Select(x=>\${x.rowname}"))	STRING notsel
VARIABLE UsualMembers.Count(x=>x.Age.InRange(18,65))/expUnitsList.Length	DOUBLE nbwkag
SUPERVISOR: There are only few expenditure units given the household size. Check with the interviewers and explain the reason why. Make sure they have correctly identified and listed all expenditure units. If not, they need to revisit and repeat the expenditure interviews for all expenditure units. Confirm directly with the respondent unless you are certain that all expenditure units are recorded correctly. I Contact HQ if in doubt. E nbwkag>4	TEXT SCOPE: SUPERVISOR sup14

F2. HOUSEHOLD FORM

CAPI

```
E hhcnst==1 || secuse==1
```

INTERVIEWER: Interview here or on the other tablet?	SINGLE-SELECT 01 ☐ Here 02 ☐ On other tablet	hh_intloc
VARIABLE (hhid * 56) % 100 /*some check code based on identifiers , not easy to guess, same in main qnr*/	LONG	hh_chkcode
INTERVIEWER: Confirm that the household form has been done on the other tablet by recording the household check code from the secondary file after it is completed. E hh_intloc==2 && file==1 V1 self==hh_chkcode M1 Check code wrong! Double check on secondary file on the other tablet.	NUMERIC: INTEGER -----	hh_chkcode
INTERVIEWER: Take time	DATE: CURRENT TIME 	hh_strtime
INTERVIEWER: Select the respondent for the household form. I Interview the person most knowledgeable about the household, including the household expenses. E file==1	SINGLE-SELECT: LINKED	hh_resp

F2. HOUSEHOLD FORM

F2A. LIVING CONDITION

```
E  IsAnswered(hh_strtme)
```

1. INTERVIEWER: Type of dwelling unit occupied by the household I House: A house is a dwelling unit with room(s), toilet facilities, sitting room, and kitchen, where a household resides, whether the housing unit is a zero-story building, 1 or 2 story building Flat/ And 123 other symbols [1] V1 Is Answered(hh_strtme) M1 Take time at beginning of the section before you continue		hh_dwell_type
	SINGLE-SELECT 01 ○ ك 02 ○ قَرْصُ / اَدْرَجْ دَرْتِي قَرْصُ سُرْدِ 03 ○ نَصْرِ بَو جُو سِرَى نَ اَدْرَجْ عَسِدْ	
	SINGLE-SELECT 01 ○ اَدْرَجْ دَرْتَا / اَدْرَجْ دَرْتَا وَوَقْعَتِي نُسْوَعِ مَحْمَلْ عَسِدْ؟ 02 ○ مَحْمَلْ عَسِدْ اَنَ لِمَ يَزِيدُ وَقْتُ الْقَرْصِ / مَحْمِلْ زَنْدِ 03 ○ مَحْمَلْ عَسِدْ، مَحْمِلْ دَرْتَا كَيَكْسِرْ	hh_gov_built
3. INTERVIEWER: Is this a multi storey building?	SINGLE-SELECT 01 ○ نَأْنِ 02 ○ سَّرَّسْرَّ	hh_multistorey

س4. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I ڊيگريڊيشن ٿيڻ لڳو ۽ ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو. E hh_multistorey==1	MULTI-SELECT hh_flr_occupy 00 ☐ 0 01 ☐ 1 02 ☐ 2 03 ☐ 3 04 ☐ 4 05 ☐ 5 06 ☐ 6 07 ☐ 7 08 ☐ 8 09 ☐ 9 10 ☐ 10 11 ☐ 11 12 ☐ 12 13 ☐ 13 14 ☐ 14
س5. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I Include only functioning lifts. E hh_multistorey==1	SINGLE-SELECT hh_lift 01 ☐ ٿيڻ 02 ☐ نٿي ٿيڻ
س6. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I ڊيگريڊيشن ٿيڻ لڳو ۽ ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو. E hh_multistorey==1	SINGLE-SELECT hh_const_material 01 ☐ ٿيڻ 02 ☐ ٿيڻ 03 ☐ ٿيڻ 04 ☐ ٿيڻ 05 ☐ ٿيڻ 06 ☐ ٿيڻ -96 ☐ (ٿيڻ)
س7. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I ڊيگريڊيشن ٿيڻ لڳو ۽ ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو. E hh_const_material==96	TEXT hh_const_oth
س8. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I ڊيگريڊيشن ٿيڻ لڳو ۽ ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو. E hh_flr_material==96	SINGLE-SELECT hh_flr_material 01 ☐ ٿيڻ 02 ☐ ٿيڻ 03 ☐ ٿيڻ 04 ☐ ٿيڻ 05 ☐ ٿيڻ 06 ☐ ٿيڻ -96 ☐ (ٿيڻ)
س9. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I ڊيگريڊيشن ٿيڻ لڳو ۽ ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو. E hh_flr_material==96	TEXT hh_flr_oth
س10. چي ٿي ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو؟ I ڊيگريڊيشن ٿيڻ لڳو ۽ ٻيو ڊزائن ڊيگريڊيشن ٿيڻ لڳو. E hh_flr_material==96	SINGLE-SELECT hh_roof_material 01 ☐ ٿيڻ 02 ☐ ٿيڻ 03 ☐ ٿيڻ 04 ☐ ٿيڻ 05 ☐ ٿيڻ -96 ☐ (ٿيڻ)

1. ځایونه کومو ته د ځانګړتیاوو لاندې راځي؟ E hh_roof_material==96	TEXT hh_roof_oth -----
9. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ I Even individuals can constitute a household.	SINGLE-SELECT hh_shared_dwell 01 ☐ نه 02 ☐ ځانګړتیا
10. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ E hh_shared_dwell==1 V1 self>0 M1 if you share the dwelling, the number cannot be 0 W2 self<=5 M2 The number of shared household is too high! Please confirm with respondent and give reason as a comment	NUMERIC: INTEGER hh_numshared -----

F2. HOUSEHOLD FORM

F2B. ROOMS

E IsAnswered(hh_startme)

1. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ I Count rooms with combined purposes only once (e.g. combined dining room - kitchen). Include storage room if big enough so one could sleep in it. V1 self>0 M1 Typically a household would occupy atleast 1 room. W2 self<= 15 M2 The number of rooms are too high! Please confirm with respondent and give reason as a comment	NUMERIC: INTEGER hh_nrmocc -----
2. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ I include sitting room and alike if used for sleeping V1 self<=hh_nrmocc M1 Number of rooms used for sleeping cannot be larger than number of rooms occupied	NUMERIC: INTEGER hh_nrmslp -----
3. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ SINGLE-SELECT hh_usns1r 01 ☐ نه 02 ☐ ځانګړتیا	
4. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ W1 self<=10 M1 The number of couples are too high! Please confirm	NUMERIC: INTEGER hh_ncople ----- SPECIAL VALUES 00 None
5. د ځایونو په شمېر کې د ځانګړتیاوو لاندې راځي؟ I Consider it a separate room if shared with a child under 2 years or if a child with a separate bedroom comes to sleep with the parents. E hh_ncople>0 V1 self<=hh_ncople M1 Number of couples sleep in separate rooms cannot be more than number of couples in the HH V2 self<=hh_nrmslp M2 Number of couples who have separate rooms, should not exceed the number of rooms used to sleep in Q2	NUMERIC: INTEGER hh_seprms ----- SPECIAL VALUES 00 NONE

F2C. HOUSING CONDITION

```
E  IsAnswered(hh_strtme)
```

[illegible]

7. چټکې يېدې رڼو ته ډېر ژر لږډن تر ودر تر ودر نه نځير نستر ووهلې خو نه؟	hh_drkwater SINGLE-SELECT 01 ☐ نه ډېر ژر - ټولې رڼې ودر نه لږډن 02 ☐ نه ډېر ژر - ټولې رڼې لږډن نه لږډن ډېر ژر نه لږډن 03 ☐ ودر ژر - ډېر ژر ودر نه لږډن ودر ودر 04 ☐ ودر ژر - ډېر ژر ودر ودر ودر 05 ☐ ودر ژر - ډېر ژر ودر ودر ودر ودر ودر ودر 06 ☐ ودر ژر - ډېر ژر ودر ودر ودر ودر ودر ودر ودر 07 ☐ ودر ژر ودر ودر ودر ودر ودر ودر ودر -96 ☐ (لږ ژر ودر ودر ودر ودر ودر ودر ودر)
لږ ژر ودر ودر ودر ودر ودر ودر ودر E hh_drkwater==96	hh_drkwater_oth TEXT
8. چټکې يېدې ودر ودر ودر ودر ودر ودر ودر رڼې نه لږډن؟ E hh_drkwater!=7	hh_saferwater SINGLE-SELECT 01 ☐ نه لږډن 02 ☐ نه لږډن
9. لږډن ته رڼې نه لږډن ودر ودر ودر ودر ودر ودر ودر E hh_saferwater==1	hh_purif_meth SINGLE-SELECT 01 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر 02 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر 03 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر -96 ☐ (لږ ژر ودر ودر ودر ودر ودر ودر ودر)
لږ ژر ودر ودر ودر ودر ودر ودر ودر E hh_purif_meth==96	hh_purif_oth TEXT
10. چټکې يېدې رڼې نه لږډن ودر ودر ودر ودر ودر ودر ودر نه لږډن ودر ودر ودر ودر ودر ودر ودر ودر	hh_kitch_typ SINGLE-SELECT 01 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر 02 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر 03 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر 04 ☐ نه لږډن ودر ودر ودر ودر ودر ودر ودر
11. چټکې يېدې رڼې نه لږډن ودر ودر ودر ودر ودر ودر ودر نه لږډن ودر ودر ودر ودر ودر ودر ودر ودر E hh_kitch_typ==1	hh_exclve_kitch SINGLE-SELECT 01 ☐ نه لږډن 02 ☐ نه لږډن
12. چټکې يېدې رڼې نه لږډن ودر ودر ودر ودر ودر ودر ودر نه لږډن ودر ودر ودر ودر ودر ودر ودر ودر E hh_kitch_typ.InList(1,2)	hh_ckwater SINGLE-SELECT 01 ☐ نه ډېر ژر - ټولې رڼې ودر نه لږډن 02 ☐ نه ډېر ژر - ټولې رڼې لږډن نه لږډن ډېر ژر نه لږډن 03 ☐ ودر ژر - ډېر ژر ودر نه لږډن ودر ودر 04 ☐ ودر ژر - ډېر ژر ودر ودر ودر ودر 05 ☐ ودر ژر - ډېر ژر ودر ودر ودر ودر ودر ودر ودر 06 ☐ ودر ژر - ډېر ژر ودر ودر ودر ودر ودر ودر ودر 07 ☐ ودر ژر ودر ودر ودر ودر ودر ودر ودر -96 ☐ (لږ ژر ودر ودر ودر ودر ودر ودر ودر)
لږ ژر ودر ودر ودر ودر ودر ودر ودر E hh_ckwater==96	hh_ckwater_oth TEXT

س13. چټي سيدي اړوندونو ته ستونزې اړوندې شوې؟ E hh_kitch_typ.InList(1,2)	hh_ckfuel_typ SINGLE-SELECT 01 ☐ نه 02 ☐ ستونزې 03 ☐ نه 04 ☐ ستونزې -96 ☐ (اړوندونو ته)
اړوندونو ته E hh_ckfuel_typ==96	hh_ckfuel_oth TEXT -----
س14. چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې؟	hh_intnet_typ MULTI-SELECT: YES/NO 01 ☐ / ☐ نه / ستونزې 02 ☐ / ☐ نه / ستونزې 03 ☐ / ☐ نه / ستونزې 04 ☐ / ☐ نه / ستونزې 05 ☐ / ☐ نه / ستونزې 06 ☐ / ☐ نه / ستونزې
س15. چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې؟	hh_cablNetfilx SINGLE-SELECT 01 ☐ نه 02 ☐ ستونزې
س16. چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې؟	hh_build_ownshp SINGLE-SELECT 01 ☐ چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې 02 ☐ چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې 03 ☐ چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې -96 ☐ نه
س17. چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې؟ I Select "Yes" if the dwelling is arranged by the employer.	hh_rented SINGLE-SELECT 01 ☐ نه 02 ☐ ستونزې
س18. چټي سيدي پرې اړوندې شوې او د ستونزې اړوندې شوې؟ I MVR per month E hh_rented==2 W1 self<= 50000 M1 The amount specified is too high! Please confirm with respondent and give reason as a comment	hh_estmntn_rent NUMERIC: INTEGER -----
س19. د رڼې کچې اړوندې شوې او د ستونزې اړوندې شوې؟ I Do not include electricity/water bills or any other service expenditure in the rent amount. If a non-house member pay the rent, make sure to include that rent MVR per month E hh_rented==1 W1 self<= 50000 M1 The amount specified is too high! Please confirm with respondent and give reason as a comment V2 hh_rented==1? self!=0: true M2 monthly rent cannot be 0!	hh_mnthlyrent NUMERIC: DECIMAL -----

س.1.1. ميرر رُحَرَر I IN MVR E hh_repairs==1 V1 hh_repairs==1? self>0: true M1 Amount spent on repairs cannot be zero	NUMERIC: DECIMAL hh_repost -----
---	---

F2. HOUSEHOLD FORM

F2G. REPAIR

```
E IsAnswered(hh_strtme)
```

[illegible]

F2. HOUSEHOLD FORM / F2G. REPAIR

Roster: RM

generated by multi-select question `hh_item_alter`

hh_rep_main

STATIC TEXT

```
E @rowcode.InList(-96)
```

[illegible]

STATIC TEXT

```
E !@rowcode.InList(-96,431118) // not for other pecify and for labour costs
```

%rostertitle% 1. وۆقۇمىزىز 12 رۇسئۇزى قۇمىزىز دىيىسى دۇرۇر

1.1. عَمَلِيَّاتُ سُرِّيَّةٍ أَمْ قَوَاعِدُ؟ E !@rowcode.InList(431118) // not for labour costs	NUMERIC: INTEGER hh_amt_purchd_1 SPECIAL VALUES 00 NONE
---	--

STATIC TEXT

```
E @rowcode.InList(-96) && (hh_amt_purchd_1 > 0 || !IsAnswered(hh_amt_purchd_1))
```

کچھ دُور سے کھڑے ہو کر؟ %hh rep oth% 2. وہ وہیں 12 رستوں پر؟ کھڑے رہے وہی دُور؟

STATIC TEXT

E !@rowcode.InList(-96) && (hh_amt_purchd_1 > 0 || !IsAnswered(hh_amt_purchd_1))

ی کجۆز ژ نەمەژنایەر یا نوومەژنایەر؟ %rostartitle% س.3. ۆۆۆۆۆۆۆۆ 12 ژ سەنەژۆۆۆۆۆۆۆۆ کۆمەژێر کێتێت سیدی کۆز

I IN MVR. Record total price for the items bought. If the item is purchase d on credit record the total price. E //rpbrdr!=2 && (hh_amt_purchd_1 > 0 !IsAnswered(hh_am t_purchd_1)) (hh_amt_purchd_1 > 0 !IsAnswered(hh_amt_ purchd_1))	NUMERIC: DECIMAL hh_t_amt_1 ----- SPECIAL VALUES -99 ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ
VARIABLE hh_t_amt_1!==-99? (int)hh_t_amt_1: 0	LONG tot_rep_spen

STATIC TEXT

E @rowcode.InList(-96)

س.3. ۆۆۆۆۆۆۆۆ 12 ژ سەنەژۆۆۆۆۆۆۆۆ کۆمەژێر کێتێت سیدی کۆز %hh_rep_oth%

STATIC TEXT

E !@rowcode.InList(-96,431118) // not for other pecify and for labour costs

س.3. ۆۆۆۆۆۆۆۆ 12 ژ سەنەژۆۆۆۆۆۆۆۆ کۆمەژێر کێتێت سیدی کۆز %rostartitle%

س.3.1 ژ کەژێرێ کجۆی کۆ ۆۆۆۆۆۆۆۆ	NUMERIC: INTEGER hh_amt_rcvdd_1 ----- SPECIAL VALUES 00 NONE
E !@rowcode.InList(431118) // not for labour costs V1 (self!=0 && hh_amt_purchd_1!=0) (self==0 && hh_amt_pu rchd_1!=0) (self!=0 && hh_amt_purchd_1==0) M1 Both number of items purchased and received cannot be 0	

INTERVIEWER: Was the respondent able to give the breakdown of the items used for the alterations/maintenance? E hh_item_alter.Yes.Length>0	SINGLE-SELECT rpbrdr 01 ☐ ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ 02 ☐ ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ
---	---

س.2. ۆۆۆۆۆۆۆۆ 12 ژ سەنەژۆۆۆۆۆۆۆۆ کۆمەژێر کێتێت سیدی کۆز ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ ۆۆۆۆۆۆۆۆ I IN MVR E rpbrdr==2 V1 self>=hh_rep_main.Sum(x=>x.tot_rep_spen) M1 Total cannot be smaller than breakdowns.	NUMERIC: INTEGER rpmtcst -----
---	--

F2. HOUSEHOLD FORM

F2H. FURNITURE

E IsAnswered(hh_strtme)

1. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو V1 IsAnswered(hh_utslyn) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO hh_furnit_purch 5111005 ☐ / ☐ سوڌو ڪو به 5111013 ☐ / ☐ ڪو به ڪو به 5111007 ☐ / ☐ ڪو به ڪو به ڪو به 5111006 ☐ / ☐ ڪو به ڪو به 5111009 ☐ / ☐ ڪو به 5111010 ☐ / ☐ ڪو به 5111008 ☐ / ☐ ڪو به ڪو به ڪو به 5111001 ☐ / ☐ ڪو به 5111004 ☐ / ☐ ڪو به 5111002 ☐ / ☐ ڪو به 5111011 ☐ / ☐ ڪو به ڪو به ڪو به 5323002 ☐ / ☐ ڪو به ڪو به ڪو به 5111014 ☐ / ☐ ڪو به -0000096 ☐ / ☐ ڪو به (ڪو به ڪو به ڪو به)
ڪو به ڪو به ڪو به ڪو به E hh_furnit_purch.Yes.Contains(-96)	TEXT hh_furnit_oth

F2. HOUSEHOLD FORM / F2H. FURNITURE

Roster: FURNIT.

generated by multi-select question [hh_furnit_purch](#)

hh_furniture

STATIC TEXT

E @rowcode.InList(-96)

1. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو %hh_furnit_oth%

STATIC TEXT

E !@rowcode.InList(-96)

1. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو %rosteritle%

1. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو

W1 self.InRange(0,maxnum_f2h)

M1 Double check quantity of %rosteritle% the household has access to.

NUMERIC: INTEGER

hh_amt_purchd_2

SPECIAL VALUES

00 NONE

STATIC TEXT

E @rowcode.InList(-96) && (hh_amt_purchd_2 > 0 || !IsAnswered(hh_amt_purchd_2))

2. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو %hh_furnit_oth% ڪو به ڪو به ڪو به ڪو به

STATIC TEXT

E !@rowcode.InList(-96) && (hh_amt_purchd_2 > 0 || !IsAnswered(hh_amt_purchd_2))

2. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو %rosteritle% ڪو به ڪو به ڪو به ڪو به

I IN MVR. Record total price for items bought on credit

E (hh_amt_purchd_2 > 0 || !IsAnswered(hh_amt_purchd_2))

W1 self.InRange(0,maxprc_f2h)

M1 Double check price of the last %rosteritle% purchased.

NUMERIC: DECIMAL

hh_t_amt_2

STATIC TEXT

E @rowcode.InList(-96)

3. ڏهه ڏينهن ۾ 12 ڏينهن واري ڦهري ۾ ڪي به ڪا شيءِ نه ڪريو %hh_furnit_oth%..

generated by multi-select question **outtyp**

patientout

[illegible]

سـ3.6. رَاسَ وَجْهِ (سَوْنُو سَوْنُو) عَمَلْ مَرُورْ فَرَاوَنَ مَرُورْ E outpay.Yes.Contains(6)	NUMERIC: INTEGER outpay_6 ----- SPECIAL VALUES وَلَوْ سَرَّ سَرَّ سَرَّ سَرَّ سَرَّ -99
سـ3.7. اَعْمَلْ مَرُورْ رَاسَ وَجْهِ رَاسَ وَجْهِ رَاسَ وَجْهِ E outpay.Yes.Contains(7)	NUMERIC: INTEGER outpay_7 ----- SPECIAL VALUES وَلَوْ سَرَّ سَرَّ سَرَّ سَرَّ سَرَّ -99
سـ3.8. رَاسَ وَجْهِ وَجْهِ مَرُورْ مَرُورْ (فَرَاوَنَ مَرُورْ وَجْهِ مَرُورْ) E outpay.Yes.Contains(8)	NUMERIC: INTEGER outpay_8 ----- SPECIAL VALUES وَلَوْ سَرَّ سَرَّ سَرَّ سَرَّ سَرَّ -99
سـ4. وَجْهِ مَرُورْ 30 فَرَاوَنَ وَجْهِ مَرُورْ وَجْهِ مَرُورْ I IN MVR. INCLUDE any expenses recorded in breakdown. E outpay_1== -99 outpay_2== -99 outpay_3== -99 outpay_4== -99 outpay_5== -99 outpay_6== -99 outpay_7== -99 outpay_8== -99	NUMERIC: INTEGER outpay_tot -----
سـ5. وَجْهِ مَرُورْ 30 فَرَاوَنَ وَجْهِ مَرُورْ وَجْهِ مَرُورْ V1 IsAnswered(disabAllow) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO med_bought 01 ☐ / ☐ وَجْهِ مَرُورْ مَرُورْ وَجْهِ مَرُورْ (وَجْهِ مَرُورْ وَجْهِ مَرُورْ) 02 ☐ / ☐ وَجْهِ مَرُورْ مَرُورْ وَجْهِ مَرُورْ (وَجْهِ مَرُورْ وَجْهِ مَرُورْ) 03 ☐ / ☐ وَجْهِ مَرُورْ مَرُورْ وَجْهِ مَرُورْ (وَجْهِ مَرُورْ وَجْهِ مَرُورْ)

F2. HOUSEHOLD FORM / F2J: HEALTH EXPENSES

Roster: وَجْهِ

generated by multi-select question [med_bought](#)

سـ1. وَجْهِ مَرُورْ وَجْهِ مَرُورْ وَجْهِ مَرُورْ	SINGLE-SELECT main_expen_7 01 ☐ وَجْهِ مَرُورْ / وَجْهِ مَرُورْ 02 ☐ وَجْهِ مَرُورْ / وَجْهِ مَرُورْ 03 ☐ وَجْهِ مَرُورْ / وَجْهِ مَرُورْ
سـ2. وَجْهِ مَرُورْ وَجْهِ مَرُورْ وَجْهِ مَرُورْ V1 main_expen_7==3? self==1: true M1 Your answer contradicts with the answer given to the previous question.	SINGLE-SELECT paid_member_7 01 ☐ وَجْهِ 02 ☐ وَجْهِ
سـ3. وَجْهِ مَرُورْ 30 فَرَاوَنَ وَجْهِ مَرُورْ وَجْهِ مَرُورْ I IN MVR E paid_member_7==1 V1 paid_member_7==1? self>0: true M1 Value cannot be 0!	NUMERIC: INTEGER t_amount_7 -----

6. چټې پيدې اړوندو چارو ته د پاملرنې د کچې ارزښت څرګند کړئ؟ څه ترسره کړئ ترسره کړئ اړوندو سره سم وڅیړئ؟	SINGLE-SELECT 01 ☐ نه 02 ☐ ترسره disabAllow
7. ټولنیز د ژوند پاملرنې د کچې ارزښت څرګند کړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ څه ترسره کړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ I IN MVR E disabAllow==1 W1 self<=20000 M1 Error! Please check the amount. V2 disabAllow==1? self>0: true M2 Value cannot be 0!	NUMERIC: INTEGER dialam -----

F2. HOUSEHOLD FORM
F2K. OTHER EXPENSES

E IsAnswered(hh_strtme)

1. ټولنیز 30 ورځو پورې پورې چټې پيدې اړوندو سره سم وڅیړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ څه ترسره کړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ V1 IsAnswered(trv_abroadYesno) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO other_bills_exp 4510001 ☐ / ☐ نه 4320001 ☐ / ☐ نه 4420001 ☐ / ☐ نه 8310001 ☐ / ☐ نه 4521001 ☐ / ☐ نه 4530001 ☐ / ☐ نه 5621001 ☐ / ☐ نه
---	---

F2. HOUSEHOLD FORM / F2K. OTHER EXPENSES
Roster: د ژوند سره سم
generated by multi-select question other_bills_exp

1. د ژوند سره سم وڅیړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ V1 !(self.No.ContainsAny(1,2) && self.No.Contains(2)) self.No.Contains(2) && self.Yes.Contains(1) self.Yes.Contains(2) && self.No.Contains(1) M1 Please check whether %rosteritle% is purchased or received as a gift	MULTI-SELECT: YES/NO other_purchdRcvd 01 ☐ / ☐ نه 02 ☐ / ☐ نه
2. د ژوند سره سم وڅیړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ I IN MVR. Estimate the value of gifts W1 self.InRange(0,maxprc_f2k) M1 Double check price of the last %rosteritle% purchased.	NUMERIC: INTEGER cost_item_serv -----
VARIABLE (int)exp_max[@rowcode].maxprc_1t	LONG maxprc_f2k

F2. HOUSEHOLD FORM
F2L. TRAVEL

E IsAnswered(hh_strtme)

1. ټولنیز 12 ورځو پورې پورې چټې پيدې اړوندو سره سم وڅیړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ څه ترسره کړئ ترسره کړئ اړوندو سره سم وڅیړئ؟ SINGLE-SELECT 01 ☐ نه 02 ☐ ترسره trv_abroadYesno	
---	--

س2. مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ دَئِ سَافِرَ لَاصِرَ؟ I Probe and select all that applies E trv_abroadYesno==1	MULTI-SELECT trv_abroadReason 01 ☐ وَتَعَرَّسَ مَرُوعَ لَاصِرَ 02 ☐ دَئِ سَافِرَ لَاصِرَ / مَرُوعَ لَاصِرَ 03 ☐ مَرُوعَ لَاصِرَ / مَرُوعَ لَاصِرَ 04 ☐ مَرُوعَ لَاصِرَ / مَرُوعَ لَاصِرَ 05 ☐ مَرُوعَ لَاصِرَ / مَرُوعَ لَاصِرَ -96 ☐ (مَرُوعَ لَاصِرَ)
---	---

F2. HOUSEHOLD FORM / F2L. TRAVEL

Roster: مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ

generated by multi-select question [trv_abroadReason](#)

travel_abr

مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ I Do not include Pilgrimage trips. If the only other trip was a pilgrimage trip, go back and unselect other. E @rowcode== -96	TEXT trv_abroadReason_oth
س1. وَتَعَرَّسَ مَرُوعَ لَاصِرَ 12 دَئِ سَافِرَ لَاصِرَ مَرُوعَ لَاصِرَ سَافِرَ لَاصِرَ؟ I مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ 12 دَئِ سَافِرَ لَاصِرَ مَرُوعَ لَاصِرَ سَافِرَ لَاصِرَ؟ W1 self<=30 M1 Typically one would not make this many trips. Please confirm V2 trv_abroadReason.ContainsAny(1,2,3,4,5,-96)? self!=0: true M2 Number of trips made cannot be 0!	NUMERIC: INTEGER num_trp_abr -----

STATIC TEXT

مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ 12 دَئِ سَافِرَ لَاصِرَ مَرُوعَ لَاصِرَ سَافِرَ لَاصِرَ؟

مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ 12 دَئِ سَافِرَ لَاصِرَ مَرُوعَ لَاصِرَ سَافِرَ لَاصِرَ؟ V1 file==1? self<=UsualHMMembers.Length: true M1 Cannot be more than household members V2 num_trp_abr>0? self>0: true M2 Number of people who travelled cannot be 0!	NUMERIC: INTEGER num_per_1 -----
س3. دَئِ سَافِرَ لَاصِرَ 12 دَئِ سَافِرَ لَاصِرَ مَرُوعَ لَاصِرَ سَافِرَ لَاصِرَ؟ I Include travel days V1 self>0 M1 Number of days spent cannot be 0!	NUMERIC: INTEGER num_day_1 -----
س4. دَئِ سَافِرَ لَاصِرَ 12 دَئِ سَافِرَ لَاصِرَ مَرُوعَ لَاصِرَ سَافِرَ لَاصِرَ؟	SINGLE-SELECT ex_paid_member_1 01 ☐ مَرَاتِعَ سَرَّ 02 ☐ مَرَاتِعَ سَرَّ

F2. HOUSEHOLD FORM / F2L. TRAVEL / مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ

Roster: EXPENSE

generated by fixed list

trvabr

- 01 مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ
- 02 مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ
- 03 مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ
- 04 مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ
- 05 مَرَاتِعَ سَرَّ وَتَعَرَّسَ مَرُوعَ لَاصِرَ

- 06 *دېر ژر ژر ژر ژر ژر ژر*
- 07 *ډېر ژر ژر ژر ژر ژر ژر*
- 08 *ډېر ژر ژر ژر ژر ژر ژر*

E ex_paid_member_1 == 1

<i>نېټه %travel_abr% ۱. د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> <i>د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> I IN %hh_taecur%. Select in next question. Only include expenses paid by household members. V1 self==0 self==99? !IsAnswered(hh_taecur): IsAnswered(hh_taecur) M1 Select the currency from the next question	NUMERIC: INTEGER hh_taeamt ----- SPECIAL VALUES 00 <i>دېر ژر ژر ژر ژر</i> -99 <i>ډېر ژر ژر ژر ژر ژر ژر</i>
2. INTERVIEWER: Select currency E !hh_taeamt.InList(0,-99)	SINGLE-SELECT hh_taecur 01 ☐ MVR 02 ☐ USD 03 ☐ Indian Rupee 04 ☐ Sri Lankan Rupee 05 ☐ Singapore Dollar 06 ☐ Malaysian Ringgit 07 ☐ Bangladeshi Taka 08 ☐ Thai Baht 09 ☐ Euro
VARIABLE hh_taeamt!=-99 ? (int)(\$currencies[(int)hh_taecur-1]*hh_taeamt) : 0 // select from the currencies array the xth item // x is the code of the currency selected, since the index starts at 0	LONG hh_taemvr
<i>۵. د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> <i>د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> I IN %hh_tactcu%. Select in next question. INCLUDE any expenses recorded in breakdown. Don't not include expenses incurred for business. E trvabr.Any(x=>x.hh_taeamt==99)	NUMERIC: INTEGER hh_taetam -----
INTERVIEWER: Select currency E trvabr.Any(x=>x.hh_taeamt==99) V1 hh_tactmr>=trvabr.Sum(x=>x.hh_taemvr) M1 Total cannot be smaller than breakdowns.	SINGLE-SELECT hh_tactcu 01 ☐ MVR 02 ☐ USD 03 ☐ Indian Rupee 04 ☐ Sri Lankan Rupee 05 ☐ Singapore Dollar 06 ☐ Malaysian Ringgit 07 ☐ Chinese Yuan 08 ☐ Thai Baht 09 ☐ Euro
VARIABLE (int)(\$currencies[(int)hh_tactcu-1]*hh_tactam) // select from the currencies array the xth item // x is the code of the currency selected, since the index starts at 0	LONG hh_tactmr
<i>۳. د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> <i>د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> <i>د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i> <i>د سړي د ژوند د پېچلې دېر ژر ژر ژر ژر ژر ژر</i>	SINGLE-SELECT trv_nationalYesno 01 ☐ <i>ښه</i> 02 ☐ <i>ښه</i>

4. مەزگىلى ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ I Probe and select all that applies E trv_nationalReason==1	trv_nationalReason MULTI-SELECT 01 ☐ ھەيلىمىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 02 ☐ دېھقانچىلىق / ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 03 ☐ قۇرۇلۇش / ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 04 ☐ تەبىئەت / ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 05 ☐ ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 06 ☐ ھەيلىمىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ -96 ☐ (ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟)
---	---

F2. HOUSEHOLD FORM / F2L. TRAVEL

Roster: مەزگىلى ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟

generated by multi-select question [trv_nationalReason](#)

travel_nat

ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ E @rowcode==96	trv_nationalReason_oth TEXT
1. ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 2. ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ I ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ V1 trv_nationalReason.ContainsAny(1,2,3,4,5,6,-96)? self!=0 : true M1 Number of trips made cannot be 0!	num_trp_nat NUMERIC: INTEGER

STATIC TEXT

مەزگىلى ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟

2. ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ V1 file==1? self<=UsualHHMembers.Length: true M1 Cannot be more than household members V2 num_trp_nat>0? self>0: true M2 Number of people who travelled cannot be 0!	num_per_2 NUMERIC: INTEGER
3. ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ I Include travel days V1 self<365 M1 Number of days are too high. Input a reasonable value. V2 self>0 M2 Number of days spent cannot be 0!	num_day_2 NUMERIC: INTEGER
4. ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟	ex_paid_member_2 SINGLE-SELECT 01 ☐ ھەيلىمىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ 02 ☐ ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟

STATIC TEXT

E ex_paid_member_2==1

مەزگىلى ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟

5. ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	air_cost_2 NUMERIC: INTEGER SPECIAL VALUES 00 ھەيلىمىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟ -99 ۋەقەنىڭ 6 ئۆزىڭىز ئۆتكەن ئەرەب ئايلىرىنىڭ قانچىسىنى تاللاڭ؟
--	--

س6. لاسرچي دى سر قوچو لى موز قىرل زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER sea_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر
س7. لاسرچي دى سر قوچو لى موز قىرل زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER land_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر
س8. لاسرچي زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER food_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر
س9. زىمر زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER accom_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر
س10. دى سر قوچو لى موز قىرل زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER leisure_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر
س11. قوچو لى موز قىرل زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER edu_train_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر
س12. وىل وىل سر قوچو لى موز قىرل زىمر I IN MVR. Only include expenses paid by household members. E ex_paid_member_2==1	NUMERIC: INTEGER shopping_cost_2 ----- SPECIAL VALUES 00 لى موز قىرل زىمر -99 وىل وىل سر قوچو لى موز قىرل زىمر

F3. EXPENDITURE UNIT

E hhcnst==1 /*open if consent in main file*/ || aeusec==1 /*or in secondary if at least one exp unit is recorded*/

F3. EXPENDITURE UNIT

Roster: EXP UNIT

generated by list question [expUnitsList](#)

expunit2

VARIABLE @rowcode	LONG ex_identifier
INTERVIEWER: Interview here or on the other tablet? E file==1	SINGLE-SELECT 01 ☐ Here 02 ☐ On other tablet ex_intloc
INTERVIEWER: Copy the identifier for %rosteritle% from the main file on the other tablet E file==2	NUMERIC: INTEGER ex_idcopy -----
STATIC TEXT E ex_intloc==2 && file==1 INTERVIEWER: In the secondary file on the other tablet: 1. In section F1B. EXPENDITURE UNITS in Q1, list %rosteritle% 2. In section F3. EXPENDITURE UNIT in Q1, record the identifier %ex_identifier%	
INTERVIEWER: After this expenditure unit form is complete on the other tablet, confirm that it has been done by recording here the expenditure check code from the secondary file. E ex_intloc==2 && file==1 V1 self==ex_chkcde M1 Check code wrong! Double check you have entered the correct identifier for the expenditure unit %rosteritle% in the secondary file and copied back the correct check code.	NUMERIC: INTEGER ex_chkcfm -----
VARIABLE file==1 ? (hhid * 18 + ex_identifier) % 100 : (hhid * 18 + ex_idcopy) % 100 /*check code based on identifier, not easy to guess*/	LONG ex_chkcde
INTERVIEWER: Take time E ex_intloc==1 IsAnswered(ex_idcopy)	DATE: CURRENT TIME ex_strtme -----
INTERVIEWER: Select the respondent for %rosteritle% I Interview the person of the expense unit who is most knowledgeable about the unit's expenses. Only members of this expenditure unit are listed. If you notice an error correct it in section EXPENDITURE And 8 other symbols [3] F @current.exumem.Any(x=>x.Contains(@rowcode)) E file==1	SINGLE-SELECT: LINKED ex_resp
VARIABLE String.Join(", ", UsualMembers .Where(z=>exumem.Any(y=>y.Contains(z.@rowcode))) .Select(x=>\${x.rowname}"))	STRING exunms

3. اړوند ټولگي د شتون په شتون کې شتون؟ I زه، زوی، ورېځې، د پلار د شتون په شتون کې	SINGLE-SELECT ex_itemyn_32 01 ☐ نه 02 ☐ بیا
اړوند ټولگي د شتون په شتون کې؟ E ex_itemyn_32==1 V1 self.Missing.Length==0? self.Yes.Length>=1: true M1 If did not spend any than take NO as an answer for the previous question! V2 IsAnswered(exp_item_7) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M2 Answer all options before proceeding	MULTI-SELECT: YES/NO ex_item_32 12120001 ☐ / ☐ د شتون په شتون کې 12110001 ☐ / ☐ د شتون په شتون کې 12141001 ☐ / ☐ د شتون په شتون کې 12130001 ☐ / ☐ نه 12190002 ☐ / ☐ د شتون په شتون کې

F3. EXPENDITURE UNIT / EXP UNIT / 12 مه

Roster: F3A. EDUCATION EXPENSES

generated by multi-select question [ex_item_9](#)

ex_3m_9

STATIC TEXT E @rowcode.InList(-996) 1. %rosteritle% د شتون په شتون کې:	
STATIC TEXT E !@rowcode.InList(-996) %rosteritle% د شتون په شتون کې:	
	SINGLE-SELECT ex_borneby_9 01 ☐ نه 02 ☐ د شتون په شتون کې 03 ☐ د شتون په شتون کې
STATIC TEXT E @rowcode.InList(-996) && ex_borneby_9!=3 د شتون په شتون کې؟ %ex_edu_oth_9% 2. د شتون په شتون کې د شتون په شتون کې	
STATIC TEXT E !@rowcode.InList(-996) && ex_borneby_9!=3 د شتون په شتون کې؟ %rosteritle% 2. د شتون په شتون کې د شتون په شتون کې	
E ex_borneby_9!=3	SINGLE-SELECT ex_paidbyhh_9 01 ☐ نه 02 ☐ بیا
STATIC TEXT E @rowcode.InList(-996) && ((ex_borneby_9.InList(1,2) && ex_paidbyhh_9==1) ex_borneby_9.InList(3)) د شتون په شتون کې؟ %ex_edu_oth_9% 3. د شتون په شتون کې د شتون په شتون کې	
STATIC TEXT E !@rowcode.InList(-996) && ((ex_borneby_9.InList(1,2) && ex_paidbyhh_9==1) ex_borneby_9.InList(3)) د شتون په شتون کې؟ %rosteritle% 3. د شتون په شتون کې د شتون په شتون کې	
I IN MVR E ex_borneby_9.InList(1,2) && ex_paidbyhh_9==1 ex_borneby_9.InList(3) W1 self.InRange(0,maxprc_f3a) M1 Double check price given for %rosteritle% is for last 12 months.	NUMERIC: DECIMAL ex_amnt_9 -----

VARIABLE (int)exp_max[@rowcode].maxprc_1t	LONG maxprc_f3a
--	--------------------

F3. EXPENDITURE UNIT / EXP UNIT / 12 رُسْت
Roster: F3B. PERSONAL CARE
generated by multi-select question [ex_item_5](#)

ex_12m_5

STATIC TEXT

E @rowcode.InList(-596)

سَوۛ 1. قَوۛقَوۛر 12 رُسْتَوۛزۛ قَوۛرۛ دَر دَر سَر سَرۛ دَر رُسْتۛ پَچَوۛر ؟ %ex_persnl_oth_5%

STATIC TEXT

E !@rowcode.InList(-596)

سَوۛ 1. قَوۛقَوۛر 12 رُسْتَوۛزۛ قَوۛرۛ دَر دَر سَر سَرۛ دَر رُسْتۛ پَچَوۛر ؟ %rosteritle%

سَوۛ 1.1. قَوۛ رُسْتَرۛ؟

W1 self.InRange(0,maxnum_f3b)

M1 Double check quantity of %rosteritle% the household has access to.

NUMERIC: INTEGER

ex_pchsed_5

SPECIAL VALUES

00 NONE

STATIC TEXT

E @rowcode.InList(-596) && (ex_pchsed_5 > 0 || !IsAnswered(ex_pchsed_5))

قَوۛرۛ رُسْتَرۛ نَچَر پَچَوۛر ؟ %ex_persnl_oth_5% سَوۛ 2. قَوۛقَوۛر 12 رُسْتَوۛزۛ قَوۛرۛ دَر دَر سَر سَرۛ دَر رُسْتۛ پَچَوۛر

STATIC TEXT

E !@rowcode.InList(-596) && (ex_pchsed_5 > 0 || !IsAnswered(ex_pchsed_5))

قَوۛرۛ رُسْتَرۛ نَچَر پَچَوۛر ؟ %rosteritle% سَوۛ 2. قَوۛقَوۛر 12 رُسْتَوۛزۛ قَوۛرۛ دَر دَر سَر سَرۛ دَر رُسْتۛ پَچَوۛر

I IN MVR

E ex_pchsed_5 > 0 || !IsAnswered(ex_pchsed_5)

W1 self.InRange(0,maxprc_f3b)

M1 Double check price of the last %rosteritle% purchased.

NUMERIC: DECIMAL

ex_amnt_5

STATIC TEXT

E @rowcode.InList(-596)

سَوۛ 3. قَوۛقَوۛر 12 رُسْتَوۛزۛ قَوۛرۛ دَر دَر سَر سَرۛ دَر رُسْتۛ پَچَوۛر .. %ex_persnl_oth_5%

STATIC TEXT

E !@rowcode.InList(-596)

سَوۛ 3. قَوۛقَوۛر 12 رُسْتَوۛزۛ قَوۛرۛ دَر دَر سَر سَرۛ دَر رُسْتۛ پَچَوۛر .. %rosteritle%

رُسْتَرۛ قَوۛرۛ دَر دَر سَر رُسْتَرۛ؟ 3.1.

V1 (self!=0 && ex_pchsed_5!=0) || (self==0 && ex_pchsed_5!=0) || (self!=0 && ex_pchsed_5==0)

M1 Both number of items purchased and received cannot be 0

NUMERIC: INTEGER

ex_rcvd_5

SPECIAL VALUES

00 NONE

VARIABLE

(int)exp_max[@rowcode].maxnum_1t

LONG

maxnum_f3b

VARIABLE

(int)exp_max[@rowcode].maxprc_1t

LONG

maxprc_f3b

F3. EXPENDITURE UNIT / EXP UNIT / 12 رُسْت
Roster: F3C. INSURANCE
generated by multi-select question [ex_item_32](#)

ex_12m_32

س1. قۇقۇنلار 12 دىن ئۆتۈۋېتىش ئىشلىرىنىڭ ئىسمىنى كىرگۈزۈڭ: %rostartitle% ئىسمىنى كىرگۈزۈڭ: %rostartitle%	SINGLE-SELECT 01 ☐ ئىسمى 02 ☐ ئىسمى	ex_pmt_32
س2. قۇقۇنلار 12 دىن ئۆتۈۋېتىش ئىشلىرىنىڭ ئىسمىنى كىرگۈزۈڭ: %rostartitle% ئىسمىنى كىرگۈزۈڭ: %rostartitle% I IN MVR E ex_pmt_32==1 W1 self.InRange(0,maxprc_f3c) M1 Double check price of the last %rostartitle% purchased.	NUMERIC: DECIMAL -----	ex_amnt_32
VARIABLE (int)exp_max[rowcode].maxprc_1t	LONG	maxprc_f3c

F3. EXPENDITURE UNIT / EXP UNIT

3 سۇ

E IsAnswered(ex_strtme)

STATIC TEXT

قۇقۇنلار 3 دىن ئۆتۈۋېتىش ئىشلىرىنىڭ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
ئىسمىنى كىرگۈزۈڭ: %rostartitle%

س1. ئىسمىنى كىرگۈزۈڭ

MULTI-SELECT: YES/NO exp_item_7

- 03121011 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
03122011 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
03123006 ☐ / ☐ (0-2) ئىسمىنى كىرگۈزۈڭ: %rostartitle%
03131001 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
05619012 ☐ / ☐ (ئىسمىنى كىرگۈزۈڭ: %rostartitle%)
03110001 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
03142099 ☐ / ☐ (ئىسمىنى كىرگۈزۈڭ: %rostartitle%)
05213002 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
13211003 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
13291002 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
13211002 ☐ / ☐ (ئىسمىنى كىرگۈزۈڭ: %rostartitle%)
07213003 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
03121006 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
13291006 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
-00000796 ☐ / ☐ (ئىسمىنى كىرگۈزۈڭ: %rostartitle%)

ئىسمىنى كىرگۈزۈڭ

TEXT exp_clothg_oth_7

E exp_item_7.Yes.Contains(-796)

س2. ئىسمىنى كىرگۈزۈڭ

MULTI-SELECT: YES/NO exp_item_8

- 3210001 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3211001 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3212002 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3210002 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3211002 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3212001 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3213004 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3213003 ☐ / ☐ ئىسمىنى كىرگۈزۈڭ: %rostartitle%
3210003 ☐ / ☐ (ئىسمىنى كىرگۈزۈڭ: %rostartitle%)
-0000896 ☐ / ☐ (ئىسمىنى كىرگۈزۈڭ: %rostartitle%)

 E exp_item_8.Yes.Contains(-896)	TEXT exp_footwr_oth_8
---	-------------------------------------

F3. EXPENDITURE UNIT / EXP UNIT / رُسُوْ3
Roster: F3D. CLOTHING
generated by multi-select question [exp_item_7](#)

exp_3m_7

STATIC TEXT E @rowcode.InList(-796) 1. %exp_clothg_oth_7%.. 3 رَسْمَوُورِي عَمَّتِي، جِ نِسْرَهِي جِ رَسْمِي بَلَوِي	
STATIC TEXT E !@rowcode.InList(-796) 1. %rosteritle%.. 3 رَسْمَوُورِي عَمَّتِي، جِ نِسْرَهِي جِ رَسْمِي بَلَوِي	
1.1. يُو رَسْمِي؟ W1 self.InRange(0,maxnum_f3d) M1 Double check quantity of %rosteritle% the household has access to.	NUMERIC: INTEGER exp_pchsed_7 ----- SPECIAL VALUES 00 NONE

STATIC TEXT E @rowcode.InList(-796)&& (exp_pchsed_7 > 0 !IsAnswered(exp_pchsed_7)) سَوَدَتِ زَمْعَتِ نِي زَوَرِ يَارَوَعَرِ؟ %exp_clothg_oth_7% 2. سَوَدَتِ زَمْعَتِ نِي زَوَرِ يَارَوَعَرِ، جِ نِي سَوَدَتِ جِ زَمْعَتِ	
STATIC TEXT E !@rowcode.InList(-796)&& (exp_pchsed_7 > 0 !IsAnswered(exp_pchsed_7)) سَوَدَتِ زَمْعَتِ نِي زَوَرِ يَارَوَعَرِ؟ %rosteritle% 2. سَوَدَتِ زَمْعَتِ نِي زَوَرِ يَارَوَعَرِ، جِ نِي سَوَدَتِ جِ زَمْعَتِ	
I IN MVR Do not include the amount of goods received as gift E exp_pchsed_7 > 0 !IsAnswered(exp_pchsed_7) N1 self.InRange(0,maxprc_f3d) M1 Double check price of the last %rosteritle% purchased.	NUMERIC: DECIMAL exp_amnt_7 -----

STATIC TEXT E @rowcode.InList(-796) <i>سۋۋەتەر 3 رۇسۇنۇزى قۇمىرى، ج نىر سېتىق جۇستىر پەلەڭ %exp_clothg_oth_7%..</i>	
STATIC TEXT E !@rowcode.InList(-796) <i>سۋۋەتەر 3 رۇسۇنۇزى قۇمىرى، ج نىر سېتىق جۇستىر پەلەڭ %rostartitle%..</i>	
V1 (self!=0 && exp_pchsed_7!=0) (self==0 && exp_pchsed_7!=0) (self!=0 && exp_pchsed_7==0) M1 Both of items purchased and received cannot be 0	NUMERIC: INTEGER exp_rcvcd_7 SPECIAL VALUES 00 NONE
VARIABLE (int)exp_max[@rowcode].maxnum_l1t	LONG maxnum_f3d
VARIABLE (int)exp_max[@rowcode].maxprc_l1t	LONG maxprc_f3d

F3. EXPENDITURE UNIT / EXP UNIT / رُومَة 3
Roster: F3E. FOOTWEAR

STATIC TEXT

E @rowcode.InList(-896)

1. **%exp_footwr_oth_8%..** ٴٴٴٴٴٴٴٴ 3 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

STATIC TEXT

E !@rowcode.InList(-896)

1. **%rosteritle%..** ٴٴٴٴٴٴٴٴ 3 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

1.1. ٴٴٴٴٴٴٴٴ

NUMERIC: INTEGER exp_pchsd_8

SPECIAL VALUES

00 NONE

STATIC TEXT

E @rowcode.InList(-896)&& (exp_pchsd_8 > 0 || !IsAnswered(exp_pchsd_8))

2. **%exp_footwr_oth_8%** ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ 3 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

STATIC TEXT

E !@rowcode.InList(-896)&& (exp_pchsd_8 > 0 || !IsAnswered(exp_pchsd_8))

2. **%rosteritle%** ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ 3 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

I IN MVR

NUMERIC: DECIMAL exp_amnt_8

E exp_pchsd_8 > 0 || !IsAnswered(exp_pchsd_8)

W1 self.InRange(0,maxprc_f3e)

M1 Double check price of the last %rosteritle% purchased.

STATIC TEXT

E @rowcode.InList(-896)

3. **%exp_footwr_oth_8%..** ٴٴٴٴٴٴٴٴ 3 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

STATIC TEXT

E !@rowcode.InList(-896)

3. **%rosteritle%..** ٴٴٴٴٴٴٴٴ 3 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

3.1. ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

NUMERIC: INTEGER exp_rcvd_8

V1 (self!=0 && exp_pchsd_8!=0) || (self==0 && exp_pchsd_8!=0) || (self!=0 && exp_pchsd_8==0)

M1 Both of items purchased and received cannot be 0

SPECIAL VALUES

00 NONE

VARIABLE
(int)exp_max[@rowcode].maxnum_1t

LONG maxnum_f3e

VARIABLE
(int)exp_max[@rowcode].maxprc_1t

LONG maxprc_f3e

F3. EXPENDITURE UNIT / EXP UNIT

ٴٴٴٴٴ

E IsAnswered(ex_strtme)

STATIC TEXT

30 ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ ٴٴٴٴٴٴٴٴ

1. ىقىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ V1 IsAnswered(ex_item_2) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	ex_item_1 MULTI-SELECT: YES/NO 05611001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05611005 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 13120099 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05611012 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 13120027 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05611004 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05611006 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05403009 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05619001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05611007 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05522003 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 05522002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ -00000196 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ
قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ E ex_item_1.Yes.Contains(-196)	ex_maint_oth_1 TEXT
2. دىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ V1 IsAnswered(ex_item_3) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	ex_item_2 MULTI-SELECT: YES/NO 9212002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 9312001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 9630002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 9610001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 8150002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 9462001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 9211002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 9321001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 8150003 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ -0000296 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ
قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ E ex_item_2.Yes.Contains(-296)	ex_entert_oth_2 TEXT
3. قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ I Exclude travel paid for by employer/ Business purpose V1 IsAnswered(ex_item_4) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	ex_item_3 MULTI-SELECT: YES/NO 7322001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7321001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7340001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7340002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7331001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7222001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7221001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7230002 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ 7412001 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ -0000396 ☐ / ☐ قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ
قىمىر سىمىنلارنىڭ ۋەزىزىتىنىڭ ۋەقەسىنىڭ E ex_item_3.Yes.Contains(-396)	ex_trans_oth_3 TEXT

س4. ج سرقى بىرۆزى تىرىلىرى تۆۋەندى

ex_item_4

MULTI-SELECT: YES/NO

13131001

☐ / ☐

ئۆزى

13132002

☐ / ☐

(ئۆزى بىر تۈرلۈك بولۇپ تۇرىدۇ)

13120007

☐ / ☐

سۈيىش / سۈيىش بىر تۈرلۈك

13120004

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120014

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120009

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120016

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120013

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120015

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120008

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120001

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120023

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120011

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120010

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120012

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13120003

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

And 11 other symbols [4]

ئۆزى بىر تۈرلۈك

ex_persnl_oth_4

TEXT

.....

س5. ج سرقى بىرۆزى تىرىلىرى تۆۋەندى

ex_item_6

MULTI-SELECT: YES/NO

8330001

☐ / ☐

ئۆزى (ئۆزى بىر تۈرلۈك بولۇپ تۇرىدۇ)

4311040

☐ / ☐

ئۆزى

س6. ج سرقى بىرۆزى تىرىلىرى تۆۋەندى

ex_item_10

MULTI-SELECT: YES/NO

09740006

☐ / ☐

ئۆزى

09719001

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

09740002

☐ / ☐

ئۆزى

09740001

☐ / ☐

ئۆزى

09740003

☐ / ☐

ئۆزى

09740004

☐ / ☐

ئۆزى

09740005

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

09740007

☐ / ☐

ئۆزى

09740011

☐ / ☐

ئۆزى

09740008

☐ / ☐

(A4 ، A3 ...) ئۆزى

09740009

☐ / ☐

ئۆزى / ئۆزى بىر تۈرلۈك

13399003

☐ / ☐

ئۆزى

13399004

☐ / ☐

ئۆزى

09711002

☐ / ☐

ئۆزى

-00001096

☐ / ☐

(ئۆزى بىر تۈرلۈك بولۇپ تۇرىدۇ)

ئۆزى بىر تۈرلۈك

ex_edu_oth_10

TEXT

.....

F3. EXPENDITURE UNIT / EXP UNIT / 30
Roster: F3F. MAINTENANCE
generated by multi-select question ex_item_1

ex_30d_1

STATIC TEXT

@rowcode.InList(-196)

STATIC TEXT

E @rowcode.InList(-396) && (ex_pchsed_3 > 0 || !IsAnswered(ex_pchsed_3))

يَقْرَأُ رَقْمَ تَلْكَ بِلَاوَعْمَايَا بِلَاوَعْمَايَا؟ %ex_trans_oth_3% س.2. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

STATIC TEXT

E !@rowcode.InList(-396) && (ex_pchsed_3 > 0 || !IsAnswered(ex_pchsed_3))

يَقْرَأُ رَقْمَ تَلْكَ بِلَاوَعْمَايَا بِلَاوَعْمَايَا؟ %rosteritle% س.2. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

I IN MVR Do not include the amount of goods received as gift E ex_pchsed_3 > 0 !IsAnswered(ex_pchsed_3) W1 self.InRange(0,maxprc_f3h) M1 Double check price of the last %rosteritle% purchased.	NUMERIC: DECIMAL ex_amnt_3 -----
---	--

STATIC TEXT

E @rowcode.InList(-396)

%ex_trans_oth_3%.. س.3. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

STATIC TEXT

E !@rowcode.InList(-396)

%rosteritle%.. س.3. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

V1 (self!=0 && ex_pchsed_3!=0) (self==0 && ex_pchsed_3!=0) (self!=0 && ex_pchsed_3==0) M1 Both number of items purchased and received cannot be 0	NUMERIC: INTEGER ex_rcvd_3 ----- SPECIAL VALUES 00 NONE
VARIABLE (int)exp_max[@rowcode].maxnum_1t	LONG maxnum_f3h
VARIABLE (int)exp_max[@rowcode].maxprc_1t	LONG maxprc_f3h

F3. EXPENDITURE UNIT / EXP UNIT / 30 نَرَوْرِي

Roster: F3I. PERSONAL CARE

generated by multi-select question [ex_item_4](#)

ex_30d_4

STATIC TEXT

E @rowcode.InList(-496)

يَقْرَأُ رَقْمَ تَلْكَ بِلَاوَعْمَايَا بِلَاوَعْمَايَا؟ %ex_persnl_oth_4% س.1. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

STATIC TEXT

E !@rowcode.InList(-496)

%rosteritle% س.1. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

يَقْرَأُ رَقْمَ تَلْكَ بِلَاوَعْمَايَا بِلَاوَعْمَايَا؟ W1 self.InRange(0,maxnum_f3i) M1 Double check quantity of %rosteritle% the household has access to.	NUMERIC: INTEGER ex_pchsed_4 ----- SPECIAL VALUES 00 NONE
---	---

STATIC TEXT

E @rowcode.InList(-496) && (ex_pchsed_4 > 0 || !IsAnswered(ex_pchsed_4))

يَقْرَأُ رَقْمَ تَلْكَ بِلَاوَعْمَايَا بِلَاوَعْمَايَا؟ %ex_persnl_oth_4% س.2. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

STATIC TEXT

E !@rowcode.InList(-496) && (ex_pchsed_4 > 0 || !IsAnswered(ex_pchsed_4))

يَقْرَأُ رَقْمَ تَلْكَ بِلَاوَعْمَايَا بِلَاوَعْمَايَا؟ %rosteritle% س.2. قَعْقَعْمَايَا 30 نَرَوْرِي قَعْمَايَا جِي سِي جِي رَسْرِي

I IN MVR Do not include the amount of goods received as gift E ex_pchsd_4 > 0 !IsAnswered(ex_pchsd_4) W1 self.InRange(0,maxprc_f3i) M1 Double check price of the total %rosteritle% purchased.	NUMERIC: DECIMAL ex_amnt_4 -----
--	--

STATIC TEXT

E @rowcode.InList(-496)

30. %ex_persnl_oth_4%..

STATIC TEXT

E !@rowcode.InList(-496)

30. %rosteritle%..

3.1 V1 (self!=0 && ex_pchsd_4!=0) (self==0 && ex_pchsd_4!=0) (self!=0 && ex_pchsd_4==0) M1 Both number of items purchased and received cannot be 0	NUMERIC: INTEGER ex_rcvd_4 ----- SPECIAL VALUES 00 NONE
VARIABLE (int)exp_max[@rowcode].maxnum_lt	LONG maxnum_f3i
VARIABLE (int)exp_max[@rowcode].maxprc_lt	LONG maxprc_f3i

F3. EXPENDITURE UNIT / EXP UNIT / 30

Roster: F3J. MEDIA AND OTHER RELATIVES

generated by multi-select question [ex_item_6](#)

ex_30d_6

%rosteritle% 30 I IN MVR W1 self.InRange(0,maxprc_f3j) M1 Double check price of the last %rosteritle% purchased.	NUMERIC: DECIMAL ex_amnt_6 -----
2. MULTI-SELECT: YES/NO 01 ☐ / ☐ 02 ☐ / ☐	ex_pchsdrcvd_6 -----
VARIABLE (int)exp_max[@rowcode].maxprc_lt	LONG maxprc_f3j

F3. EXPENDITURE UNIT / EXP UNIT / 30

Roster: F3K. EDUCATION EXPENSES

generated by multi-select question [ex_item_10](#)

ex_30d_10

STATIC TEXT

E @rowcode.InList(-1096)

30. %ex_edu_oth_10%..

STATIC TEXT

E !@rowcode.InList(-1096)

30. %rosteritle%..

س1.1. یو ډول څه؟	NUMERIC: INTEGER ex_pchsed_10
W1 self.InRange(0,maxnum_f3k)	-----
M1 Double check quantity of %rostartitle% the household has access to.	SPECIAL VALUES 00 NONE

STATIC TEXT

E @rowcode.InList(-1096) && (ex_pchsed_10 > 0 || !IsAnswered(ex_pchsed_10))
یو ډول څه ښه یا روځو څه؟ %ex_edu_oth_10% س2. څو ځله ډیر 30 څو ځله ډیر څه ښه یا روځو څه؟

STATIC TEXT

E !@rowcode.InList(-1096) && (ex_pchsed_10 > 0 || !IsAnswered(ex_pchsed_10))
یو ډول څه ښه یا روځو څه؟ %rostartitle% س2. څو ځله ډیر 30 څو ځله ډیر څه ښه یا روځو څه؟

I IN MVR Do not include the amount of goods received as gift	NUMERIC: DECIMAL ex_amnt_10
E ex_pchsed_10 > 0 !IsAnswered(ex_pchsed_10)	-----
W1 self.InRange(0,maxprc_f3k)	
M1 Double check price of the last %rostartitle% purchased.	

STATIC TEXT

E @rowcode.InList(-1096)
%ex_edu_oth_10% س3. څو ځله ډیر 30 څو ځله ډیر څه ښه یا روځو څه؟

STATIC TEXT

E !@rowcode.InList(-1096)
%rostartitle% س3. څو ځله ډیر 30 څو ځله ډیر څه ښه یا روځو څه؟

س3.1 ډیر څه ښه یا روځو څه؟	NUMERIC: INTEGER ex_rcvd_10
V1 (self!=0 && ex_pchsed_10!=0) (self==0 && ex_pchsed_10!=0) (self!=0 && ex_pchsed_10==0)	-----
M1 Both number of items purchased and received cannot be 0	SPECIAL VALUES 00 NONE

VARIABLE

(int)exp_max[@rowcode].maxnum_1t

LONG

maxnum_f3k

VARIABLE

(int)exp_max[@rowcode].maxprc_1t

LONG

maxprc_f3k

F3. EXPENDITURE UNIT / EXP UNIT

7 څو ځله

E IsAnswered(ex_strtme)

س1. څو ځله 7 څو ځله ډیر څه ښه یا روځو څه؟
ډیر څه ښه یا روځو څه؟ / ډیر څه ښه یا روځو څه؟
ډیر څه ښه یا روځو څه؟ / ډیر څه ښه یا روځو څه؟
ډیر څه ښه یا روځو څه؟ / ډیر څه ښه یا روځو څه؟
ډیر څه ښه یا روځو څه؟ / ډیر څه ښه یا روځو څه؟

SINGLE-SELECT

ex_itemyn_11

01 ☐ ډیر
02 ☐ ډیر

I Select Yes for any type of food, including short eats.

INTERVIEWER: Was the respondent able to give the amounts spent for each item? E ex_itemyn_11==1	SINGLE-SELECT dkBreakdown_11 01 ☐ نەئە 02 ☐ ئىش - چىقىرىشلىرىنى سىز
3. قۇتۇپ 7 قۇتۇپ قىلىشنىڭ سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە؟ I IN MVR E dkBreakdown_11==2	NUMERIC: INTEGER ex_totex_11 -----
1. ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە، سىزنىڭ ئىشلىرىڭىزنىڭ ئىچىدە؟ I Read out options E IsAnswered(ex_strtme)	SINGLE-SELECT ex_saving 01 ☐ ئىشلىرىڭىزنىڭ ئىچىدە 02 ☐ ئىشلىرىڭىزنىڭ ئىچىدە 03 ☐ ئىشلىرىڭىزنىڭ ئىچىدە 04 ☐ ئىشلىرىڭىزنىڭ ئىچىدە 05 ☐ ئىشلىرىڭىزنىڭ ئىچىدە
INTERVIEWER: Take time E IsAnswered(ex_strtme)	DATE: CURRENT TIME ex_endtme
STATIC TEXT E file==2 && IsAnswered(ex_strtme) && IsAnswered(ex_itemyn_11) INTERVIEWER: Copy the check code to the expenditure unit %rostartitle% in F3. EXPENDITURE UNIT in the main file on the other tablet. Expenditure check code: %ex_chkcde%	

F4. INDIVIDUAL FORM

E hhcnst==1 /*if consent in main file*/ || ainsec==1 /*or in secondary if at least one individual is recorded*/

F4. INDIVIDUAL FORM

Roster: F4

generated by list question UsualTHHMembers

UsualMembers

VARIABLE Age>14 ageest>14 AgeReported>14	BOOLEAN over14
VARIABLE file == 1 ? (AgeReported >= 0 ? AgeReported : AgeCurrent >= 0 ? AgeCurrent : ageest) : in_secage	LONG Age
VARIABLE file==1? Sex : in_secsex	LONG gender
VARIABLE @rowcode	LONG memid
VARIABLE @rowcode	LONG in_identifier
INTERVIEWER: Interview here or on the other tablet? E file==1	SINGLE-SELECT in_intloc 01 ☐ Here 02 ☐ On other tablet

STATIC TEXT

E in_intloc==2 && file==1

INTERVIEWER: In the secondary file on the other tablet:

1. In section F1A. MEMBERS in Q1, list %rosteritle%
2. In section F4. INDIVIDUAL FORM, record:

identifier: %in_identifier%
sex: %Sex%
age: %Age%

INTERVIEWER: After this individual form is complete on the other tablet, confirm that it has been done by recording here the individual check code from the secondary file. E in_intloc==2 && file==1 V1 self==in_chkcd M1 Check code wrong! Double check you have entered the correct identifier, age and gender for %rosteritle% in the secondary file and copied back the correct check code.	NUMERIC: INTEGER in_chkcdm -----
--	---

VARIABLE file==1 ? (hhid * 3 + in_identifier * 3 + Age + gender * 3) % 100 : (hhid * 3 + in_idcopy * 3 + Age + gender * 3) % 100 /*check code based on identifier, not easy to guess*/	LONG in_chkcd
--	-------------------------------------

STATIC TEXT

E file==2

INTERVIEWER: For %rosteritle%, copy from the main file on the other tablet:

Identifier E file==2	NUMERIC: INTEGER in_idcopy -----
--	---

Gender	SINGLE-SELECT	in_secsex
E file==2	01 ☐ ♂ 02 ☐ ♀	
Age	NUMERIC: INTEGER	in_secage
E file==2	-----	
INTERVIEWER: Is %roster ^{title} % answering for themselves?	SINGLE-SELECT	proxyYN
E IsAnswered(in_strtme)	01 ☐ ♂ 02 ☐ ♀	
INTERVIEWER: Select respondent for %roster ^{title} %	SINGLE-SELECT: LINKED	proxyResp
F @current.@rowcode!=@rowcode E proxyYN == 2 && file==1		
INTERVIEWER: Take time	DATE: CURRENT TIME	in_strtme
E in_intloc==1 IsAnswered(in_secage)		

F4. INDIVIDUAL FORM / F4
F4A. MIGRATION
E IsAnswered(in_strtme)

1. %roster ^{title} % څو ځایون کې ژوند کوي؟	SINGLE-SELECT	Nationality
	01 ☐ هېوادوال 02 ☐ بهرنی ښاروال	
2. %roster ^{title} % څو ځایون کې زیږیدلی؟	SINGLE-SELECT	placeofbirth
	01 ☐ هېوادوال 02 ☐ د ژوند ځای کې زیږیدلی 03 ☐ د هېوادوال په ځای کې زیږیدلی	
2.1 د هېوادوال په ځای کې زیږیدلی؟	SINGLE-SELECT: COMBO BOX	placebirth_atlIsd
I Type to filter and select E placeofbirth==2 V1 self!=atlIsInd M1 if birth place and usual resident is same select "this island" form Q2	1000 ☐ MALE 1006 ☐ Hulhule 2001 ☐ HA Thuraakunu 2002 ☐ HA Uligamu 2005 ☐ HA Mulhadhoo 2006 ☐ HA Hoarafushi 2007 ☐ HA Ihavandhoo 2008 ☐ HA Kelaa 2009 ☐ HA Vashafaru 2010 ☐ HA Dhidhdhoo 2011 ☐ HA Filladhoo 2012 ☐ HA Maarandhoo 2013 ☐ HA Thakandhoo 2014 ☐ HA Utheemu 2015 ☐ HA Muraidhoo 2016 ☐ HA Baarah And 485 other symbols [5]	

2.2. ڏيکارڻ واري ٿيڻ

I Type to filter and select
E placeofbirth==3

SINGLE-SELECT: COMBO BOX

placebirth_OtherCountry

- 0100 ☐ Africa
0101 ☐ Algeria
0102 ☐ Angola
0103 ☐ Benin
0104 ☐ Botswana
0105 ☐ Burkina Faso
0106 ☐ Burundi
0107 ☐ Cameroon
0108 ☐ Cape Verde
0109 ☐ Central African Republic
0110 ☐ Chad
0111 ☐ Comoros
0112 ☐ Congo
0113 ☐ Cote d' Ivoire
0114 ☐ Democratic Republic of the
Congo
0115 ☐ Djibouti

[And 217 other symbols \[6\]](#)

3. ڏيکارڻ واري ٿيڻ ۽ ڏيکارڻ واري ٿيڻ
%rosteritle% ڏيکارڻ واري ٿيڻ؟

SINGLE-SELECT

placeofregistration

- 01 ☐ ڏيکارڻ واري ٿيڻ
02 ☐ ڏيکارڻ واري ٿيڻ
03 ☐ ڏيکارڻ واري ٿيڻ ۽ ڏيکارڻ واري ٿيڻ
04 ☐ ڏيکارڻ واري ٿيڻ ۽ ڏيکارڻ واري ٿيڻ

3.1. ڏيکارڻ واري ٿيڻ ۽ ڏيکارڻ واري ٿيڻ

I Type to filter and select
E placeofregistration==4
V1 self==atllIsInd && placeofbirth==1? placebirth_OtherCoun
try==atllIsInd: true
M1 if place of birth and place of registration is same take option 2 from Q3
"same as birth island"
V2 placebirth_atlIsd!=self
M2 if place of birth and place of registration is same take option 2 from Q3
"same as birth island"

SINGLE-SELECT: COMBO BOX

placeofregistration_atlIsd

- 1000 ☐ MALE
1006 ☐ Hulhule
2001 ☐ HA Thuraakunu
2002 ☐ HA Uligamu
2005 ☐ HA Mulhadhoo
2006 ☐ HA Hoarafushi
2007 ☐ HA Ihavandhoo
2008 ☐ HA Kelaa
2009 ☐ HA Vashafaru
2010 ☐ HA Dhidhdhoo
2011 ☐ HA Filladhoo
2012 ☐ HA Maarandhoo
2013 ☐ HA Thakandhoo
2014 ☐ HA Utheemu
2015 ☐ HA Muraidhoo
2016 ☐ HA Baarah

[And 485 other symbols \[7\]](#)

4. ڏيکارڻ واري ٿيڻ ۽ ڏيکارڻ واري ٿيڻ
%atllIsInd% ڏيکارڻ واري ٿيڻ
ڏيکارڻ واري ٿيڻ 1 ڏيکارڻ واري ٿيڻ ۽ ڏيکارڻ واري ٿيڻ
%rosteritle% ڏيکارڻ واري ٿيڻ؟

I Note: Movement within Male', Hulhumale', Villimale' is not considered
as residing in another island

SINGLE-SELECT

residedanother

- 01 ☐ ڏيکارڻ واري ٿيڻ
02 ☐ ڏيکارڻ واري ٿيڻ

4.3. %roster^{title}% ښځه يا نار څه کوم شغل کوي؟ څه کوم شغل کوي؟ V1 self!=at11Is1nd M1 You cannot commute to and fro.	SINGLE-SELECT: COMBO BOX lastcommute 1000 ☐ MALE 1009 ☐ Hulhumale' 1005 ☐ Villimale' 1006 ☐ Hulhule 2001 ☐ HA Thuraakunu 2002 ☐ HA Uligamu 2005 ☐ HA Mulhadhoo 2006 ☐ HA Hoarafushi 2007 ☐ HA Ihavandhoo 2008 ☐ HA Kelaa 2009 ☐ HA Vashafaru 2010 ☐ HA Dhidhdhoo 2011 ☐ HA Filladhoo 2012 ☐ HA Maarandhoo 2013 ☐ HA Thakandhoo 2014 ☐ HA Utheemu And 488 other symbols [11]
4.3.1 ښځه يا نار څه کوم شغل کوي؟ E lastcommute==8888	TEXT lastcommute_othr_ato11
4.3.2 ښځه يا نار څه کوم شغل کوي؟ E lastcommute==8888	TEXT lastcommute_othr_island
4.4. %roster^{title}% ښځه يا نار څه کوم شغل کوي؟ څه کوم شغل کوي؟ V1 self>=1 && self<=7 M1 Error: Number of days does not match	NUMERIC: INTEGER DaysUsuallyCommit -----

F4. INDIVIDUAL FORM / F4

F4C. EDUCATION

E Age>=5 && IsAnswered(in_strtme)

1. %roster^{title}% ښځه يا نار څه کوم شغل کوي؟ E Age>=10	SINGLE-SELECT Literate_mothertongue 01 ☐ ښځه 02 ☐ نار
2. %roster^{title}% ښځه يا نار څه کوم شغل کوي؟ E Age>=10	SINGLE-SELECT Literate_english 01 ☐ ښځه 02 ☐ نار
3. %roster^{title}% ښځه يا نار څه کوم شغل کوي؟ I Select Yes, even if they are currently attending school	SINGLE-SELECT edu_everattend 01 ☐ ښځه 02 ☐ نار

8. %roster% رَښتو ته د ژوند په څه توګه تېر کړی؟

F (@optioncode<=Age-4) || (Age>=14) || (@optioncode==0)
E (edu_everattend==1)&&(Edu_schoolattendance==1)
V1 new[] { 0, /* pre school */ 5,6,7,8,9,10,11,12,13,14,15,16,17,/* grade */ 14,/* o'level */ 14,/* A'level */ 14,/* Diploma */ 14,/* Degree */ 17,/* Masters */ 17,/* pHD */
[And 69 other symbols \[3\]](#)
M1 Error: Too young to be in the specified grade

SINGLE-SELECTEdu_levelattending

00

☐

(... د ژوند په څه توګه تېر کړی؟)

01

☐

1

02

☐

2

03

☐

3

04

☐

4

05

☐

5

06

☐

6

07

☐

7

08

☐

8

09

☐

9

10

☐

10

11

☐

11

12

☐

12

13

☐

د ژوند په څه توګه تېر کړی؟

14

☐

د ژوند په څه توګه تېر کړی؟

15

☐

د ژوند په څه توګه تېر کړی؟

[And 5 other symbols \[9\]](#)

9. %roster% رَښتو ته د ژوند په څه توګه تېر کړی؟

E Age>=15
V1 new[] { 15, /* o' level */ 16, /* A' level */ 15,/* Academic/vocational certificate/Diploma (less than 6 months)*
/ 15,/* Academic/vocational certificate/Diploma (more than 6 months) */
[And 121 other symbols \[4\]](#)
M1 Error: Too young to achieve specified certificate!

SINGLE-SELECTHighestCert

00

☐

د ژوند په څه توګه تېر کړی؟

01

☐

د ژوند په څه توګه تېر کړی؟

02

☐

6) د ژوند په څه توګه تېر کړی؟

03

☐

6) د ژوند په څه توګه تېر کړی؟

04

☐

د ژوند په څه توګه تېر کړی؟

05

☐

د ژوند په څه توګه تېر کړی؟

06

☐

د ژوند په څه توګه تېر کړی؟

07

☐

د ژوند په څه توګه تېر کړی؟

10. %roster% رَښتو ته د ژوند په څه توګه تېر کړی؟

I If %roster% received several diploma or degrees at the same level name the main one. "Give detail information about qualification".
E HighestCert<7

TEXTHighestGenEdu

.....

SUPERVISOR: Is the Field or subject of general education of %roster% given in detail?

I In case of doubt, contact HQ.
E IsAnswered(HighestGenEdu)

SINGLE-SELECTSCOPE: SUPERVISORsup22

01

☐

Yes

02

☐

No

11. %roster% رَښتو ته د ژوند په څه توګه تېر کړی؟

E HighestCert<7

SINGLE-SELECTAttainwhere

01

☐

د ژوند په څه توګه تېر کړی؟

02

☐

د ژوند په څه توګه تېر کړی؟

03

☐

د ژوند په څه توګه تېر کړی؟

F4. INDIVIDUAL FORM / F4

F4D. ASSETS

E Age>=15 && IsAnswered(in_strtme)

1. %roster% د ژوند په څه توګه تېر کړی؟

SINGLE-SELECTMobile

01

☐

د ژوند په څه توګه تېر کړی؟

02

☐

د ژوند په څه توګه تېر کړی؟

5. ﺍﻧﺪﺍﺩﯗ ﺯﯨﺮﯨﺴﯩﻨﯩﯔ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻧﯩﺴﺘﯘﺭﯗﺩﯗ (ﺩﯦﺸﯘﻧﯘﺭﯗﺭ ﺍﺭﯨﺰﯗ ﺍﻧﺪﯗﺩﯗ %rosteritle% (ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ، ﺯﯨﺴﺘﯘﺭﯗﺩﯗﺭ ﻭﻏﯘﺭﯗﺭ ﻗﯩﻠﯩﺪﯗ؟	SINGLE-SELECT Selfcare 01 ☐ ﺍﻧﺪﯗﺩﯗ ﻭﻏﯘﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﺳﯘﺭﯗ 02 ☐ ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ ﻭﻏﯘﺭﯗﺭ ﻗﯩﻠﯩﺪﯗ 03 ☐ ﻭﻏﯘﺭﯗﺭ ﻗﯩﻠﯩﺪﯗ 04 ☐ ﺍﻧﺪﯗﺩﯗ ﺳﯘﺭﯗﺩﯗ ﺳﯘﺭﯗﺩﯗﺭ
6. ﺍﻧﺪﯗﺩﯗﺭ ﻭﻏﯘﺭﯗﺭﻭﺭﻏﯘ ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ ﺩﯦﺸﯘﻧﯘﺭﯗﺭ ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ (ﻭﺭﯗﻧﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ، ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ، ﺳﯘﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﺩﯦﺸﯘﻧﯘﺭﯗﺭ ﺍﺭﯨﺰﯗ ﺍﻧﺪﯗﺩﯗﺭ %rosteritle% (ﻳﯘﺭﺩﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ	SINGLE-SELECT Communicating 01 ☐ ﺍﻧﺪﯗﺩﯗ ﻭﻏﯘﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﺳﯘﺭﯗ 02 ☐ ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ ﻭﻏﯘﺭﯗﺭ ﻗﯩﻠﯩﺪﯗ 03 ☐ ﻭﻏﯘﺭﯗﺭ ﻗﯩﻠﯩﺪﯗ 04 ☐ ﺍﻧﺪﯗﺩﯗ ﺳﯘﺭﯗﺩﯗ ﺳﯘﺭﯗﺩﯗﺭ
ﺍﻧﺪﯗﺩﯗﺭ ﻭﻏﯘﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﺍﻧﺪﯗﺩﯗﺭ ﺩﯦﺸﯘﻧﯘﺭﯗﺭ %rosteritle%. 7- ﻭﻏﯘﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ (ﺩﯦﺸﯘﻧﯘﺭﯗﺭ: (ﺭﯗﺭﯗﺭﻭﺭﻏﯘ، ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ، ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ	SINGLE-SELECT chroniccyn 01 ☐ ﻧﯩﺰ 02 ☐ ﺳﯘﺭﯗﺭ
8. ﺍﻧﺪﯗﺩﯗ ﻭﻏﯘﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ I Select all that apply in order of importance starting with the one affecting %rosteritle% most E chroniccyn==1	MULTI-SELECT chronicDisease 01 ☐ ﺭﯗﺭﯗﺭﻭﺭﻏﯘ 02 ☐ (ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺭﯗﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) 03 ☐ ﺭﯗﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ / ﺭﯗﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ (ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) 04 ☐ ﻧﯩﺴﺘﯘﺭﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 05 ☐ (ﺳﯘﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 06 ☐ (ﺳﯘﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭﻭﺭﻏﯘ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 07 ☐ (ﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 08 ☐ (ﺳﯘﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 09 ☐ ﺭﯗﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ (ﺭﯗﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) 10 ☐ (ﺳﯘﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 11 ☐ (ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ -96 ☐ (ﺍﻧﺪﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ) (ﺳﯘﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ)
ﺍﻧﺪﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ E chronicDisease.Contains(-96)	TEXT chronicDisease_oth -----
ﺍﻧﺪﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ %rosteritle% 9. ﻭﻏﯘﺭﯗﺭﯗﺭ 12 ﺩﯦﺸﯘﻧﯘﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ / ﺳﯘﺭﯗﺭﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ E file==1? chroniccyn==1: true file==2? chroniccyn==1: true	SINGLE-SELECT admit 01 ☐ ﻧﯩﺰ 02 ☐ ﺳﯘﺭﯗﺭ
9.1. ﺍﻧﺪﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ %rosteritle% E admit==1	SINGLE-SELECT admit_place SCOPE: HIDDEN 01 ☐ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ، ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 02 ☐ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 03 ☐ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ
9.1. ﺍﻧﺪﯗﺩﯗﺭ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ %rosteritle% E admit==1	MULTI-SELECT admit_place_ms 01 ☐ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ، ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 02 ☐ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ 03 ☐ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ ﻗﯘﺯﻏﯘﻧﻐﯘﻧﻰ

F4. INDIVIDUAL FORM / F4

F4F. MARITAL & FERTILITY

E Age>=15 && IsAnswered(in_strtme)

1. %rosteritle% نى ئادۋىسە ئىسرىپلا تۇرۇپ؟	SINGLE-SELECT maritalStatus 01 ☐ ئۆزۈم ئۆيۈم ئىسرىپتىمەن 02 ☐ ئۆزۈم ئىسرىپتىمەن 03 ☐ ئۆيۈم ئىسرىپتىمەن 04 ☐ ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن
2. %rosteritle% نى ئۆزۈم ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن؟ E maritalStatus!=1 V1 self<=Age M1 Age at first marriage cannot be more than the persons current age. Please recheck! V2 self>=12 M2 Person is too young to get married! Typically it would be more than that. Please recheck.	NUMERIC: INTEGER AgeFirstMarriage -----
3. %rosteritle% نى ئۆزۈم ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن؟ E gender==1	SINGLE-SELECT BirthLiveChild 01 ☐ ئۆزۈم ئىسرىپتىمەن 02 ☐ ئۆزۈم ئىسرىپتىمەن
4. %rosteritle% نى ئۆزۈم ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن؟ E BirthLiveChild==1 V1 self<=Age M1 Age at first live birth cannot be more than the persons current age. Please recheck! V2 self>=12 M2 Person is too young to give live birth! Typically it would be more than that. Please recheck.	NUMERIC: INTEGER AgeAtFirstBirth -----
5. %rosteritle% نى ئۆزۈم ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن؟ E BirthLiveChild==1	NUMERIC: INTEGER TotalAlive ----- SPECIAL VALUES 00 None
INTERVIEWER: Take time E IsAnswered(in_strtme)	DATE: CURRENT TIME f4_Time6 -----

F4. INDIVIDUAL FORM / F4

F5A. NON-INCOME ACTIVITIES

E Age>=15 && IsAnswered(in_strtme)

1. %rosteritle% نى ئۆزۈم ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن؟	SINGLE-SELECT grw_crops_fruits 01 ☐ ئۆزۈم ئىسرىپتىمەن 02 ☐ ئۆزۈم ئىسرىپتىمەن
2. %rosteritle% نى ئۆزۈم ئىسرىپتىمەن ئۆيۈم ئىسرىپتىمەن؟ I IN HOURS. Only include time spent on activites for household consumption. (Only include time spent in the past 7 days. If the activity was not carried out during the past 7 days record "0") E grw_crops_fruits==1 V1 hrs1wk<=\$hoursIn1week M1 Hours overall reported is high. Check with respondent all answers. Probe if they have really done the activity for the hours reported.	NUMERIC: INTEGER hrs_grw_crops_fruits -----

3. وەقەوێنەر 4 رۆژە ئێستای ئێوەدا سەندەرێک ئێوەدا ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک / ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک	SINGLE-SELECT raise_poultry_graze_anm1s 01 ☐ ڕێژدەست 02 ☐ ڕێژدەست
4. وەقەوێنەر 7 ڕۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک (ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک) I IN HOURS. Only include time spent on activites for household consumption. (Only include time spent in the past 7 days. If the activity was not carried out during the past 7 days record "0") E raise_poultry_graze_anm1s==1 V1 hrs1wk<=\$hoursIn1week M1 Hours overall reported is high. Check with respondent all answers. Probe if they have really done the activity for the hours reported.	NUMERIC: INTEGER hrs_raise_poultry_graze_anm1s -----
5. وەقەوێنەر 4 رۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک / ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک	SINGLE-SELECT catch_fish_othr_water_prdct 01 ☐ ڕێژدەست 02 ☐ ڕێژدەست
6. وەقەوێنەر 7 ڕۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک (ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک) I IN HOURS. Only include time spent on activites for household consumption. (Only include time spent in the past 7 days. If the activity was not carried out during the past 7 days record "0") E catch_fish_othr_water_prdct==1 V1 hrs1wk<=\$hoursIn1week M1 Error! Too many hours reported!	NUMERIC: INTEGER hrs_catchfish_othrwaterprdct -----
7. وەقەوێنەر 4 رۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک / ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک	SINGLE-SELECT nonperisable_lnglstg_foods 01 ☐ ڕێژدەست 02 ☐ ڕێژدەست
8. وەقەوێنەر 7 ڕۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک (ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک) I IN HOURS. Only include time spent on activites for household consumption. (Only include time spent in the past 7 days. If the activity was not carried out during the past 7 days record "0") E nonperisable_lnglstg_foods==1 V1 hrs1wk<=\$hoursIn1week M1 Hours overall reported is high. Check with respondent all answers. Probe if they have really done the activity for the hours reported.	NUMERIC: INTEGER hrs_nonperisable_lnglstg_foods -----
9. وەقەوێنەر 4 رۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک / ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک I Do not include food items	SINGLE-SELECT grmnt_fntr_cnstrctn_repair 01 ☐ ڕێژدەست 02 ☐ ڕێژدەست
10. وەقەوێنەر 7 ڕۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک (ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک) I IN HOURS. Only include time spent on activites for household consumption. (Only include time spent in the past 7 days. If the activity was not carried out during the past 7 days record "0") E grmnt_fntr_cnstrctn_repair==1 V1 hrs1wk<=\$hoursIn1week M1 Hours overall reported is high. Check with respondent all answers. Probe if they have really done the activity for the hours reported.	NUMERIC: INTEGER hrs_grmnt_fntr_cnstrctn_rpair -----
11. وەقەوێنەر 4 رۆژە ئێستای ئێوەدا سەندەرێک %rosteritle% ڕێژدەست سەندەرێک / ڕێژدەست سەندەرێک ڕێژدەست سەندەرێک %rosteritle% ڕێژدەست سەندەرێک	SINGLE-SELECT srvc_associatn_charity 01 ☐ ڕێژدەست 02 ☐ ڕێژدەست

اړئ سړى ژوند ته چا پلورئ E seek_channel==96	TEXT seek_channel_oth -----
3. %rosteritle% اړئ سړى ژوند ته چا پلورئ؟ نوم ته ورسېدو، اړئ سړى ژوند ته پلورئ، اړئ سړى ژوند ته پلورئ؟ ژوند ته پلورئ يا ژوند ته پلورئ؟ E seek_job==1	SINGLE-SELECT actvly_lookng_dur 01 ☐ 1 ژوند ته پلورئ د ژوند 02 ☐ 5 ژوند ته پلورئ د ژوند 03 ☐ 11 ژوند ته پلورئ د ژوند 04 ☐ 1 ژوند ته پلورئ د ژوند 05 ☐ 2 ژوند ته پلورئ د ژوند
4. %rosteritle% اړئ سړى ژوند ته چا پلورئ؟ ژوند ته پلورئ يا ژوند ته پلورئ؟ E seek_job==1 seek_job==2 actvly_lookng_dur.InList(1,2,3,4,5)	SINGLE-SELECT ever_Engage_incgen 01 ☐ نه 02 ☐ بڼه
5. %rosteritle% اړئ سړى ژوند ته چا پلورئ؟ ژوند ته پلورئ يا ژوند ته پلورئ؟ E ever_Engage_incgen==1	SINGLE-SELECT lastjob_dur 01 ☐ 3 ژوند ته پلورئ د ژوند 02 ☐ 5 ژوند ته پلورئ د ژوند 03 ☐ 11 ژوند ته پلورئ د ژوند 04 ☐ 1 ژوند ته پلورئ د ژوند 05 ☐ 2 ژوند ته پلورئ د ژوند 06 ☐ 3 ژوند ته پلورئ د ژوند
6. %rosteritle% اړئ سړى ژوند ته چا پلورئ؟ (وچې ژوند ته پلورئ يا ژوند ته پلورئ؟)	SINGLE-SELECT want_work 01 ☐ نه 02 ☐ بڼه
7. %rosteritle% اړئ سړى ژوند ته چا پلورئ؟ ژوند ته پلورئ يا ژوند ته پلورئ؟ (وچې ژوند ته پلورئ يا ژوند ته پلورئ؟) E want_work==1	SINGLE-SELECT av1ble_nxt_week 01 ☐ نه 02 ☐ بڼه
اړئ سړى ژوند ته چا پلورئ؟ ژوند ته پلورئ يا ژوند ته پلورئ؟ (وچې ژوند ته پلورئ يا ژوند ته پلورئ؟) E av1ble_nxt_week==2	SINGLE-SELECT av1ble_nxt_2week 01 ☐ نه 02 ☐ بڼه

%roster%title% 8. 4 رښتيزه دندولنې د پلورنې دودونه دي؟ V1 Edu_schoolattendance==2? self!=3: true M1 Please confirm the answer of education Q8. [currently studying](Edu_schoolattendance)	SINGLE-SELECT noinc_reasn 01 ☐ ډېر ژر / ډېر ژر، پدې اړه، پدې اړه دندولنې د پلورنې دودونه دي؟ 02 ☐ پدې اړه دندولنې د پلورنې دودونه دي؟ 03 ☐ پدې اړه دندولنې د پلورنې دودونه دي؟ 04 ☐ دندولنې د پلورنې دودونه دي؟ 05 ☐ دندولنې د پلورنې دودونه دي؟ 06 ☐ دندولنې د پلورنې دودونه دي؟ 07 ☐ دندولنې د پلورنې دودونه دي؟ 08 ☐ دندولنې د پلورنې دودونه دي؟ 09 ☐ دندولنې د پلورنې دودونه دي؟ 10 ☐ دندولنې د پلورنې دودونه دي؟ 11 ☐ دندولنې د پلورنې دودونه دي؟ 12 ☐ دندولنې د پلورنې دودونه دي؟ 13 ☐ دندولنې د پلورنې دودونه دي؟ 14 ☐ دندولنې د پلورنې دودونه دي؟ 15 ☐ دندولنې د پلورنې دودونه دي؟ 16 ☐ دندولنې د پلورنې دودونه دي؟ And 3 other symbols [10]
ډېر ژر دندولنې د پلورنې دودونه دي؟ E noinc_reasn==96	TEXT noinc_reasn_oth
%roster%title% 9. دندولنې د پلورنې دودونه دي؟ ډېر ژر دندولنې د پلورنې دودونه دي؟ E !noinc_reasn.InList(3,7,8,9,14) noinc_reasn==3 && Edu_levelattending.InList(13,14,15,16,17,18,19)	SINGLE-SELECT decline_joboffer 01 ☐ ډېر ژر 02 ☐ ډېر ژر
%roster%title% 10. دندولنې د پلورنې دودونه دي؟ ډېر ژر دندولنې د پلورنې دودونه دي؟ E decline_joboffer==1	SINGLE-SELECT why_decline_joboffer 01 ☐ دندولنې د پلورنې دودونه دي؟ 02 ☐ دندولنې د پلورنې دودونه دي؟ 03 ☐ دندولنې د پلورنې دودونه دي؟ 04 ☐ دندولنې د پلورنې دودونه دي؟ 05 ☐ دندولنې د پلورنې دودونه دي؟ 06 ☐ دندولنې د پلورنې دودونه دي؟ 07 ☐ دندولنې د پلورنې دودونه دي؟ -96 ☐ (ډېر ژر دندولنې د پلورنې دودونه دي؟)
ډېر ژر دندولنې د پلورنې دودونه دي؟ E why_decline_joboffer==96	TEXT why_decline_joboffer_oth
%roster%title% 11. دندولنې د پلورنې دودونه دي؟ ډېر ژر دندولنې د پلورنې دودونه دي؟ E seek_job==1 want_work==1	SINGLE-SELECT prefer_organisation 01 ☐ دندولنې د پلورنې دودونه دي؟ 02 ☐ دندولنې د پلورنې دودونه دي؟ 03 ☐ دندولنې د پلورنې دودونه دي؟ 04 ☐ دندولنې د پلورنې دودونه دي؟ 05 ☐ دندولنې د پلورنې دودونه دي؟ 06 ☐ دندولنې د پلورنې دودونه دي؟ 07 ☐ دندولنې د پلورنې دودونه دي؟

12. %roster_title% نەرسە ۋە ئىش ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ؟ E seek_job==1 want_work==1	SINGLE-SELECT preferjob 01 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 02 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 03 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 04 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) -99 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ
13. %roster_title% ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) I IN MVR per month. Ask DIRECTLY from %roster_title%, no proxy response. E proxyYN==1 && (seek_job==1 want_work==1)	NUMERIC: INTEGER minimum_incm_willing -----
14. %roster_title% ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) V1 maritalStatus!=2? self!=2: true M1 Only if you are married	SINGLE-SELECT manage_personal_expens 01 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 02 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 03 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 04 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 05 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 06 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ) 07 ☐ ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ (ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ، ئۆزگەرتىش ئۈچۈن ئىزدەيدۇ)

F4. INDIVIDUAL FORM / F4

Roster: F6A. OCCUPATION

generated by fixed list

occupation

01 PRIMARY

02 SECONDARY

```
E @rowcode==1 && $hasjob || @rowcode==2 && carried_secondary==1 || @rowcode==1 && hired_by_someone==1
```

STATIC TEXT

```
E !(temp_ab_unpdjob==1 || temp_ab_paidjob==1) /* not currently absent*/
```

رُسَدِر لَوَر وَرَي قُوس %roستitle% نَم %UsualMembers% نُسُر دَر نُسُر وُفُوق دَر 7 قُرُورِي قُوسِي دَر دَر نُسُر رُفُور

STATIC TEXT

```
E temp_ab_unpdjob==1 || temp_ab_paidjob==1 /* currently absent*/
```

%UsualMembers% دځوانسانوژنې، اړوندس رځرځون %rostartitle% ژورس رځرځون

STATIC TEXT

```
E @rowcode==1
```

«قوت و تندرستی هر روزی که عمری از سر و پایم زهر زخم زدند و لایق %UsualMembers% را بدست دادم و لذت و شادی را تجربه کردم»

STATIC TEXT

```
E @rowcode==2
```

[illegible][illegible]

TEXT

primaryMainActivity

[illegible]

[illegible]

11. %UsualMembers% سەئەت 12 دۆنەن ئۆزى ئىشلىگەن (%primaryMainActivity%) I Include the leave if paid. Count every month on which they worked, even if not entire month worked. V1 self<=12 M1 Error! Number of months should not be more than 12 months	NUMERIC: INTEGER primaryMonthsWorked ----- SPECIAL VALUES 12 12 ئۆزى
12. %UsualMembers% سەئەت ئۆزى ئىشلىگەن (%primaryMainActivity%)	SINGLE-SELECT primaryStatusEmp 01 ☐ دۆلەت ئۆزى ئىشلىگەن 02 ☐ دۆلەت ئۆزى ئىشلىگەن بىر تەرەپتىن ئۆزى ئىشلىگەن (دۆلەت ئۆزى ئىشلىگەن) 03 ☐ دۆلەت ئۆزى ئىشلىگەن بىر تەرەپتىن ئۆزى ئىشلىگەن 04 ☐ دۆلەت ئۆزى ئىشلىگەن بىر تەرەپتىن ئۆزى ئىشلىگەن (دۆلەت ئۆزى ئىشلىگەن) 05 ☐ دۆلەت ئۆزى ئىشلىگەن بىر تەرەپتىن ئۆزى ئىشلىگەن 06 ☐ دۆلەت ئۆزى ئىشلىگەن بىر تەرەپتىن ئۆزى ئىشلىگەن
13. %UsualMembers% سەئەت ئۆزى ئىشلىگەن (%primaryMainActivity%) E primaryStatusEmp.InList(1,3,4,5,6)	SINGLE-SELECT primaryBussinessRegistered 01 ☐ ئۆزى 02 ☐ ئۆزى ئىشلىگەن بىر تەرەپتىن ئۆزى ئىشلىگەن 03 ☐ ئۆزى -99 ☐ ئۆزى
14. %UsualMembers% سەئەت ئۆزى ئىشلىگەن (%primaryMainActivity%) E primaryStatusEmp.InList(4,5,6)	SINGLE-SELECT primaryActivityOwner 01 ☐ ئۆزى 02 ☐ ئۆزى

سە.2.3 ھەققىدە ئىبرۇ ئىشلىرىڭىز؟ E primaryPersonsEngaged.InList(1,2) V1 primaryPersonsEngaged == 1 ? primaryTotalEngaged>0 && primaryTotalEngaged <= 4 : primaryPersonsEngaged == 2 ? primaryTotalEngaged.InRange(5,9) : true M1 Values don't match Q1.	NUMERIC: INTEGER primaryNumForeignMale ----- SPECIAL VALUES 00 None
سە.2.4 ھەققىدە ئىبرۇ ئىشلىرىڭىز؟ E primaryPersonsEngaged.InList(1,2) V1 primaryPersonsEngaged == 1 ? primaryTotalEngaged>0 && primaryTotalEngaged <= 4 : primaryPersonsEngaged == 2 ? primaryTotalEngaged.InRange(5,9) : true M1 Values don't match Q1.	NUMERIC: INTEGER primaryNumForeignFemale ----- SPECIAL VALUES 00 None
VARIABLE (primaryNumForeignFemale ?? 0) + (primaryNumForeignMale ?? 0)	LONG primaryForeignTot
VARIABLE (primaryNumLocalsFemale ?? 0) + (primaryNumLocalsMale ?? 0)	LONG primaryLocalTot
VARIABLE primaryForeignTot+primaryLocalTot	LONG primaryTotalEngaged
سە.3. ۋەقەۋەتلىك دۇر دىمىگەن ئىشلىرىڭىزنى ئىشلىتىش دۇرلۇغ ئىشلىرىڭىز، %primaryTotalEngaged% ئىشلىتىش ئىشلىرىڭىز بىلەن دۇرلۇغ ئىشلىرىڭىز (%primaryMainActivity%) E primaryPersonsEngaged.InList(1,2) V1 self<=primaryTotalEngaged M1 Total number of paid workers should be less than or equal to total number of workers	NUMERIC: INTEGER primaryPaidWorkers -----
سە.4. ۋەقەۋەتلىك دۇر دىمىگەن ئىشلىرىڭىزنى ئىشلىتىش ئىشلىرىڭىز بىلەن دۇرلۇغ ئىشلىرىڭىز I If they were not paid yet for last month of operation, record the agreed amount they will receive per month If a lump sum amount is received, estimate the amount you will receive per month on average E primaryPersonsEngaged.InList(1,2) primaryStatusEmp==3	NUMERIC: INTEGER primaryIncome -----
STATIC TEXT E primaryPersonsEngaged.InList(1,2) primaryStatusEmp==3 سە.5. دىمىگەن ئىشلىرىڭىز بىلەن دۇرلۇغ ئىشلىرىڭىز (دۇرلۇغ ئىشلىرىڭىز ئىشلىرىڭىز)	
سە.5.1. دۇرلۇغ ئىشلىرىڭىز دىمىگەن (ھەتتا) قىسقا دۇرلۇغ ئىشلىرىڭىز I IN MVR E primaryPersonsEngaged.InList(1,2) primaryStatusEmp==3 W1 IsAnswered(primaryIncome) ? tot_exp<=primaryIncome: true M1 Careful, expenses are larger than total revenue. Confirm with respondent that they had a loss.	NUMERIC: INTEGER primaryExpenseSal ----- SPECIAL VALUES 00 ئىشلىرىڭىز
سە.5.2. دىمىگەن ئىشلىرىڭىز بىلەن دۇرلۇغ ئىشلىرىڭىز I IN MVR E primaryPersonsEngaged.InList(1,2) primaryStatusEmp==3 W1 IsAnswered(primaryIncome) ? tot_exp<=primaryIncome: true M1 Careful, expenses are larger than total revenue. Confirm with respondent that they had a loss.	NUMERIC: INTEGER primaryExpenseRent ----- SPECIAL VALUES 00 ئىشلىرىڭىز

%UsualMembers% سو. 1. قوڭقۇر 7 قۇرۇق قىلىڭىز ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ (%primaryMainActivity%) E @rowcode==1	SINGLE-SELECT primaryWrittenOrOralContract 01 ☐ ئۆزىڭىز 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟
%UsualMembers% سو. 2. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ E primaryWrittenOrOralContract.InList(1,2)	SINGLE-SELECT primaryPeriodofemployment 01 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ 04 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟
ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ E primaryPeriodofemployment==3	NUMERIC: INTEGER primaryNumYearsSpecify -----
%UsualMembers% سو. 3. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟	SINGLE-SELECT primaryPension 01 ☐ ئۆزىڭىز 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟
%UsualMembers% سو. 4. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ I ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ E @rowcode==1	SINGLE-SELECT primary_health_insurance 01 ☐ ئۆزىڭىز 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟

F4. INDIVIDUAL FORM / F4 / F6A. OCCUPATION / EMPLOYED LEAVE

%UsualMembers% سو. 1. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟	SINGLE-SELECT primaryEntitAnnual 01 ☐ ئۆزىڭىز 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟
%UsualMembers% سو. 2. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ I DAYS PER YEAR E primaryEntitAnnual==1 V1 self<=365 M1 Should be less than 365 days	NUMERIC: INTEGER annualLvDays ----- SPECIAL VALUES -99 Don't know
%UsualMembers% سو. 3. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟ E primaryEntitAnnual==1	SINGLE-SELECT AnnualLvpaid 01 ☐ ئۆزىڭىز 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟
%UsualMembers% سو. 4. ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟	SINGLE-SELECT primaryEntitM1 01 ☐ ئۆزىڭىز 02 ☐ ئۆزىڭىز بىلەن بىرلىكتە 03 ☐ ئۆزىڭىز بىلەن بىرلىكتە ئولتۇرۇش ۋاقتىڭىزنىڭ قانچىلىكىنى بىلەنمە؟

5. وژاندې ډېرې سترګې لري چې څو ځلې %UsualMembers% د ژوند په پرتله څو ځلې ترسره کوي؟ I PER BIRTH IN %MlLvDays%, select below E primaryEntitMl==1 V1 MlLvUnit==1? MlLvDays<=365: true MlLvUnit==2? MlLvDays<=12: true M1 Check if you have selected correct unit in Q5.1	NUMERIC: INTEGER MlLvDays ----- SPECIAL VALUES -99 Don't know
5.1. د هر څه E MlLvDays>0 V1 self==1? MlLvDays<=365: true self==2? MlLvDays<=12: true M1 Check if you entered correct number of days or month in Q5	SINGLE-SELECT MlLvUnit 01 ☐ څو ځلې 02 ☐ ژوند
6. وژاندې ډېرې سترګې لري چې څو ځلې ترسره کوي؟ E primaryEntitMl==1	SINGLE-SELECT MlLvpaid 01 ☐ نه 02 ☐ ترسره 03 ☐ ترسره
7. د وچې سترګې %UsualMembers% څو ځلې ترسره کوي؟	SINGLE-SELECT primaryEntitS1 01 ☐ نه 02 ☐ ترسره 03 ☐ ترسره
8. %UsualMembers% د وچې سترګې څو ځلې ترسره کوي؟ I DAYS PER YEAR E primaryEntitS1==1 V1 self<=365 M1 Number of days for sick leave cannot be more than 365.	NUMERIC: INTEGER s1LvDays ----- SPECIAL VALUES -99 Don't know -98 څو ځلې ترسره کوي / وې د هر څه په پرتله څو ځلې ترسره کوي
9. د وچې سترګې څو ځلې ترسره کوي؟ E primaryEntitS1==1	SINGLE-SELECT s1Lvpaid 01 ☐ نه 02 ☐ ترسره 03 ☐ ترسره

STATIC TEXT

INCOME

1. د هر څه په پرتله څو ځلې ترسره کوي؟ %UsualMembers% د ژوند په پرتله څو ځلې ترسره کوي؟ V1 self.Missing.Length==0 M1 Answer all options before proceeding W2 self.Missing.Length==0 ? self.Yes.Length>=1: true M2 Please specify the reason why this person did not receive any form of income from this employment	MULTI-SELECT: YES/NO Prim_IncomeReceived 01 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي (د ژوند په پرتله څو ځلې ترسره کوي) 02 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي (د ژوند په پرتله څو ځلې ترسره کوي) 03 ☐ / ☐ نه 04 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي 05 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي 06 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي 07 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي 08 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي 09 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي 10 ☐ / ☐ د ژوند په پرتله څو ځلې ترسره کوي
--	---

1.1. %UsualMembers% د سټوډنټونو د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. %rosteritle% د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. I IN %incurr%. Select below. Estimate amount if received in-kind.	NUMERIC: INTEGER incamt ----- SPECIAL VALUES -99 د پام وړ نه دي
INTERVIEWER: Select currency E incamt!=-99	SINGLE-SELECT 01 ☐ MVR 02 ☐ USD incurr
VARIABLE incamt!=-99? (int)(\$currencies[(int)incurr-1]*incamt): 0	LONG incmvr
VARIABLE (int)(\$currencies[(int)tincur-1]*tinamt)	LONG tinmvr
2. %UsualMembers% د سټوډنټونو د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. %rosteritle% د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. I IN %tincur%. Select below. Estimate amount if received in-kind. INCLU DE any income recorded in breakdown above. E income.Any(x=>x.incamt== -99) V1 IsAnswered(tincur) M1 Select the currency from the next question	NUMERIC: INTEGER tinamt -----
INTERVIEWER: Select currency E income.Any(x=>x.incamt== -99) V1 tinmvr>=income.Sum(x=>x.incmvr) M1 Total cannot be smaller than breakdowns.	SINGLE-SELECT 01 ☐ MVR 02 ☐ USD tincur
INTERVIEWER: Is this a fishing-related activity, i.e. catching, trapping, collecting or processing fish or other sea products? I Consider any type of catching, trapping, collecting or processing of fish or other sea animals	SINGLE-SELECT 01 ☐ نه 02 ☐ بڼه fshrel
15. د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. %UsualMembers% د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. %fshincmain% د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. I Probe and select all that applies in order of PRIORITY STARTING WITH THE TYPE DONE MOST. E fshrel==1	MULTI-SELECT: ORDERED 01 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 02 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 03 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 04 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 05 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 06 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 07 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 08 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 09 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 10 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي 11 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي -96 ☐ د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي fshtyp1
د سټوډنټ د ژوندونو په اړه د معلوماتو د لاندې لړۍ ته وکتل شوي دي. E fshtyp1.Contains(-96)	TEXT fshtyp1_oth -----

س16. دُستويزې ټولې څه شته چې د دندې په وخت کې د څه شته د پېژندنې لپاره؟ I If stopped for longer than 6 months, count from after the break E fshrel==1 V1 self+5<=Age M1 Working years should be less than %UsualMembers% age	NUMERIC: INTEGER fshdur1 ----- SPECIAL VALUES 00 د دندې په وخت کې د څه شته د پېژندنې لپاره؟
س1. %rosteritle% د دندې په وخت کې د څه شته د پېژندنې لپاره؟ I د دندې په وخت کې د څه شته د پېژندنې لپاره؟ E \$hasjob V1 self==1? occupation.Any(x=>IsAnswered(x.primaryMainActivity) && x.@rowcode==2): true /*display error if answer is yes and secondary activity not answered yet*/ M1 Answer the subsection OCCUPATION- SECONDARY above before proceeding.	SINGLE-SELECT carried_secondary 01 ☐ نه 02 ☐ بېرته

F4. INDIVIDUAL FORM / F4

F6B. OTHER INCOME GENERATING ACTIVITIES

E carried_secondary==1

س1. د دندې په وخت کې د څه شته د پېژندنې لپاره؟ %rosteritle% د دندې په وخت کې د څه شته د پېژندنې لپاره؟ E carried_secondary==1	SINGLE-SELECT otherincome_gen_actvty 01 ☐ نه 02 ☐ بېرته
س2. د دندې په وخت کې د څه شته د پېژندنې لپاره؟ I IN HOURS. Excluding time spent on primary and secondary activities. E otherincome_gen_actvty==1 V1 self<=126 M1 Hours should be less than 127 hrs	NUMERIC: INTEGER othr_income_specify -----
س3. د دندې په وخت کې د څه شته د پېژندنې لپاره؟ %rosteritle% د دندې په وخت کې د څه شته د پېژندنې لپاره؟ I (د دندې په وخت کې د څه شته د پېژندنې لپاره؟) E otherincome_gen_actvty==1	SINGLE-SELECT othr_wages_salaries 01 ☐ نه 02 ☐ بېرته
س4. د دندې په وخت کې د څه شته د پېژندنې لپاره؟ I IN MVR. Include services/food allowances and alike as well as goods and services in kind E othr_wages_salaries==1	NUMERIC: INTEGER Othr_AmntRcvd -----
س5. د دندې په وخت کې د څه شته د پېژندنې لپاره؟ %rosteritle% د دندې په وخت کې د څه شته د پېژندنې لپاره؟ E otherincome_gen_actvty==1	SINGLE-SELECT othr_profit_earned_spent 01 ☐ نه 02 ☐ بېرته
س6. د دندې په وخت کې د څه شته د پېژندنې لپاره؟ I IN MVR E othr_profit_earned_spent==1	NUMERIC: INTEGER othr_profit_earned_hrs -----

7. دېځمکه ټولنيزه کړنه څرګند کړئ، څو ځله په 7 ورځيزه موده کې د %rosteritle% د کړنو د کولو لپاره چمتو شوي دي؟ د ټولنيزه کړنو د کولو لپاره چمتو شوي دي؟ E \$hasjob	SINGLE-SELECT workmore_hrs 01 ☐ نه 02 ☐ ځواب
8. %rosteritle% دېځمکه ټولنيزه کړنه څرګند کړئ، څو ځله په 7 ورځيزه موده کې د کړنو د کولو لپاره چمتو شوي دي؟ E workmore_hrs==1	SINGLE-SELECT havetime_hrs 01 ☐ نه 02 ☐ ځواب
9. %rosteritle% دېځمکه ټولنيزه کړنه څرګند کړئ، څو ځله په 7 ورځيزه موده کې د کړنو د کولو لپاره چمتو شوي دي؟ (که چېرته نه وي) E havetime_hrs==1 V1 hrs1wk<=\$hoursIn1week M1 Hours overall reported is high. Check with respondent all answers. Probe if they have really done the activity for the hours reported.	NUMERIC: INTEGER additional_hours -----

F4. INDIVIDUAL FORM / F4
F6C. OTHER INCOME

E Age>=15 && IsAnswered(in_strtme)

د ټولنيزه کړنو د کولو لپاره چمتو شوي دي؟ %rosteritle% دېځمکه ټولنيزه کړنه څرګند کړئ، څو ځله په 7 ورځيزه موده کې د کړنو د کولو لپاره چمتو شوي دي؟ F @optioncode==4 ? (Age>=65) : true V1 IsAnswered(dvdryn) & Age>=65 ? // if the next question has been answered self.Missing.Length==0 : IsAnswered(dvdryn) & Age<65 ? self.Missing.Length==1 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO otherIncomeYn 01 ☐ / ☐ ځواب نه / ځواب 02 ☐ / ☐ نه / ځواب 03 ☐ / ☐ نه / ځواب 04 ☐ / ☐ 65 نه / ځواب 05 ☐ / ☐ نه / ځواب 06 ☐ / ☐ نه / ځواب 07 ☐ / ☐ نه / ځواب 08 ☐ / ☐ نه / ځواب -95 ☐ / ☐ نه / ځواب 09 ☐ / ☐ نه / ځواب 10 ☐ / ☐ نه / ځواب 11 ☐ / ☐ نه / ځواب -96 ☐ / ☐ نه / ځواب
---	---

F4. INDIVIDUAL FORM / F4 / F6C. OTHER INCOME
Roster: OTHER INCOME
 generated by multi-select question [otherIncomeYn](#)

%rosteritle% دېځمکه ټولنيزه کړنه څرګند کړئ، څو ځله په 7 ورځيزه موده کې د کړنو د کولو لپاره چمتو شوي دي؟ E @rowcode<0	TEXT otherIncomeYn_oth -----
%rosteritle% دېځمکه ټولنيزه کړنه څرګند کړئ، څو ځله په 7 ورځيزه موده کې د کړنو د کولو لپاره چمتو شوي دي؟ I IN MVR	NUMERIC: INTEGER RentOfGoodsAmnt -----

7. دُښوونکي د ژوند په ټولو برخو کې د کورني کاري کولو په اړه پوښتنې کوي؟ (%fshincmain%) I Probe and select all that apply E fshincmain==1 // fishing for income in past 12 months occupation.Count(x=>x.fshrel==1)>0 // or one occupation with fishing && (proxyYN==1) /* opens secodn set of ques tions in the subsection*/ fs And 57 other symbols [1]	MULTI-SELECT fshiss 01 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 02 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ (پروکسي) 03 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 04 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 05 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 06 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 07 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 08 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 09 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 10 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 11 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 12 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ -96 ☐ (د کورني کاري کولو په اړه پوښتنې کوي؟)
د کورني کاري کولو په اړه پوښتنې کوي؟ E fshiss.Contains(-96)	TEXT fshiss_oth
8. د کورني کاري کولو په اړه پوښتنې کوي؟ E proxyYN==1 && Age>=15	SINGLE-SELECT aqcknw 01 ☐ نه 02 ☐ بڼه
9. د کورني کاري کولو په اړه پوښتنې کوي؟ E aqcknw==1	SINGLE-SELECT aqcint 01 ☐ نه 02 ☐ بڼه
10. د کورني کاري کولو په اړه پوښتنې کوي؟ E aqcint==1	SINGLE-SELECT aqcaact 01 ☐ نه 02 ☐ بڼه
11. د کورني کاري کولو په اړه پوښتنې کوي؟ I Probe and select all that apply E aqcint==1 V1 self.ContainsAny(0)? !self.ContainsAny(1,2,3,4,5,-96): t rue M1 First Answer option cannot be selected with others	MULTI-SELECT aqcnot 00 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 01 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 02 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 03 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 04 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ 05 ☐ د کورني کاري کولو په اړه پوښتنې کوي؟ -96 ☐ (د کورني کاري کولو په اړه پوښتنې کوي؟)
د کورني کاري کولو په اړه پوښتنې کوي؟ E aqcnot.Contains(-96)	TEXT aqcnot_oth
END TIME E IsAnswered(in_strtme)	DATE: CURRENT TIME f4_endTime

STATIC TEXT

E file==2 && IsAnswered(placeofregistration) /*if on secondary file and a few questions have been answered. (no later question that is asked for everyone)*/

INTERVIEWER: Copy the check code to %rostartitle% in F4. INDIVIDUAL FORM in the main file on the other tablet.

Individual check code: %in_chkcd%

VARIABLE \$hasjob hired_by_someone==1 otherIncomeyn.Yes.Length>0	BOOLEAN hasincome
---	----------------------

F7. CONSUMPTION

```
E  hhcnst==1  ||  secuse==1
```

INTERVIEWER: Interview here or on the other tablet?	SINGLE-SELECT cs_intloc 01 ☐ Here 02 ☐ On other tablet
VARIABLE (hhid * 27) % 100 /*check code based on identifier, not easy to guess*/	LONG cs_chkcd
INTERVIEWER: Confirm that the consumption form has been done on the other tablet by recording the consumption check code from the secondary file after it is completed. E cs_intloc==2 && file==1 V1 self==cs_chkcd M1 Check code wrong! Double check on secondary file on the other tablet.	NUMERIC: INTEGER cs_chkcfm -----
INTERVIEWER: Take time E cs_intloc==1	DATE: CURRENT TIME cs_strtme
INTERVIEWER: Select the respondent for the consumption form. I Interview the person most knowledgeable about the consumption, usually the person doing the cooking and shopping. E file==1	SINGLE-SELECT: LINKED cs_resp

F7. CONSUMPTION

F7A. FOOD SELECTION

```
E  IsAnswered(cs_strtme)
```

[illegible]

F7. CONSUMPTION / F7A. FOOD SELECTION

رَسْمٌ، جَرْسٌ رَجْرَجٌ وَوَقْفٌ

```
E  cs_Q1==1
```

قۇقۇن 7 نۆۋەتلىك قۇتقۇزۇش جەريانىدا يېنىڭ ئالاقىسىنىڭ چىرىشۇرۇپ قۇلۇپ قىلىنىشىنىڭ ئىشەنچىڭىز قانچە؟ V1 IsAnswered(cs_csmdyn_2) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_1 101 ☐ / ☐ ئىشەنچىم يوق 102 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 103 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 104 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 105 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 106 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 107 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 108 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 109 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 110 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق)
رەسىم / ئىشەنچىم يوق (ئىشەنچىم يوق) E cs_csmdyn_1.Yes.Contains(107)	TEXT cs_csmdyn_oth_1
رەسىم / ئىشەنچىم يوق (ئىشەنچىم يوق) E cs_csmdyn_1.Yes.Contains(110)	TEXT cs_csmdyn_oth_2

F7. CONSUMPTION / F7A. FOOD SELECTION

قۇتقۇزۇش جەريانىدا يېنىڭ ئالاقىسىنىڭ چىرىشۇرۇپ قۇلۇپ قىلىنىشىنىڭ ئىشەنچىڭىز قانچە؟

E cs_Q1==1

قۇقۇن 7 نۆۋەتلىك قۇتقۇزۇش جەريانىدا يېنىڭ ئالاقىسىنىڭ چىرىشۇرۇپ قۇلۇپ قىلىنىشىنىڭ ئىشەنچىڭىز قانچە؟ V1 IsAnswered(cs_csmdyn_3) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_2 201 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 202 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 203 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 204 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 205 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 206 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 207 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 208 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق)
رەسىم / ئىشەنچىم يوق (ئىشەنچىم يوق) E cs_csmdyn_2.Yes.Contains(203)	TEXT cs_csmdyn_2_oth_1
رەسىم / ئىشەنچىم يوق (ئىشەنچىم يوق) E cs_csmdyn_2.Yes.Contains(208)	TEXT cs_csmdyn_2_oth_2

F7. CONSUMPTION / F7A. FOOD SELECTION

قۇتقۇزۇش جەريانىدا يېنىڭ ئالاقىسىنىڭ چىرىشۇرۇپ قۇلۇپ قىلىنىشىنىڭ ئىشەنچىڭىز قانچە؟

E cs_Q1==1

قۇقۇن 7 نۆۋەتلىك قۇتقۇزۇش جەريانىدا يېنىڭ ئالاقىسىنىڭ چىرىشۇرۇپ قۇلۇپ قىلىنىشىنىڭ ئىشەنچىڭىز قانچە؟ V1 IsAnswered(cs_csmdyn_4) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_3 301 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 302 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 303 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 304 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق) 305 ☐ / ☐ (ئىشەنچىم يوق / ئىشەنچىم يوق) (ئىشەنچىم يوق / ئىشەنچىم يوق)
رەسىم / ئىشەنچىم يوق (ئىشەنچىم يوق) E cs_csmdyn_3.Yes.Contains(305)	TEXT cs_csmdyn_3_oth_1

لَسْرَعْدُورُ اُخْرُورُ وُفُورُ

وَقَوْلُهُ 7 تَوَرَّى عَمِّي وَجِيَّتِي أَوَّلَ وَتَوَرَّى دُرَّيَّ دُرَّيَّ؟

cs_csmdyn_4

405 □ / □ مَعْرُوفٌ

002 □ / □ مَعْرُوسٌ

410 □ / □ شَوْعُو

411 $\square / \square / x_{12}^2 x_3$

(٥) سر سر سر سر

412 □ / □ めしづめ

413 □ / □ ھُوْتَرُوْ دُوْ، ھُو، اِ، ۛ سَرُوْ قُرْتَر سِدُوْرُوْ

414 □ / □ (رُزِيَ اِرْسَرَّ عَوْفَى) (وَسَرَّ سَرَّ)

(رُزِیْ اِزْ سِرْ سِرْ وُومِ) (وَسْرُ سِرْ سِرْ)

TEXT

cs_csmdyn_4_oth_1

```
E cs csmdyn 4.Yes.Contains(414)
```

$\frac{0}{1} \frac{1}{5} \frac{0}{9} \frac{1}{9} \frac{0}{10} \frac{1}{10} \frac{0}{10} \frac{1}{10}$

[illegible]

cs_csmdyn_5

501 □ / □ قَرَبَ لَنَا (أَكْرَبَ سُرُوقُ قُرْبِ) قُرْبُوعُ سُرُوقُ
أَسْرَقُوعُ (دَسْرُوقُ: دَسْرُوقُ، دَسْرُوقُ، دَسْرُوقُ
قُرْبُوعُ) قُرْبُوعُ سُرُوقُ

502 □ / □ نَاعِيْ نَاعِرْسِي ر ر نَاعِر

503 ☐ / ☐ 2222

504 □ / □ نَعْرُوزُ

505 □ / □ $\frac{2}{x} \sqrt{x} \frac{2}{x} \frac{2}{x}$

506 □ / □ 30 / 30

507 ☐ / ☐ 24

500 ☐ / ☐ " > 0 "

509 ☐ / ☐ ۵۰۹ (۵۰۹) ۵۰۹

510 ☐ / ☐ °

510 □ / □ مَرِجِ مَرِجِ

511 ☐ / ☐ 511

512 □ / □ زو نِه زو

[illegible]

(نَحْنُ نَحْمِلُ صَرْعَكَ وَمَنْ ذَا الَّذِي يَحْمِلُ صَرْعَكَ)

TEXT

cs_csmdyn_5_oth_1

```
E cs_csmdyn_5.Yes.Contains(509)
```

(مذہب از سر نو و) (نور سراج)

TEXT

cs csmdvn 5 oth 2

```
E cs_csmdyn_5.Yes.Contains(513)
```

92

```
F  CS_01==1
```

قۇقۇنچە 7 خۇۋىرى قىلىنىپ چىقىدىغانلىقىنىڭ ئىسمىنى كىرگۈزۈڭىز؟ V1 IsAnswered(cs_csmdyn_7) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_6 601 ☐ / ☐ ئۇسۇل 602 ☐ / ☐ ئىشلىتىش / ئىشلىتىش 603 ☐ / ☐ ئىشلىتىش / ئىشلىتىش 604 ☐ / ☐ ئىشلىتىش 605 ☐ / ☐ ئىشلىتىش 606 ☐ / ☐ ئىشلىتىش 607 ☐ / ☐ ئىشلىتىش 608 ☐ / ☐ ئىشلىتىش 609 ☐ / ☐ ئىشلىتىش 610 ☐ / ☐ ئىشلىتىش (ئىشلىتىش) 611 ☐ / ☐ ئىشلىتىش 612 ☐ / ☐ ئىشلىتىش 613 ☐ / ☐ ئىشلىتىش 614 ☐ / ☐ ئىشلىتىش 615 ☐ / ☐ ئىشلىتىش (ئىشلىتىش) 616 ☐ / ☐ ئىشلىتىش (ئىشلىتىش)
ئىشلىتىش (ئىشلىتىش) E cs_csmdyn_6.Yes.Contains(615)	TEXT cs_csmdyn_6_oth_1
ئىشلىتىش (ئىشلىتىش) E cs_csmdyn_6.Yes.Contains(616)	TEXT cs_csmdyn_6_oth_2

F7. CONSUMPTION / F7A. FOOD SELECTION

قۇقۇنچە

E cs_Q1==1

قۇقۇنچە 7 خۇۋىرى قىلىنىپ چىقىدىغانلىقىنىڭ ئىسمىنى كىرگۈزۈڭىز؟ V1 IsAnswered(cs_csmdyn_8) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_7 701 ☐ / ☐ ئىشلىتىش 702 ☐ / ☐ ئىشلىتىش 703 ☐ / ☐ ئىشلىتىش 704 ☐ / ☐ ئىشلىتىش 705 ☐ / ☐ ئىشلىتىش 706 ☐ / ☐ ئىشلىتىش 707 ☐ / ☐ ئىشلىتىش 708 ☐ / ☐ ئىشلىتىش / ئىشلىتىش 709 ☐ / ☐ ئىشلىتىش / ئىشلىتىش 710 ☐ / ☐ ئىشلىتىش 711 ☐ / ☐ ئىشلىتىش 712 ☐ / ☐ ئىشلىتىش 713 ☐ / ☐ ئىشلىتىش 714 ☐ / ☐ ئىشلىتىش 715 ☐ / ☐ ئىشلىتىش / ئىشلىتىش 716 ☐ / ☐ ئىشلىتىش And 8 other symbols [12]
ئىشلىتىش (ئىشلىتىش) E cs_csmdyn_7.Yes.Contains(723)	TEXT cs_csmdyn_7_oth_1
ئىشلىتىش (ئىشلىتىش) E cs_csmdyn_7.Yes.Contains(724)	TEXT cs_csmdyn_7_oth_2

F7. CONSUMPTION / F7A. FOOD SELECTION

رَڤَر

E cs_Q1==1

قۇقۇنچى 7 خۇزى قۇتىرى جىيى لىلۇنىڭ دىرۇڭىنىڭ سىزگە قۇتۇرۇپ بېرىشى؟ V1 IsAnswered(cs_csmdyn_9) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_8 801 ☐ / ☐ رَڤَر - لىلۇنىڭ 802 ☐ / ☐ لىلۇنىڭ رَڤَر 803 ☐ / ☐ دۇر 804 ☐ / ☐ قۇتۇرۇپ 805 ☐ / ☐ قۇتۇرۇپ بېرىش، لىلۇنىڭ / لىلۇنىڭ / لىلۇنىڭ 806 ☐ / ☐ لىلۇنىڭ لىلۇنىڭ 807 ☐ / ☐ قۇتۇرۇپ 808 ☐ / ☐ (لىلۇنىڭ رَڤَر) (لىلۇنىڭ رَڤَر)
رَڤَر لىلۇنىڭ قۇتۇرۇپ بېرىشى (لىلۇنىڭ رَڤَر) E cs_csmdyn_8.Yes.Contains(808)	TEXT cs_csmdyn_8_oth_1

F7. CONSUMPTION / F7A. FOOD SELECTION

سۇ، تاشلىق دۇرۇڭى

E cs_Q1==1

قۇقۇنچى 7 خۇزى قۇتىرى جىيى لىلۇنىڭ دىرۇڭىنىڭ سىزگە قۇتۇرۇپ بېرىشى؟ V1 IsAnswered(cs_csmdyn_10) ? // if the next question has been answered self.Missing.Length==0 : true // nothing should be missing here M1 Answer all options before proceeding	MULTI-SELECT: YES/NO cs_csmdyn_9 901 ☐ / ☐ سۇ / لىلۇنىڭ سۇ 902 ☐ / ☐ قۇتۇرۇپ بېرىش / لىلۇنىڭ / لىلۇنىڭ 903 ☐ / ☐ (لىلۇنىڭ قۇتۇرۇپ بېرىشى) 904 ☐ / ☐ دۇر 905 ☐ / ☐ لىلۇنىڭ رَڤَر - لىلۇنىڭ قۇتۇرۇپ بېرىشى 906 ☐ / ☐ لىلۇنىڭ / لىلۇنىڭ - لىلۇنىڭ 907 ☐ / ☐ رَڤَر قۇتۇرۇپ بېرىش (لىلۇنىڭ رَڤَر) / لىلۇنىڭ / لىلۇنىڭ 908 ☐ / ☐ لىلۇنىڭ 909 ☐ / ☐ (لىلۇنىڭ رَڤَر) (لىلۇنىڭ رَڤَر)
رَڤَر لىلۇنىڭ قۇتۇرۇپ بېرىشى (لىلۇنىڭ رَڤَر) E cs_csmdyn_9.Yes.Contains(903)	TEXT cs_csmdyn_9_oth_1
رَڤَر لىلۇنىڭ تاشلىق دۇرۇڭىنىڭ قۇتۇرۇپ بېرىشى (لىلۇنىڭ رَڤَر) E cs_csmdyn_9.Yes.Contains(909)	TEXT cs_csmdyn_9_oth_2

F7. CONSUMPTION / F7A. FOOD SELECTION

لىلۇنىڭ رَڤَر

E cs_Q1==1

--

(رَاسِرْزَسَرْ مَرْمَزْدِي وَوَجَوَّ (وَ نَرَسَرْ مَرْمَزْدِي) E cs_csmdyn_12.Yes.Contains(1207)	TEXT cs_csmdyn_12_oth_2
VARIABLE cs_csmdyn_1.Yes.Count() + cs_csmdyn_2.Yes.Count() + cs_csmdyn_3.Yes.Count() + cs_csmdyn_4.Yes.Count() + cs_csmdyn_5.Yes.Count() + cs_csmdyn_6.Yes.Count() + cs_csmdyn_7.Yes.Count() + cs_csmdyn_8.Yes.Co And 112 other symbols [4]	LONG nfditm

STATIC TEXT

Interviewer: %nfditm% food items selected

SUPERVISOR: Q15. The household consumed food and drinks at home, but did not eat any rice, bread, pasta, or meat, fish, vegetables, or milk and oils. This is very unlikely. Check with the interviewer and explain the reason why. Make sure they administered well the consumption form. In case they have skipped (parts) they have to re-do the consumption form entirely, and you have to double check with respondent that it happened. I Contact HQ if in doubt. E cs_Q1==1 && // they cooked at home (cs_csmdyn_1.Yes.Length==0 // they ate no rice, bread, pasta (cs_csmdyn_3.Yes.Length==0 && cs_csmdyn_4.Yes.Length==0 && cs_csmdyn_7.Yes.Length==0) // or no And 70 other symbols [2]	TEXT sup15 SCOPE: SUPERVISOR
SUP: Q16. The hh did not consume food at home, but there is one exp unit that has consumed little food away from home. Check the food away from home sections in the other interview file to understand the complete picture. Check with the interviewers to understand the hh. They probably have to revisit the hh and reinterview the food away from home sections for all exp units and the consumption form. Explain here how the hh eats and where it is recorded, or why the hh cannot be reinterviewed. I Contact HQ if in doubt. E cs_Q1==2 && // no food consumption expunit2.Any(x=>x.expitem_11.Yes.Length<3) // and an exp unit with less than 3 food away from home categories selected	TEXT sup16 SCOPE: SUPERVISOR
INTERVIEWER: Take time E IsAnswered(cs_strtme)	DATE: CURRENT TIME cs_Time1

F7. CONSUMPTION

F7B. FOOD DETAILS

E cs_Q1==1

F7. CONSUMPTION / F7B. FOOD DETAILS

رَسَرْ، مَرْمَزْدِي رَاسِرْ مَرْمَزْدِي وَوَجَوَّ

F7. CONSUMPTION / F7B. FOOD DETAILS / رَسَرْ، مَرْمَزْدِي رَاسِرْ مَرْمَزْدِي وَوَجَوَّ

Roster: رَسَرْ، مَرْمَزْدِي رَاسِرْ مَرْمَزْدِي وَوَجَوَّ
generated by multi-select question cs_csmdyn_1

food_1

VARIABLE @rowcode==107 ? cs_csmdyn_oth_1 : @rowcode==110 ? cs_csmdyn_oth_2 : ""	STRING cs_othrsp_1
STATIC TEXT E cs_othrsp_1!="" %cs_othrsp_1%	
STATIC TEXT %rosteritle%	
VARIABLE (int)items[@rowcode].coicop	LONG cs_coicop_1
1.	NUMERIC: DECIMAL cs_csmqty_1
W1 IsAnswered(cs_csmin_1) && IsAnswered(cs_csmgrm_1) ? cs_csmgrm_1>=cs_csmin_1: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_1) && IsAnswered(cs_csmgrm_1) ? cs_csmgrm_1<=cs_csmax_1: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	
2.	SINGLE-SELECT cs_csmunt_1 01 02 03 04 10 48 05 06 07 08 09 11 12 13 14 15 And 34 other symbols [13]
	TEXT cs_csmunt_oth_1
E cs_csmunt_1== -96	
VARIABLE (int)cons_units[@rowcode*100 + (int)cs_csmunt_1].page	LONG cs_csmpge_1
VARIABLE cs_csmunt_1!=-96 ? cs_csmqty_1*unit_size[@rowcode*10000 + (int)cs_csmunt_1*100 + (cs_csmsize_1 ?? 0)].convrsn : null	DOUBLE cs_csmgrm_1
VARIABLE (int)items[@rowcode].csmin	LONG cs_csmin_1
VARIABLE (int)items[@rowcode].csmax	LONG cs_csmax_1
STATIC TEXT	

```
E cs_csmpge_1>0
```

SHOW THE RESPONDENT THE BOOKLET ON PAGE %cs csmpge 1%.

MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

F unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_1*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_1) W1 IsAnswered(cs_csmin_1) && IsAnswered(cs_csmgrm_1) ? cs_csmgrm_1>=cs_csmin_1: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_1) && IsAnswered(cs_csmgrm_1) ? cs_csmgrm_1<=cs_csmax_1: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_1 ☐ ٠ دَسْرَر سَوِجَر ☐ ٠ ٤٦ ☐ ٠ دَسْرَر ☐ ٠ رَسْرَر ☐ ٠ ٥٥ ☐ ٠ ٥٥ رَسْرَر ☐ ٠ 500 ٤٦ ☐ ٠ 1 ٤٦ ☐ ٠ 2 ٤٦ ☐ ٠ 5 ٥٥ ☐ ٠ 1 ٤٦ ☐ ٠ 1.5 ٤٦ ☐ ٠ 5 ٤٦ ☐ ٠ 10 ٤٦ ☐ ٠ 50 ٥٥ ☐ ٠ ٤٦ And 14 other symbols [14]
دَسْرَر %rostertitle% ٤٦	SINGLE-SELECT cs_pchdyn_1 ☐ ٠ دَسْرَر ☐ ٠ رَسْرَر

STATIC TEXT

```
E cs_pchdyn_1==1
```

کَیْفَ رَحْمَتِ، کَیْفَ رَحْمَتِ (در سوره)؟ **%rostertitle%** رَسُوْدُ مَرْسُوْدِیْ سِدِ دَرْسُوْر

5. (اِسْرَدَرْزَسَرِ يَئِي اِهْجَوُ) <pre>E cs_pchdyn_1==1</pre> V1 self== -95 && cs_csmunt_1! = -96 ? // if Same as above was selected pch_units.Keys.Contains((@rowcode*100) + (int)cs_csmunt_1) // the consumption unit must exist on the purchase table : true M1 اِسْرَدَرْزَسَرِ دَيَّي سِدِّي دَرْزَسَرِ دِهْجَوُ يَئِي اِهْجَوُ دَرْزَسَرِ دَهْجَوُ قَبْسَرِ لَئِي سِرْدَرْزَسَرِ سِرْدَرْزَسَرِ خِرَوِ اِهْجَوُ %rostertitle% دِسَرِ %cs_csmunt_1% رَاوُسْتِ يَئِي سِرْدَرْزَسَرِ. W2 IsAnswered(cs_pchmin_1) && IsAnswered(cs_pchgrm_1) ? cs_pchgrm_1>=cs_pchmin_1: true M2 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W3 IsAnswered(cs_pchmax_1) && IsAnswered(cs_pchgrm_1) ? cs_pchgrm_1<=cs_pchmax_1: true M3 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMAL cs_pchqty_1 SPECIAL VALUES -95 اِسْرَدَرْزَسَرِ يَئِي سِرْدَرْزَسَرِ وُغُر
--	--

6. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 6. F \$pch_unit_filter E cs_pchdyn_1==1 && cs_pchqty_1!=-95 W1 IsAnswered(cs_pchmin_1) && IsAnswered(cs_pchgrm_1) ? cs_pchgrm_1>=cs_pchmin_1: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_1) && IsAnswered(cs_pchgrm_1) ? cs_pchgrm_1<=cs_pchmax_1: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_1 01 ☐ سۆر 02 ☐ پۆر 03 ☐ دۆر 04 ☐ یۆر 10 ☐ ئۆر 48 ☐ پۆر / دۆر 05 ☐ یۆر 06 ☐ سۆر 07 ☐ دۆر 08 ☐ یۆر 09 ☐ سۆر 11 ☐ یۆر 12 ☐ پۆر / دۆر 13 ☐ پۆر 14 ☐ سۆر 15 ☐ دۆر And 34 other symbols [15]
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. E cs_pchunt_1==96	TEXT cspchunt_oth_1
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_1*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_1) W1 IsAnswered(cs_pchmin_1) && IsAnswered(cs_pchgrm_1) ? cs_pchgrm_1>=cs_pchmin_1: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_1) && IsAnswered(cs_pchgrm_1) ? cs_pchgrm_1<=cs_pchmax_1: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_1 00 ☐ سۆر 01 ☐ یۆر 02 ☐ دۆر 03 ☐ پۆر 04 ☐ یۆر 05 ☐ سۆر 06 ☐ 500 یۆر 07 ☐ 1 یۆر 08 ☐ 2 دۆر 09 ☐ 5 یۆر 10 ☐ 1 یۆر / 1.5 دۆر 11 ☐ 1.5 یۆر 12 ☐ 5 یۆر 13 ☐ 10 دۆر 14 ☐ 50 یۆر 15 ☐ 1.5 یۆر And 14 other symbols [16]
VARIABLE cs_pchunt_1==96? null : cs_pchqty_1==95? cs_csmgrm_1 : cs_pchqty_1*unit_size[@rowcode*10000 + (int)cs_pchunt_1*100 + (cs_pchsize_1 ?? 0)].convrsn	DOUBLE cs_pchgrm_1
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_1
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_1

8. %cs_pchqty_1% %cs_pchunt_1% %rosteritle% ؟ ڏسڻ لاءِ ڏنل ڀاڱو ڇڏيو؟ I IN MVR E cs_pchdyn_1==1 W1 IsAnswered(cs_pchprc_1) ? self > cs_pchprc_1*\$prclow :true M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. W2 IsAnswered(cs_pchprc_1) ? self < cs_pchprc_1*\$prchhigh :true M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMALcs_pchamt_1 -----
VARIABLE cs_pchqty_1==95? cs_csmqty_1*unit_size[@rowcode*10000 + (int)cs_csmunt_1*100 + (cs_csmsize_1 ?? 0)].price : cs_pchqty_1*unit_size[@rowcode*10000 + (int)cs_pchunt_1*100 + (cs_pchsze_1 ?? 0)].price	DOUBLEcs_pchprc_1
SUPERVISOR: %cs_csmunt_oth_1% %cspchunt_oth_1% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). E cs_csmunt_1==96 cs_pchunt_1==96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ ڏسڻ 02 ☐ ڏسڻ sup12_1

F7. CONSUMPTION / F7B. FOOD DETAILS
ڏسڻ لاءِ ڏنل ڀاڱو ڇڏيو؟

F7. CONSUMPTION / F7B. FOOD DETAILS / ڏسڻ لاءِ ڏنل ڀاڱو ڇڏيو؟ Roster: ڏسڻ لاءِ ڏنل ڀاڱو ڇڏيو؟ generated by multi-select question cs_csmdyn_2	food_2
VARIABLE @rowcode==203 ? cs_csmdyn_2_oth_1 : @rowcode==208 ? cs_csmdyn_2_oth_2 : ""	STRINGcs_othrsp_2
STATIC TEXT E cs_othrsp_2!="" %cs_othrsp_2%	
STATIC TEXT %rosteritle% ؟ ڏسڻ لاءِ ڏنل ڀاڱو ڇڏيو؟ 7 ڏنل ڀاڱو ڇڏيو؟ ڏسڻ لاءِ ڏنل ڀاڱو ڇڏيو؟	
VARIABLE (int)items[@rowcode].coicop	LONGcs_coicop_2
1. ڏسڻ W1 IsAnswered(cs_csmin_2) && IsAnswered(cs_csmgrm_2)? cs_csmgrm_2>=cs_csmin_2: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_2) && IsAnswered(cs_csmgrm_2)? cs_csmgrm_2<=cs_csmax_2: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMALcs_csmqty_2 -----

2. نَمُونَه

- F \$cons_unit_filter
- W1 IsAnswered(cs_csmmin_2) && IsAnswered(cs_csmgrm_2) ? cs_csmgrm_2>=cs_csmmin_2: true
- M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent.
- W2 IsAnswered(cs_csmmax_2) && IsAnswered(cs_csmgrm_2) ? cs_csmgrm_2<=cs_csmmax_2: true
- M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.

SINGLE-SELECT

cs_csmunt_2

- 01 ☐ ١ مِزْجَة
- 02 ☐ ٢ مِزْجَة مِزْجَة
- 03 ☐ ٣ مِزْجَة مِزْجَة
- 04 ☐ ٤ مِزْجَة مِزْجَة
- 10 ☐ ١٠ مِزْجَة مِزْجَة
- 48 ☐ ٤٨ مِزْجَة مِزْجَة / مِزْجَة مِزْجَة
- 05 ☐ ٥ مِزْجَة مِزْجَة
- 06 ☐ ٦ مِزْجَة مِزْجَة مِزْجَة
- 07 ☐ ٧ مِزْجَة مِزْجَة مِزْجَة
- 08 ☐ ٨ مِزْجَة مِزْجَة مِزْجَة
- 09 ☐ ٩ مِزْجَة مِزْجَة
- 11 ☐ ١١ مِزْجَة مِزْجَة مِزْجَة
- 12 ☐ ١٢ مِزْجَة مِزْجَة / مِزْجَة مِزْجَة
- 13 ☐ ١٣ مِزْجَة مِزْجَة
- 14 ☐ ١٤ مِزْجَة مِزْجَة
- 15 ☐ ١٥ مِزْجَة مِزْجَة

[And 34 other symbols \[17\]](#)

١٠ مِزْجَة مِزْجَة مِزْجَة مِزْجَة مِزْجَة

TEXT

cs_csmunt_oth_2

E cs_csmunt_2== -96

.....

VARIABLE

LONG

cs_csmmpge_2

(int)cons_units[@rowcode*100 + (int)cs_csmunt_2].page

VARIABLE

DOUBLE

cs_csmgrm_2

cs_csmunt_2!=-96 ? cs_csmqty_2*unit_size[@rowcode*10000 + (int)cs_csmunt_2*100 + (cs_csmsize_2 ?? 0)].convrsn : null

VARIABLE

LONG

cs_csmmin_2

(int)items[@rowcode].csmmin

VARIABLE

LONG

cs_csmmax_2

(int)items[@rowcode].csmmax

STATIC TEXT

E cs_csmmpge_2>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmmpge_2%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

ی سوچ %cs_csmunt_2% سہ unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_2*100) + @optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_2) IsAnswered(cs_csmin_2) && IsAnswered(cs_csmgrm_2) ? cs_csmgrm_2>=cs_csmin_2: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_2) && IsAnswered(cs_csmgrm_2) ? cs_csmgrm_2<=cs_csmax_2: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_2 00 ☐ اُسٹُرڈ سوچ ر 01 ☐ ن 02 ☐ رر 03 ☐ ر 04 ☐ ٹ 05 ☐ وعر ٹ 06 ☐ 500 (ن) یٹر 07 ☐ 1 (ن) یٹر 08 ☐ 2 (ن) یٹر 09 ☐ 5 (ن) یٹر 10 ☐ 1 (ن) یٹر رر وعر ر 11 ☐ 1.5 (ن) یٹر ر 12 ☐ 5 (ن) یٹر 13 ☐ 10 (ن) یٹر 14 ☐ 50 (ن) یٹر 15 ☐ (ن) یٹر عر And 14 other symbols [18]
%rostertitle% سہ ر ی ی ستر ٹ و ستر ستر رر رر رر؟	SINGLE-SELECT cs_pchdyn_2 01 ☐ رر 02 ☐ سر

[illegible]

6. (سەرچۆ (ئاستۆدۆزۆسۆ یۆو ئاڤۆ.6) F \$pch_unit_filter E cs_pchdyn_2==1 && cs_pchqty_2!=-95 W1 IsAnswered(cs_pchmin_2) && IsAnswered(cs_pchgrm_2) ? cs_pchgrm_2>=cs_pchmin_2: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_2) && IsAnswered(cs_pchgrm_2) ? cs_pchgrm_2<=cs_pchmax_2: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_2 01 ☐ ئۆمۆر 02 ☐ باڤۆیۆمۆر 03 ☐ دۆڤۆیۆمۆر 04 ☐ یۆمۆر 10 ☐ ئاڤۆ 48 ☐ باڤۆ / ئۆمۆر 05 ☐ ئۆمۆر 06 ☐ سۆمۆر 07 ☐ دۆڤۆیۆمۆر 08 ☐ ئۆمۆر 09 ☐ یۆمۆر 11 ☐ یۆمۆر 12 ☐ ئۆمۆر/ئۆمۆر 13 ☐ ئۆمۆر 14 ☐ یۆمۆر 15 ☐ ئۆمۆر And 34 other symbols [19]
ئاڤۆ سۆمۆر ۋۆ ئۆمۆر E cs_pchunt_2== -96	TEXT cspchunt_oth_2
7. (سۆمۆرچ (ئاستۆدۆزۆسۆ یۆو ئاڤۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_2*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_2) W1 IsAnswered(cs_pchmin_2) && IsAnswered(cs_pchgrm_2) ? cs_pchgrm_2>=cs_pchmin_2: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_2) && IsAnswered(cs_pchgrm_2) ? cs_pchgrm_2<=cs_pchmax_2: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_2 00 ☐ ئاستۆدۆزۆ 01 ☐ ئۆمۆر 02 ☐ ئۆمۆر 03 ☐ دۆمۆر 04 ☐ ئۆمۆر 05 ☐ ئۆمۆر 06 ☐ 500 (ئۆمۆر) 07 ☐ 1 (ئۆمۆر) 08 ☐ 2 (ئۆمۆر) 09 ☐ 5 (ئۆمۆر) 10 ☐ 1 (ئۆمۆر) 11 ☐ 1.5 (ئۆمۆر) 12 ☐ 5 (ئۆمۆر) 13 ☐ 10 (ئۆمۆر) 14 ☐ 50 (ئۆمۆر) 15 ☐ (ئۆمۆر) And 14 other symbols [20]
VARIABLE cs_pchunt_2== -96? null : cs_pchqty_2== -95? cs_csmgrm_2 : cs_pchqty_2*unit_size[@rowcode*10000 + (int)cs_pchunt_2*100 + (cs_pchsize_2 ?? 0)].convrsn	DOUBLE cs_pchgrm_2
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_2
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_2

8. %cs_pchqty_2% %cs_pchunt_2% %rosteritle% يُفَضِّلُ مَا شَرَاكَ مِنْ بِلَاغٍ وَنَعْمٍ؟ I IN MVR E cs_pchdyn_2==1 W1 IsAnswered(cs_pchprc_2) ? self > cs_pchprc_2*\$prclow :true M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. W2 IsAnswered(cs_pchprc_2) ? self < cs_pchprc_2*\$prchhigh :true M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMALcs_pchamt_2 -----
VARIABLE cs_pchqty_2==95? cs_csmqty_2*unit_size[@rowcode*10000 + (int)cs_csmunt_2*100 + (cs_csmsize_2 ?? 0)].price : cs_pchqty_2*unit_size[@rowcode*10000 + (int)cs_pchunt_2*100 + (cs_pchsze_2 ?? 0)].price	DOUBLEcs_pchprc_2
SUPERVISOR: %cs_csmunt_oth_2% %cspchunt_oth_2% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). E cs_csmunt_2==96 cs_pchunt_2==96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ نَعْمَ 02 ☐ تَرْتَبُّ sup12_2

F7. CONSUMPTION / F7B. FOOD DETAILS
أَكَلْتُ مَا أَكَلْتُ مِنْ دُرَّةٍ وَنَعْمٍ

F7. CONSUMPTION / F7B. FOOD DETAILS / أَكَلْتُ مَا أَكَلْتُ مِنْ دُرَّةٍ وَنَعْمٍ
Roster: أَكَلْتُ مَا أَكَلْتُ مِنْ دُرَّةٍ وَنَعْمٍ
generated by multi-select question [cs_csmdyn_3](#)

VARIABLE @rowcode==305 ? cs_csmdyn_3_oth_1 : ""	STRINGcs_othrsp_3
STATIC TEXT E cs_othrsp_3!="" %cs_othrsp_3%	
STATIC TEXT %rosteritle% وَنَعْمٍ مَا شَرَاكَ مِنْ بِلَاغٍ وَنَعْمٍ؟ 7 تَرْتَبُّ مَا أَكَلْتُ مِنْ دُرَّةٍ وَنَعْمٍ؟	
VARIABLE (int)items[@rowcode].coicop	LONGcs_coicop_3
1. نَعْمَ W1 IsAnswered(cs_csmin_3) && IsAnswered(cs_csmgrm_3) ? cs_csmgrm_3>=cs_csmin_3: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_3) && IsAnswered(cs_csmgrm_3) ? cs_csmgrm_3<=cs_csmax_3: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMALcs_csmqty_3 -----

2. اُچھ F \$cons_unit_filter W1 IsAnswered(cs_csmmin_3) && IsAnswered(cs_csmgrm_3) ? cs_csmgrm_3>=cs_csmmin_3: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmmmax_3) && IsAnswered(cs_csmgrm_3) ? cs_csmgrm_3<=cs_csmmmax_3: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmunt_3 01 ☐ ٲٲٲ 02 ☐ ٲٲٲٲٲٲٲ 03 ☐ ٲٲٲٲٲ 04 ☐ ٲٲٲ 10 ☐ اُچھ اُچھ 48 ☐ اُچھ اُچھ / اُچھ اُچھ 05 ☐ اُچھ 06 ☐ اُچھ اُچھ 07 ☐ اُچھ اُچھ اُچھ 08 ☐ اُچھ اُچھ 09 ☐ اُچھ 11 ☐ اُچھ اُچھ 12 ☐ اُچھ اُچھ / اُچھ 13 ☐ اُچھ اُچھ 14 ☐ اُچھ 15 ☐ اُچھ And 34 other symbols [21]
اُچھ اُچھ اُچھ اُچھ اُچھ اُچھ E cs_csmunt_3== -96	TEXT cs_csmunt_oth_3
VARIABLE (int)cons_units[@rowcode*100 + (int)cs_csmunt_3].page	LONG cs_csmpge_3
VARIABLE cs_csmunt_3!= -96 ? cs_csmqty_3*unit_size[@rowcode*10000 + (int)cs_csmunt_3*100 + (cs_csmsize_3 ?? 0)].convrsn : null	DOUBLE cs_csmgrm_3
VARIABLE (int)items[@rowcode].csmmin	LONG cs_csmmin_3
VARIABLE (int)items[@rowcode].csmmmax	LONG cs_csmmmax_3
STATIC TEXT E cs_csmpge_3>0 SHOW THE RESPONDENT THE BOOKLET ON PAGE %cs_csmpge_3%. MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.	

ي سَمْع %cs_csmunt_3% س3 unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_3*100) + @optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_3) IsAnswered(cs_csmin_3) && IsAnswered(cs_csmgrm_3) ? cs_csmgrm_3>=cs_csmin_3: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_3) && IsAnswered(cs_csmgrm_3) ? cs_csmgrm_3<=cs_csmax_3: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_3 00 ☐ اَسْرَد سَمْعَر 01 ☐ اَسْرَد 02 ☐ اَسْرَد 03 ☐ اَسْرَد 04 ☐ اَسْرَد 05 ☐ اَسْرَد 06 ☐ 500 (اَسْرَد) 07 ☐ 1 (اَسْرَد) 08 ☐ 2 (اَسْرَد) 09 ☐ 5 (اَسْرَد) 10 ☐ 1 (اَسْرَد) 11 ☐ 1.5 (اَسْرَد) 12 ☐ 5 (اَسْرَد) 13 ☐ 10 (اَسْرَد) 14 ☐ 50 (اَسْرَد) 15 ☐ (اَسْرَد) And 14 other symbols [22]
اَسْرَد ي سَمْع %rostertitle% س4. ج	SINGLE-SELECT cs_pchdyn_3 01 ☐ اَسْرَد 02 ☐ سَمْع

6. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 6. F \$pch_unit_filter E cs_pchdyn_3==1 && cs_pchqty_3!=-95 W1 IsAnswered(cs_pchmin_3) && IsAnswered(cs_pchgrm_3) ? cs_pchgrm_3>=cs_pchmin_3: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_3) && IsAnswered(cs_pchgrm_3) ? cs_pchgrm_3<=cs_pchmax_3: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_3 01 ☐ سۆر 02 ☐ پۆر 03 ☐ دۆر 04 ☐ یۆر 10 ☐ ئۆر 48 ☐ پۆر / سۆر 05 ☐ سۆر 06 ☐ سۆر سۆر 07 ☐ سۆر سۆر 08 ☐ سۆر سۆر 09 ☐ سۆر 11 ☐ سۆر سۆر 12 ☐ سۆر / سۆر 13 ☐ سۆر 14 ☐ سۆر 15 ☐ سۆر And 34 other symbols [23]
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. E cs_pchunt_3== -96	TEXT cspchunt_oth_3
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_3*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_3) W1 IsAnswered(cs_pchmin_3) && IsAnswered(cs_pchgrm_3) ? cs_pchgrm_3>=cs_pchmin_3: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_3) && IsAnswered(cs_pchgrm_3) ? cs_pchgrm_3<=cs_pchmax_3: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_3 00 ☐ سۆر سۆر 01 ☐ سۆر 02 ☐ سۆر 03 ☐ سۆر 04 ☐ سۆر 05 ☐ سۆر سۆر 06 ☐ 500 سۆر (سۆر) 07 ☐ 1 سۆر (سۆر) 08 ☐ 2 سۆر (سۆر) 09 ☐ 5 سۆر (سۆر) 10 ☐ 1 سۆر (سۆر) 11 ☐ 1.5 سۆر (سۆر) 12 ☐ 5 سۆر (سۆر) 13 ☐ 10 سۆر (سۆر) 14 ☐ 50 سۆر (سۆر) 15 ☐ سۆر (سۆر) And 14 other symbols [24]
VARIABLE cs_pchunt_3== -96? null : cs_pchqty_3== -95? cs_csmgrm_3 : cs_pchqty_3*unit_size[@rowcode*10000 + (int)cs_pchunt_3*100 + (cs_pchsize_3 ?? 0)].convrsn	DOUBLE cs_pchgrm_3
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_3
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_3

8. %cs_pchqty_3% %cs_pchunt_3% %rosteritle% ؟ IN MVR cs_pchdyn_3==1 IsAnswered(cs_pchprc_3) ? self > cs_pchprc_3*\$prclow :true The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. IsAnswered(cs_pchprc_3) ? self < cs_pchprc_3*\$prchigh :true The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMAL cs_pchamt_3
VARIABLE cs_pchqty_3== -95? cs_csmqty_3*unit_size[@rowcode*10000 + (int)cs_csmunt_3*100 + (cs_csmsze_3 ?? 0)].price : cs_pchqty_3*unit_size[@rowcode*10000 + (int)cs_pchunt_3*100 + (cs_pchsze_3 ?? 0)].price	DOUBLE cs_pchprc_3
SUPERVISOR: %cs_csmunt_oth_3% %cspchunt_oth_3% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). cs_csmunt_3== -96 cs_pchunt_3== -96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ ٠١ 02 ☐ ٠٢ sup12_3

F7. CONSUMPTION / F7B. FOOD DETAILS

لَسْرَعُ دُرِّ اُخْرُ دُرِّ سَوْفَقِ

[illegible]

F7. CONSUMPTION / F7B. FOOD DETAILS / اِسْتِمْثَالُ اَلْطَّيْنِ اَلْمَأْكُلِ

Roster: روستا

generated by fixed list

food 4

- 401 Tuna (fresh/frozen), small fish
402 Tuna (fresh/frozen) , medium fish
403 Tuna (fresh/frozen) , large fish
404 (لُحْمُ زُرْدٍ - لُحْمُ زُرْدٍ جَوَّجٌ) لُحْمُ زُرْدٍ
405 جَوَّجٌ عَرَبِيٌّ
406 (لُحْمُ زُرْدٍ، لُحْمُ زُرْدٍ - لُحْمُ زُرْدٍ جَوَّجٌ عَرَبِيٌّ) لُحْمُ زُرْدٍ جَوَّجٌ عَرَبِيٌّ

```
E !@rowcode.InList(401,402,403,404,406,407,408,409) ? // if neither tuna nor reef fish rows cs_csmdyn_4.Yes.Contains(@rowcode) : // then open if the row was selected in consumption section @rowcode.InList(401,402,403,404,406,407,408,409) And 224 other symbols [4]
```

STATIC TEXT

%cs othrsp 4%

STATIC TEXT

```
E cs_csmunt_4== -96
```

VARIABLE (int)cons_units[@rowcode*100 + (int)cs_csmunt_4].page	LONG	cs_csmmpge_4
VARIABLE cs_csmunt_4!=-96 ? cs_csmqty_4*unit_size[@rowcode*10000 + (int)cs_csmunt_4*100 + (cs_csmsize_4 ?? 0)].convrnsn : null	DOUBLE	cs_csmgrm_4
VARIABLE (int)items[@rowcode].csmmin	LONG	cs_csmmin_4
VARIABLE (int)items[@rowcode].csmmax	LONG	cs_csmmax_4

STATIC TEXT

E cs_csmpge_4>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmpe_4%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

٤. %cs_csmunt_4% سڀو F unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_4*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_4) W1 IsAnswered(cs_csmmin_4) && IsAnswered(cs_csmgrm_4) ? cs_csmgrm_4>=cs_csmmin_4: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmmax_4) && IsAnswered(cs_csmgrm_4) ? cs_csmgrm_4<=cs_csmmax_4: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT 00 ☐ ڏسڻ سڀو 01 ☐ ٺٽو 02 ☐ ڏسڻ 03 ☐ ڏسڻ 04 ☐ ٺٽو 05 ☐ ٺٽو سڀو 06 ☐ 500 (ٺٽو سڀو) 07 ☐ 1 (ٺٽو سڀو) 08 ☐ 2 (ڏسڻ سڀو) 09 ☐ 5 (ٺٽو سڀو) 10 ☐ 1 (ٺٽو سڀو سڀو ڏسڻ) 11 ☐ 1 (ڏسڻ سڀو 1.5 سڀو) 12 ☐ 5 (ٺٽو سڀو) 13 ☐ 10 (ڏسڻ سڀو) 14 ☐ 50 (ٺٽو سڀو) 15 ☐ ٺٽو (ڏسڻ سڀو) And 14 other symbols [26]
٤. %rosteritle% سڀو ٤. %rosteritle% سڀو	SINGLE-SELECT 01 ☐ ڏسڻ 02 ☐ ڏسڻ cs_pchdyn_4

STATIC TEXT

E cs_pchdyn_4==1

کھوئے، کھوئے رکتے (دستور)؟ **%rostertitle%** رستہ رستہ دیتی ہے رستہ

	(اَسْتَرْزَقْتُ فَيَوْمَئِذٍ مَرَّةً وَفِي	NUMERIC: DECIMAL	cs_pchqty_4
E	cs_pchdyn_4==1	- - - - -	
V1	self==95 && cs_csmunt_4!=-96 ? // if Same as above was selected pch_units.Keys.Contains((@rowcode*100) + (int) cs_csmunt_4) // the consumption unit must exist on the purchase table : true	SPECIAL VALUES	
M1	اَسْتَرْزَقْتُ فِي يَوْمٍ مِنْ اَيَّامِهِ فَتَمَّتْ لِي الْمُرَّةُ الْوَحْدَى فِي ذَلِكَ الْيَوْمِ فَاسْتَرْزَقْتُ فِيهِ سِتْرَةً وَفِي يَوْمٍ آخَرَ اسْتَرْزَعْتُ فِيهِ ثَلَاثًا وَمِائَةَ عَشْرَةٍ %rosteritle% بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ %cs_csmunt_4%	-95	نَدَّرْتُ هَتَرْتُ بَعْضٌ وَبَعْضٌ
W2	IsAnswered(cs_pchmin_4) && IsAnswered(cs_pchgrm_4) ? cs_ pchgrm_4>=cs_pchmin_4: true		
M2	Quantity purchased looks small. Check quantity, unit, size and confirm with respondent.		
W3	IsAnswered(cs_pchmax_4) && IsAnswered(cs_pchgrm_4) ? cs_ pchgrm_4<=cs_pchmax_4: true		
M3	Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.		

6. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 6. F \$pch_unit_filter E cs_pchdyn_4==1 && cs_pchqty_4!=-95 W1 IsAnswered(cs_pchmin_4) && IsAnswered(cs_pchgrm_4) ? cs_pchgrm_4>=cs_pchmin_4: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_4) && IsAnswered(cs_pchgrm_4) ? cs_pchgrm_4<=cs_pchmax_4: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_4 01 ☐ سۆر 02 ☐ پۆر 03 ☐ دۆر 04 ☐ یۆر 10 ☐ ئۆر 48 ☐ پۆر / سۆر 05 ☐ سۆر 06 ☐ سۆر سۆر 07 ☐ سۆر سۆر 08 ☐ سۆر سۆر 09 ☐ سۆر 11 ☐ سۆر سۆر 12 ☐ سۆر / سۆر 13 ☐ سۆر 14 ☐ سۆر 15 ☐ سۆر And 34 other symbols [27]
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. E cs_pchunt_4== -96	TEXT cspchunt_oth_4
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_4*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_4) W1 IsAnswered(cs_pchmin_4) && IsAnswered(cs_pchgrm_4) ? cs_pchgrm_4>=cs_pchmin_4: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_4) && IsAnswered(cs_pchgrm_4) ? cs_pchgrm_4<=cs_pchmax_4: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_4 00 ☐ سۆر سۆر 01 ☐ سۆر 02 ☐ سۆر 03 ☐ سۆر 04 ☐ سۆر 05 ☐ سۆر سۆر 06 ☐ 500 سۆر (سۆر) 07 ☐ 1 سۆر (سۆر) 08 ☐ 2 سۆر (سۆر) 09 ☐ 5 سۆر (سۆر) 10 ☐ 1 سۆر (سۆر) 11 ☐ 1.5 سۆر (سۆر) 12 ☐ 5 سۆر (سۆر) 13 ☐ 10 سۆر (سۆر) 14 ☐ 50 سۆر (سۆر) 15 ☐ سۆر (سۆر) And 14 other symbols [28]
VARIABLE cs_pchunt_4== -96? null : cs_pchqty_4== -95? cs_csmgrm_4 : cs_pchqty_4*unit_size[@rowcode*10000 + (int)cs_pchunt_4*100 + (cs_pchsize_4 ?? 0)].convrsn	DOUBLE cs_pchgrm_4
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_4
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_4

8. %cs_pchqty_4% %cs_pchunt_4% %rosteritle% يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا وَوَحْدَةً I IN MVR E cs_pchdyn_4==1 W1 IsAnswered(cs_pchprc_4) ? self > cs_pchprc_4*\$prclow :true M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. W2 IsAnswered(cs_pchprc_4) ? self < cs_pchprc_4*\$prchhigh :true M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMAL cs_pchamt_4 -----
VARIABLE cs_pchqty_4==95? cs_csmqty_4*unit_size[@rowcode*10000 + (int)cs_csmunt_4*100 + (cs_csmsize_4 ?? 0)].price : cs_pchqty_4*unit_size[@rowcode*10000 + (int)cs_pchunt_4*100 + (cs_pchsze_4 ?? 0)].price	DOUBLE cs_pchprc_4
SUPERVISOR: %cs_csmunt_oth_4% %cspchunt_oth_4% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). E cs_csmunt_4==96 cs_pchunt_4==96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ نَاحِيَّة 02 ☐ مَرْكَزِيَّة sup12_4

F7. CONSUMPTION / F7B. FOOD DETAILS

يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا وَوَحْدَةً

F7. CONSUMPTION / F7B. FOOD DETAILS / **يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا وَوَحْدَةً**

Roster: **يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا وَوَحْدَةً**

generated by multi-select question [cs_csmdyn_5](#)

food_5

VARIABLE @rowcode==509 ? cs_csmdyn_5_oth_1 : @rowcode==513 ? cs_csmdyn_5_oth_2 : ""	STRING cs_othrsp_5
STATIC TEXT E cs_othrsp_5!="" %cs_othrsp_5%	
STATIC TEXT يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا وَوَحْدَةً %rosteritle% يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا وَوَحْدَةً 7 فَرْزَاتٍ كَمِّيَّةٍ أَوْ كَمِّيَّةٍ وَوَحْدَةً	
VARIABLE (int)items[@rowcode].coicop	LONG cs_coicop_5
1. مَرْكَزِيَّة W1 IsAnswered(cs_csmin_5) && IsAnswered(cs_csmgrm_5) ? cs_csmgrm_5>=cs_csmin_5: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_5) && IsAnswered(cs_csmgrm_5) ? cs_csmgrm_5<=cs_csmax_5: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMAL cs_csmqty_5 -----

2. نَمُونَه

F \$cons_unit_filter
W1 IsAnswered(cs_csmmin_5) && IsAnswered(cs_csmgrm_5) ? cs_csmgrm_5>=cs_csmmin_5: true
M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent.
W2 IsAnswered(cs_csmmax_5) && IsAnswered(cs_csmgrm_5) ? cs_csmgrm_5<=cs_csmmax_5: true
M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.

SINGLE-SELECT

cs_csmunt_5

- 01 ☐ ١ سُكَّرْ
02 ☐ ٢ سُكَّرْ
03 ☐ ٣ سُكَّرْ
04 ☐ ٤ سُكَّرْ
10 ☐ ١٠ سُكَّرْ
48 ☐ ٤٨ سُكَّرْ / ١ كِيلُو
05 ☐ ٥ سُكَّرْ
06 ☐ ٦ سُكَّرْ
07 ☐ ٧ سُكَّرْ
08 ☐ ٨ سُكَّرْ
09 ☐ ٩ سُكَّرْ
11 ☐ ١١ سُكَّرْ
12 ☐ ١٢ سُكَّرْ / ١ كِيلُو
13 ☐ ١٣ سُكَّرْ
14 ☐ ١٤ سُكَّرْ
15 ☐ ١٥ سُكَّرْ

[And 34 other symbols \[29\]](#)

١٠ سُكَّرْ / ١ كِيلُو

TEXT

cs_csmunt_oth_5

E cs_csmunt_5== -96

.....

VARIABLE

(int)cons_units[@rowcode*100 + (int)cs_csmunt_5].page

LONG

cs_csmmpge_5

VARIABLE

cs_csmunt_5!=-96 ? cs_csmqty_5*unit_size[@rowcode*10000 + (int)cs_csmunt_5*100 + (cs_csmsize_5 ?? 0)].convrsn : null

DOUBLE

cs_csmgrm_5

VARIABLE

(int)items[@rowcode].csmmin

LONG

cs_csmmin_5

VARIABLE

(int)items[@rowcode].csmmax

LONG

cs_csmmax_5

STATIC TEXT

E cs_csmmpge_5>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmmpge_5%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

ي سَمْع %cs_csmunt_5% س3 unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_5*100) + @optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_5) IsAnswered(cs_csmin_5) && IsAnswered(cs_csmgrm_5) ? cs_csmgrm_5>=cs_csmin_5: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_5) && IsAnswered(cs_csmgrm_5) ? cs_csmgrm_5<=cs_csmax_5: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_5 00 ☐ دَسْرَد سَمْع ر 01 ☐ نَء 02 ☐ دَسْرَد 03 ☐ دَسْرَد 04 ☐ نَء 05 ☐ دَسْرَد نَء 06 ☐ 500 (نَء دَسْرَد) 07 ☐ 1 (نَء دَسْرَد) 08 ☐ 2 (دَسْرَد دَسْرَد) 09 ☐ 5 (نَء دَسْرَد) 10 ☐ 1 (نَء دَسْرَد دَسْرَد دَسْرَد) 11 ☐ 1.5 (نَء دَسْرَد دَسْرَد) 12 ☐ 5 (نَء دَسْرَد) 13 ☐ 10 (دَسْرَد دَسْرَد) 14 ☐ 50 (نَء دَسْرَد) 15 ☐ نَء (دَسْرَد دَسْرَد) And 14 other symbols [30]
ر ي ي سَ S3 %rostertitle% س4. د	SINGLE-SELECT cs_pchdyn_5 01 ☐ دَسْرَد 02 ☐ سَ سَ سَ

6. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئاڤۆ.6) F \$pch_unit_filter E cs_pchdyn_5==1 && cs_pchqty_5!=-95 W1 IsAnswered(cs_pchmin_5) && IsAnswered(cs_pchgrm_5) ? cs_pchgrm_5>=cs_pchmin_5: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_5) && IsAnswered(cs_pchgrm_5) ? cs_pchgrm_5<=cs_pchmax_5: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_5 01 ☐ ٥ ٲۆۆ 02 ☐ ٥ ٲۆۆ ٲۆۆ 03 ☐ ٥ ٲۆۆ ٲۆۆ 04 ☐ ٥ ٲۆۆ 10 ☐ ٥ ٲۆۆ ٲۆۆ 48 ☐ ٥ ٲۆۆ ٲۆۆ / ٲۆۆ ٲۆۆ 05 ☐ ٥ ٲۆۆ 06 ☐ ٥ ٲۆۆ ٲۆۆ 07 ☐ ٥ ٲۆۆ ٲۆۆ 08 ☐ ٥ ٲۆۆ ٲۆۆ 09 ☐ ٥ ٲۆۆ 11 ☐ ٥ ٲۆۆ ٲۆۆ 12 ☐ ٥ ٲۆۆ / ٲۆۆ 13 ☐ ٥ ٲۆۆ 14 ☐ ٥ ٲۆۆ 15 ☐ ٥ ٲۆۆ And 34 other symbols [31]
7. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئاڤۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_5*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_5) W1 IsAnswered(cs_pchmin_5) && IsAnswered(cs_pchgrm_5) ? cs_pchgrm_5>=cs_pchmin_5: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_5) && IsAnswered(cs_pchgrm_5) ? cs_pchgrm_5<=cs_pchmax_5: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	TEXT cspchunt_oth_5
7. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئاڤۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_5*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_5) W1 IsAnswered(cs_pchmin_5) && IsAnswered(cs_pchgrm_5) ? cs_pchgrm_5>=cs_pchmin_5: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_5) && IsAnswered(cs_pchgrm_5) ? cs_pchgrm_5<=cs_pchmax_5: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_5 00 ☐ ٥ ٲۆۆ ٲۆۆ ٲۆۆ 01 ☐ ٥ ٲۆۆ 02 ☐ ٥ ٲۆۆ 03 ☐ ٥ ٲۆۆ 04 ☐ ٥ ٲۆۆ 05 ☐ ٥ ٲۆۆ ٲۆۆ 06 ☐ ٥ 500 ٲۆۆ (ٲۆۆ ٲۆۆ) 07 ☐ ٥ 1 ٲۆۆ (ٲۆۆ ٲۆۆ) 08 ☐ ٥ 2 ٲۆۆ (ٲۆۆ ٲۆۆ) 09 ☐ ٥ 5 ٲۆۆ (ٲۆۆ ٲۆۆ) 10 ☐ ٥ 1 ٲۆۆ ٲۆۆ ٲۆۆ ٲۆۆ 11 ☐ ٥ 1.5 ٲۆۆ ٲۆۆ ٲۆۆ 12 ☐ ٥ 5 ٲۆۆ (ٲۆۆ ٲۆۆ) 13 ☐ ٥ 10 ٲۆۆ (ٲۆۆ ٲۆۆ) 14 ☐ ٥ 50 ٲۆۆ (ٲۆۆ ٲۆۆ) 15 ☐ ٥ ٲۆۆ ٲۆۆ ٲۆۆ And 14 other symbols [32]
VARIABLE cs_pchunt_5== -96? null : cs_pchqty_5== -95? cs_csmgrm_5 : cs_pchqty_5*unit_size[@rowcode*10000 + (int)cs_pchunt_5*100 + (cs_pchsize_5 ?? 0)].convrsn	DOUBLE cs_pchgrm_5
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_5
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_5

2. نَمُونَه

- F \$cons_unit_filter
- W1 IsAnswered(cs_csmin_6) && IsAnswered(cs_csmgrm_6) ? cs_csmgrm_6>=cs_csmin_6: true
- M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent.
- W2 IsAnswered(cs_csmax_6) && IsAnswered(cs_csmgrm_6) ? cs_csmgrm_6<=cs_csmax_6: true
- M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.

SINGLE-SELECT

cs_csmunt_6

- 01 ☐ ١ كُورْ
- 02 ☐ ٢ كُورْ
- 03 ☐ ٣ كُورْ
- 04 ☐ ٤ كُورْ
- 10 ☐ ١٠ كُورْ
- 48 ☐ ٤٨ كُورْ / ١٠ كُورْ
- 05 ☐ ٥ كُورْ
- 06 ☐ ٦ كُورْ
- 07 ☐ ٧ كُورْ
- 08 ☐ ٨ كُورْ
- 09 ☐ ٩ كُورْ
- 11 ☐ ١١ كُورْ
- 12 ☐ ١٢ كُورْ
- 13 ☐ ١٣ كُورْ
- 14 ☐ ١٤ كُورْ
- 15 ☐ ١٥ كُورْ

[And 34 other symbols \[33\]](#)

١٠ كُورْ / ١٠ كُورْ

TEXT

cs_csmunt_oth_6

E cs_csmunt_6== -96

.....

VARIABLE

(int)cons_units[@rowcode*100 + (int)cs_csmunt_6].page

LONG

cs_csmmpge_6

VARIABLE

cs_csmunt_6!=-96 ? cs_csmqty_6*unit_size[@rowcode*10000 + (int)cs_csmunt_6*100 + (cs_csmsize_6 ?? 0)].convrsn : null

DOUBLE

cs_csmgrm_6

VARIABLE

(int)items[@rowcode].csmin

LONG

cs_csmin_6

VARIABLE

(int)items[@rowcode].csmax

LONG

cs_csmax_6

STATIC TEXT

E cs_csmmpge_6>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmmpge_6%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

2. فَرْجْ

- F \$cons_unit_filter
- W1 IsAnswered(cs_csmmin_7) && IsAnswered(cs_csmgrm_7) ? cs_csmgrm_7>=cs_csmmin_7: true
- M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent.
- W2 IsAnswered(cs_csmmax_7) && IsAnswered(cs_csmgrm_7) ? cs_csmgrm_7<=cs_csmmax_7: true
- M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.

SINGLE-SELECT

cs_csmunt_7

- 01 ☐ ٢٠٠
- 02 ☐ ٢٠٠ ٢٠٠
- 03 ☐ ٢٠٠ ٢٠٠
- 04 ☐ ٢٠٠
- 10 ☐ ٢٠٠ ٢٠٠
- 48 ☐ ٢٠٠ / ٢٠٠
- 05 ☐ ٢٠٠
- 06 ☐ ٢٠٠ ٢٠٠
- 07 ☐ ٢٠٠ ٢٠٠
- 08 ☐ ٢٠٠ ٢٠٠
- 09 ☐ ٢٠٠
- 11 ☐ ٢٠٠ ٢٠٠
- 12 ☐ ٢٠٠ / ٢٠٠
- 13 ☐ ٢٠٠
- 14 ☐ ٢٠٠
- 15 ☐ ٢٠٠

[And 34 other symbols \[37\]](#)

٢٠٠ ٢٠٠ ٢٠٠ ٢٠٠

TEXT

cs_csmunt_oth_7

E cs_csmunt_7== -96

.....

VARIABLE

(int)cons_units[@rowcode*100 + (int)cs_csmunt_7].page

LONG

cs_csmmpge_7

VARIABLE

cs_csmunt_7!=-96 ? cs_csmqty_7*unit_size[@rowcode*10000 + (int)cs_csmunt_7*100 + (cs_csmsize_7 ?? 0)].convrsn : null

DOUBLE

cs_csmgrm_7

VARIABLE

(int)items[@rowcode].csmmin

LONG

cs_csmmin_7

VARIABLE

(int)items[@rowcode].csmmax

LONG

cs_csmmax_7

STATIC TEXT

E cs_csmmpge_7>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmmpge_7%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

ي سويج %cs_csmunt_7% س3 unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_7*100) + @optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_7) IsAnswered(cs_csmin_7) && IsAnswered(cs_csmgrm_7) ? cs_csmgrm_7>=cs_csmin_7: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_7) && IsAnswered(cs_csmgrm_7) ? cs_csmgrm_7<=cs_csmax_7: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_7 00 ☐ اُسُرْدُ سُوِيْعُرْ 01 ☐ اُسُرْدُ 02 ☐ اُسُرْدُ 03 ☐ اُسُرْدُ 04 ☐ اُسُرْدُ 05 ☐ اُسُرْدُ سُوِيْعُرْ 06 ☐ 500 (اُسُرْدُ) 07 ☐ 1 (اُسُرْدُ) 08 ☐ 2 (اُسُرْدُ) 09 ☐ 5 (اُسُرْدُ) 10 ☐ 1 (اُسُرْدُ اُسُرْدُ سُوِيْعُرْ) 11 ☐ 1.5 (اُسُرْدُ اُسُرْدُ) 12 ☐ 5 (اُسُرْدُ) 13 ☐ 10 (اُسُرْدُ) 14 ☐ 50 (اُسُرْدُ) 15 ☐ (اُسُرْدُ سُوِيْعُرْ) And 14 other symbols [38]
اُسُرْدُ ي سويج %rostertitle% س4. ج	SINGLE-SELECT cs_pchdyn_7 01 ☐ اُسُرْدُ 02 ☐ سُوِيْعُرْ

6. (سەرچۆ (ئاستۆدۆزۆسۆر یۆو ئاڤۆ.6) F \$pch_unit_filter E cs_pchdyn_7==1 && cs_pchqty_7!=-95 W1 IsAnswered(cs_pchmin_7) && IsAnswered(cs_csmgrm_7) ? cs_pchgrm_7>=cs_pchmin_7: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_7) && IsAnswered(cs_csmgrm_7) ? cs_pchgrm_7<=cs_pchmax_7: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_7 01 ☐ ٥ ٲۆۆ 02 ☐ ١٠ ٲۆۆ 03 ☐ ٢٠ ٲۆۆ 04 ☐ ٣٠ ٲۆۆ 10 ☐ ٤٠ ٲۆۆ 48 ☐ ٥٠ ٲۆۆ / ٦٠ ٲۆۆ 05 ☐ ٧٠ ٲۆۆ 06 ☐ ٨٠ ٲۆۆ 07 ☐ ٩٠ ٲۆۆ 08 ☐ ١٠٠ ٲۆۆ 09 ☐ ١١٠ ٲۆۆ 11 ☐ ١٢٠ ٲۆۆ 12 ☐ ١٣٠ ٲۆۆ 13 ☐ ١٤٠ ٲۆۆ 14 ☐ ١٥٠ ٲۆۆ 15 ☐ ١٦٠ ٲۆۆ And 34 other symbols [39]
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆو ئاڤۆ.7) E cs_pchunt_7==96	TEXT cspchunt_oth_7
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆو ئاڤۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_7*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_7) W1 IsAnswered(cs_pchmin_7) && IsAnswered(cs_csmgrm_7) ? cs_pchgrm_7>=cs_pchmin_7: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_7) && IsAnswered(cs_csmgrm_7) ? cs_pchgrm_7<=cs_pchmax_7: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_7 00 ☐ ٥ ٲۆۆ 01 ☐ ١٠ ٲۆۆ 02 ☐ ٢٠ ٲۆۆ 03 ☐ ٣٠ ٲۆۆ 04 ☐ ٤٠ ٲۆۆ 05 ☐ ٥٠ ٲۆۆ 06 ☐ ٦٠ ٲۆۆ 07 ☐ ٧٠ ٲۆۆ 08 ☐ ٨٠ ٲۆۆ 09 ☐ ٩٠ ٲۆۆ 10 ☐ ١٠٠ ٲۆۆ 11 ☐ ١١٠ ٲۆۆ 12 ☐ ١٢٠ ٲۆۆ 13 ☐ ١٣٠ ٲۆۆ 14 ☐ ١٤٠ ٲۆۆ 15 ☐ ١٥٠ ٲۆۆ And 14 other symbols [40]
VARIABLE cs_pchunt_7==96? null : cs_pchqty_7==95? cs_csmgrm_7 : cs_pchqty_7*unit_size[@rowcode*10000 + (int)cs_pchunt_7*100 + (cs_pchsize_7 ?? 0)].convrsn	DOUBLE cs_pchgrm_7
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_7
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_7

8. %cs_pchqty_7% %cs_pchunt_7% %rosteritle% يُفَضِّلُ مَا اشْتَرَاهُ مِنْ بِلَاغٍ وَنَحْوِهَا؟ I IN MVR E cs_pchdyn_7==1 W1 IsAnswered(cs_pchprc_7) ? self > cs_pchprc_7*\$prclow :true M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. W2 IsAnswered(cs_pchprc_7) ? self < cs_pchprc_7*\$prchhigh :true M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMAL cs_pchamt_7 -----
VARIABLE cs_pchqty_7==95? cs_csmqty_7*unit_size[@rowcode*10000 + (int)cs_csmunt_7*100 + (cs_csmsize_7 ?? 0)].price : cs_pchqty_7*unit_size[@rowcode*10000 + (int)cs_pchunt_7*100 + (cs_pchsize_7 ?? 0)].price	DOUBLE cs_pchprc_7
SUPERVISOR: %cs_csmunt_oth_7% %cspchunt_oth_7% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). E cs_csmunt_7==96 cs_pchunt_7==96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ ١٠ كِغ 02 ☐ ٢٠ كِغ sup12_7

F7. CONSUMPTION / F7B. FOOD DETAILS
رُفُوح

F7. CONSUMPTION / F7B. FOOD DETAILS / رُفُوح Roster: رُفُوح generated by multi-select question cs_csmdyn_8	food_8
VARIABLE @rowcode==808 ? cs_csmdyn_8_oth_1 : ""	STRING cs_othrsp_8
STATIC TEXT E cs_othrsp_8!="" %cs_othrsp_8%	
STATIC TEXT هَلْ تَتَذَكَّرُ مَا أَكَلْتَ مِنْ رُفُوحٍ فِي 7 رُفُوحٍ مُتَتَابِعَةٍ فِي يَدِي حِينَ أَكَلْتُهَا؟ %rosteritle%	
VARIABLE (int)items[@rowcode].coicop	LONG cs_coicop_8
1. رُفُوح W1 IsAnswered(cs_csmin_8) && IsAnswered(cs_csmgrm_8) ? cs_csmgrm_8>=cs_csmin_8: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_8) && IsAnswered(cs_csmgrm_8) ? cs_csmgrm_8<=cs_csmax_8: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMAL cs_csmqty_8 -----

2. نَمُونَه

- F \$cons_unit_filter
- W1 IsAnswered(cs_csmin_8) && IsAnswered(cs_csmgrm_8) ? cs_csmgrm_8>=cs_csmin_8: true
- M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent.
- W2 IsAnswered(cs_csmax_8) && IsAnswered(cs_csmgrm_8) ? cs_csmgrm_8<=cs_csmax_8: true
- M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.

SINGLE-SELECT

cs_csmunt_8

- 01 ☐ ١ كُورْ
- 02 ☐ ٢ كُورْ
- 03 ☐ ٣ كُورْ
- 04 ☐ ٤ كُورْ
- 10 ☐ ١٠ كُورْ
- 48 ☐ ٤٨ كُورْ / ١٠ كُورْ
- 05 ☐ ٥ كُورْ
- 06 ☐ ٦ كُورْ
- 07 ☐ ٧ كُورْ
- 08 ☐ ٨ كُورْ
- 09 ☐ ٩ كُورْ
- 11 ☐ ١١ كُورْ
- 12 ☐ ١٢ كُورْ / ١٣ كُورْ
- 13 ☐ ١٤ كُورْ
- 14 ☐ ١٥ كُورْ
- 15 ☐ ١٦ كُورْ

[And 34 other symbols \[41\]](#)

نَمُونَه نَمُونَه

TEXT

cs_csmunt_oth_8

E cs_csmunt_8== -96

.....

VARIABLE

(int)cons_units[@rowcode*100 + (int)cs_csmunt_8].page

LONG

cs_csmmpge_8

VARIABLE

cs_csmunt_8!=-96 ? cs_csmqty_8*unit_size[@rowcode*10000 + (int)cs_csmunt_8*100 + (cs_csmsize_8 ?? 0)].convrsn : null

DOUBLE

cs_csmgrm_8

VARIABLE

(int)items[@rowcode].csmin

LONG

cs_csmin_8

VARIABLE

(int)items[@rowcode].csmax

LONG

cs_csmax_8

STATIC TEXT

E cs_csmmpge_8>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmmpge_8%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

ي سَمْع %cs_csmunt_8% س3 unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_8*100) + @optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_8) IsAnswered(cs_csmin_8) && IsAnswered(cs_csmgrm_8) ? cs_csmgrm_8>=cs_csmin_8: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_8) && IsAnswered(cs_csmgrm_8) ? cs_csmgrm_8<=cs_csmax_8: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_8 00 ☐ دَسْرَد سَمْع ر 01 ☐ نْ 02 ☐ دَسْرَد 03 ☐ دَسْرَد 04 ☐ نْ 05 ☐ وَاَسْرَد نْ 06 ☐ 500 (نْ دَسْرَد) 07 ☐ 1 (نْ دَسْرَد) 08 ☐ 2 (دَسْرَد) 09 ☐ 5 (نْ دَسْرَد) 10 ☐ 1 (نْ دَسْرَد رَسْرَد وَاسْرَد دَسْرَد) 11 ☐ 1.5 (نْ دَسْرَد رَسْرَد) 12 ☐ 5 (نْ دَسْرَد) 13 ☐ 10 (دَسْرَد) 14 ☐ 50 (نْ دَسْرَد) 15 ☐ نْ (دَسْرَد سَمْع) And 14 other symbols [42]
%rostertitle% س4. ج رَبَّ يَسْرِي نَرْ وَاسْرَد نَرْ دَسْرَد نَرْ؟	SINGLE-SELECT cs_pchdyn_8 01 ☐ دَسْرَد 02 ☐ سَمْع

[illegible]

6. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 6. F \$pch_unit_filter E cs_pchdyn_8==1 && cs_pchqty_8!=-95 W1 IsAnswered(cs_pchmin_8) && IsAnswered(cs_csmgrm_8) ? cs_pchgrm_8>=cs_pchmin_8: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_8) && IsAnswered(cs_csmgrm_8) ? cs_pchgrm_8<=cs_pchmax_8: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_8 01 ☐ 1 02 ☐ 2 03 ☐ 3 04 ☐ 4 10 ☐ 10 48 ☐ 48 05 ☐ 5 06 ☐ 6 07 ☐ 7 08 ☐ 8 09 ☐ 9 11 ☐ 11 12 ☐ 12 13 ☐ 13 14 ☐ 14 15 ☐ 15 And 34 other symbols [43]
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. E cs_pchunt_8==96	TEXT cspchunt_oth_8
7. (سەرچۆ (ئاستۆدۆزۆسۆر یۆ یۆر یۆر 7. F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_8*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_8) W1 IsAnswered(cs_pchmin_8) && IsAnswered(cs_csmgrm_8) ? cs_pchgrm_8>=cs_pchmin_8: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_8) && IsAnswered(cs_csmgrm_8) ? cs_pchgrm_8<=cs_pchmax_8: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_8 00 ☐ 00 01 ☐ 01 02 ☐ 02 03 ☐ 03 04 ☐ 04 05 ☐ 05 06 ☐ 500 07 ☐ 1 08 ☐ 2 09 ☐ 5 10 ☐ 1 11 ☐ 1.5 12 ☐ 5 13 ☐ 10 14 ☐ 50 15 ☐ 1 And 14 other symbols [44]
VARIABLE cs_pchunt_8==96? null : cs_pchqty_8==95? cs_csmgrm_8 : cs_pchqty_8*unit_size[@rowcode*10000 + (int)cs_pchunt_8*100 + (cs_pchsize_8 ?? 0)].convrsn	DOUBLE cs_pchgrm_8
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_8
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_8

8. %cs_pchqty_8% %cs_pchunt_8% of %rosteritle% يُحْتَرَكُ بِأَرْوَعِ دُرُجَاتٍ I IN MVR E cs_pchdyn_8==1 W1 IsAnswered(cs_pchprc_8) ? self > cs_pchprc_8*\$prclow :true M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. W2 IsAnswered(cs_pchprc_8) ? self < cs_pchprc_8*\$prchigh :true M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMAL cs_pchamt_8 -----
VARIABLE cs_pchqty_8==95? cs_csmqty_8*unit_size[@rowcode*10000 + (int)cs_csmunt_8*100 + (cs_csmsize_8 ?? 0)].price : cs_pchqty_8*unit_size[@rowcode*10000 + (int)cs_pchunt_8*100 + (cs_pchsze_8 ?? 0)].price	DOUBLE cs_pchprc_8
SUPERVISOR: %cs_csmunt_oth_8% %cspchunt_oth_8% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). E cs_csmunt_8==96 cs_pchunt_8==96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ مُتَّحَقَّقٌ 02 ☐ مُتَّحَقَّقٌ sup12_8

F7. CONSUMPTION / F7B. FOOD DETAILS

نَشْوِد، تَأْتِي دُرُجَاتُ

F7. CONSUMPTION / F7B. FOOD DETAILS / نَشْوِد، تَأْتِي دُرُجَاتُ Roster: نَشْوِد، تَأْتِي دُرُجَاتُ generated by multi-select question cs_csmdyn_9	food_9
VARIABLE @rowcode==903 ? cs_csmdyn_9_oth_1 : @rowcode==909 ? cs_csmdyn_9_oth_2 : ""	STRING cs_othrsp_9
STATIC TEXT E cs_othrsp_9!="" %cs_othrsp_9%	
STATIC TEXT %rosteritle% تُحْتَرَكُ بِأَرْوَعِ دُرُجَاتٍ؟ 7 دُرُجَاتٍ تُحْتَرَكُ بِأَرْوَعِ دُرُجَاتٍ	
VARIABLE (int)items[@rowcode].coicop	LONG cs_coicop_9
1. دُرُجَاتُ W1 IsAnswered(cs_csmin_9) && IsAnswered(cs_pchgrm_9) ? cs_csmgrm_9>=cs_csmin_9: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_9) && IsAnswered(cs_pchgrm_9) ? cs_csmgrm_9<=cs_csmax_9: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMAL cs_csmqty_9 -----

2. نَمُونَه

F \$cons_unit_filter

W1 IsAnswered(cs_csmin_9) && IsAnswered(cs_pchgrm_9) ? cs_csmgrm_9>=cs_csmin_9: true

M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent.

W2 IsAnswered(cs_csmax_9) && IsAnswered(cs_pchgrm_9) ? cs_csmgrm_9<=cs_csmax_9: true

M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.

SINGLE-SELECT

cs_csmunt_9

- 01 ☐ ١ كُورْ
- 02 ☐ ٢ كُورْ
- 03 ☐ ٣ كُورْ
- 04 ☐ ٤ كُورْ
- 10 ☐ ١٠ كُورْ
- 48 ☐ ٤٨ كُورْ / ١٠ كُورْ
- 05 ☐ ٥ كُورْ
- 06 ☐ ٦ كُورْ
- 07 ☐ ٧ كُورْ
- 08 ☐ ٨ كُورْ
- 09 ☐ ٩ كُورْ
- 11 ☐ ١١ كُورْ
- 12 ☐ ١٢ كُورْ / ١٣ كُورْ
- 13 ☐ ١٤ كُورْ
- 14 ☐ ١٥ كُورْ
- 15 ☐ ١٦ كُورْ

[And 34 other symbols \[45\]](#)

١٧ كُورْ / ١٨ كُورْ

E cs_csmunt_9== -96

TEXT

cs_csmunt_oth_9

.....

VARIABLE

(int)cons_units[@rowcode*100 + (int)cs_csmunt_9].page

LONG

cs_csmmpge_9

VARIABLE

cs_csmunt_9!=-96 ? cs_csmqty_9*unit_size[@rowcode*10000 + (int)cs_csmunt_9*100 + (cs_csmsize_9 ?? 0)].convrsn : null

DOUBLE

cs_csmgrm_9

VARIABLE

(int)items[@rowcode].csmin

LONG

cs_csmin_9

VARIABLE

(int)items[@rowcode].csmax

LONG

cs_csmax_9

STATIC TEXT

E cs_csmmpge_9>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmmpge_9%.**

MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

ي سَمْع %cs_csmunt_9% س3 unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_9*100) + @optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_9) IsAnswered(cs_csmin_9) && IsAnswered(cs_pchgrm_9) ? cs_csmgrm_9>=cs_csmin_9: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_9) && IsAnswered(cs_pchgrm_9) ? cs_csmgrm_9<=cs_csmax_9: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_9 00 ☐ دَسْرَد سَمْع ر 01 ☐ نَء 02 ☐ دَسْرَد 03 ☐ دَسْرَد 04 ☐ نَء 05 ☐ دَسْرَد نَء 06 ☐ 500 (نَء دَسْرَد) 07 ☐ 1 (نَء دَسْرَد) 08 ☐ 2 (دَسْرَد دَسْرَد) 09 ☐ 5 (نَء دَسْرَد) 10 ☐ 1 (نَء دَسْرَد دَسْرَد دَسْرَد) 11 ☐ 1.5 (نَء دَسْرَد دَسْرَد) 12 ☐ 5 (نَء دَسْرَد) 13 ☐ 10 (دَسْرَد دَسْرَد) 14 ☐ 50 (نَء دَسْرَد) 15 ☐ نَء (دَسْرَد دَسْرَد) And 14 other symbols [46]
ر ي ي سَ S3 %rostertitle% س4. د	SINGLE-SELECT cs_pchdyn_9 01 ☐ دَسْرَد 02 ☐ سَ سَ سَ

6. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.6) F \$pch_unit_filter E cs_pchdyn_9==1 && cs_pchqty_9!=-95 W1 IsAnswered(cs_pchmin_9) && IsAnswered(cs_pchgrm_9) ? cs_pchgrm_9>=cs_pchmin_9: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_9) && IsAnswered(cs_pchgrm_9) ? cs_pchgrm_9<=cs_pchmax_9: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_9 01 ☐ ئۆمۆر 02 ☐ پۆیۆمۆر 03 ☐ دۆیۆم 04 ☐ یۆم 10 ☐ ئایۆم 48 ☐ پۆم / ئۆمۆر 05 ☐ ئۆم 06 ☐ سۆم سۆمۆر 07 ☐ دۆمۆر سۆمۆر 08 ☐ ئۆم سۆمۆر 09 ☐ یۆم 11 ☐ یۆمۆر 12 ☐ ئۆم / ئۆمۆر 13 ☐ پۆم 14 ☐ یۆم 15 ☐ ئۆم And 34 other symbols [47]
7. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_9*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_9) W1 IsAnswered(cs_pchmin_9) && IsAnswered(cs_pchgrm_9) ? cs_pchgrm_9>=cs_pchmin_9: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_9) && IsAnswered(cs_pchgrm_9) ? cs_pchgrm_9<=cs_pchmax_9: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	TEXT cspchunt_oth_9
7. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_9*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_9) W1 IsAnswered(cs_pchmin_9) && IsAnswered(cs_pchgrm_9) ? cs_pchgrm_9>=cs_pchmin_9: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_9) && IsAnswered(cs_pchgrm_9) ? cs_pchgrm_9<=cs_pchmax_9: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_9 00 ☐ ئاستۆدۆر 01 ☐ ئۆ 02 ☐ ئۆم 03 ☐ دۆم 04 ☐ ئۆم 05 ☐ ئۆمۆر 06 ☐ 500 (ئۆمۆر) 07 ☐ 1 (ئۆمۆر) 08 ☐ 2 (ئۆمۆر) 09 ☐ 5 (ئۆمۆر) 10 ☐ 1 (ئۆمۆر) 1.5 (ئۆمۆر) 11 ☐ 1.5 (ئۆمۆر) 12 ☐ 5 (ئۆمۆر) 13 ☐ 10 (ئۆمۆر) 14 ☐ 50 (ئۆمۆر) 15 ☐ 1 (ئۆمۆر) 1.5 (ئۆمۆر) And 14 other symbols [48]
VARIABLE cs_pchunt_9== -96? null : cs_pchqty_9== -95? cs_csmgrm_9 : cs_pchqty_9*unit_size[@rowcode*10000 + (int)cs_pchunt_9*100 + (cs_pchsize_9 ?? 0)].convrsn	DOUBLE cs_pchgrm_9
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_9
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_9

8. %cs_pchqty_9% %cs_pchunt_9% of %rosteritle% يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا I IN MVR E cs_pchdyn_9==1 W1 IsAnswered(cs_pchprc_9) ? self > cs_pchprc_9*\$prclow :true M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size. W2 IsAnswered(cs_pchprc_9) ? self < cs_pchprc_9*\$prchhigh :true M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.	NUMERIC: DECIMAL cs_pchamt_9 -----
VARIABLE cs_pchqty_9==95? cs_csmqty_9*unit_size[@rowcode*10000 + (int)cs_csmunt_9*100 + (cs_csmsze_9 ?? 0)].price : cs_pchqty_9*unit_size[@rowcode*10000 + (int)cs_pchunt_9*100 + (cs_pchsze_9 ?? 0)].price	DOUBLE cs_pchprc_9
SUPERVISOR: %cs_csmunt_oth_9% %cspchunt_oth_9% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing). E cs_csmunt_9==96 cs_pchunt_9==96	SINGLE-SELECT SCOPE: SUPERVISOR 01 ☐ مُتَّحَدِّدٌ 02 ☐ مُتَّحَدِّدٌ sup12_9

F7. CONSUMPTION / F7B. FOOD DETAILS

مُتَّحَدِّدٌ مَتَّحَدِّدٌ مَتَّحَدِّدٌ

F7. CONSUMPTION / F7B. FOOD DETAILS / مُتَّحَدِّدٌ مَتَّحَدِّدٌ مَتَّحَدِّدٌ Roster: مُتَّحَدِّدٌ مَتَّحَدِّدٌ مَتَّحَدِّدٌ generated by multi-select question cs_csmdyn_10	food_10
VARIABLE @rowcode==1006 ? cs_csmdyn_10_oth_1 : ""	STRING cs_othrsp_10
STATIC TEXT E cs_othrsp_10!="" %cs_othrsp_10%	
STATIC TEXT %rosteritle% يُفَضَّلُ أَنْ يَكُونَ كَمِّيًّا أَوْ كَمِّيًّا 7 قُرُونِيَّةٌ مَتَّحَدِّدٌ مَتَّحَدِّدٌ مَتَّحَدِّدٌ	
VARIABLE (int)items[@rowcode].coicop	LONG cs_coicop_10
1. مُتَّحَدِّدٌ W1 IsAnswered(cs_csmin_10) && IsAnswered(cs_pchgrm_10) ? cs_csmgrm_10>=cs_csmin_10: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_10) && IsAnswered(cs_pchgrm_10) ? cs_csmgrm_10<=cs_csmax_10: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	NUMERIC: DECIMAL cs_csmqty_10 -----

2. نَمُونَةُ

- F \$cons_unit_filter
- W1 IsAnswered(cs_csmin_10) && IsAnswered(cs_pchgrm_10) ? c
s_csmgrm_10>=cs_csmin_10: true
- M1 Quantity consumed looks small. Check quantity, unit, size and confirm
with respondent.
- W2 IsAnswered(cs_csmax_10) && IsAnswered(cs_pchgrm_10) ? c
s_csmgrm_10<=cs_csmax_10: true
- M2 Quantity consumed looks large. Check quantity, unit, size and confirm
with respondent.

SINGLE-SELECT cs_csmunt_10

- 01 ☐ شَعِيرٌ
- 02 ☐ بَصَائِطُ
- 03 ☐ دُرُجٌ
- 04 ☐ عِصَا
- 10 ☐ رَأْسُ
- 48 ☐ رَأْسٌ / وَدَّ
- 05 ☐ رَأْسٌ
- 06 ☐ سِدْرٌ
- 07 ☐ رَحِيحٌ
- 08 ☐ وَدَّ
- 09 ☐ سِرَّةٌ
- 11 ☐ سِرَّةٌ
- 12 ☐ رَأْسٌ / قَبْرٌ
- 13 ☐ رَأْسٌ
- 14 ☐ سِرَّةٌ
- 15 ☐ قَبْرٌ

[And 34 other symbols \[49\]](#)

رَأْسٌ / وَدَّ

TEXT cs_csmunt_oth_10

E cs_csmunt_10== -96

.....

VARIABLE
(int)cons_units[@rowcode*100 + (int)cs_csmunt_10].page

LONG cs_csmpge_10

VARIABLE
cs_csmunt_10!= -96 ? cs_csmqty_10*unit_size[@rowcode*1000
0 + (int)cs_csmunt_10*100 + (cs_csmsze_10 ?? 0)].convrsn
: null

DOUBLE cs_csmgrm_10

VARIABLE
(int)items[@rowcode].csmin

LONG cs_csmin_10

VARIABLE
(int)items[@rowcode].csmax

LONG cs_csmax_10

STATIC TEXT

E cs_csmpge_10>0

SHOW THE RESPONDENT THE BOOKLET ON **PAGE %cs_csmpge_10%**.
MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.

3. %cs_csmunt_10% ي سدرج unit_size.Keys.Contains((@rowcode*10000)+((int)cs_csmunt_10*100)+@optioncode) unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_csmunt_10) IsAnswered(cs_csmin_10) && IsAnswered(cs_pchgrm_10) ? c_scmgrm_10>=cs_csmin_10: true Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. IsAnswered(cs_csmax_10) && IsAnswered(cs_pchgrm_10) ? c_scmgrm_10<=cs_csmax_10: true Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmsize_10 00 ☐ دسدرج 01 ☐ ل 02 ☐ د 03 ☐ د 04 ☐ د 05 ☐ د 06 ☐ 500 (د) 07 ☐ 1 (د) 08 ☐ 2 (د) 09 ☐ 5 (د) 10 ☐ 1 (د) 11 ☐ 1.5 (د) 12 ☐ 5 (د) 13 ☐ 10 (د) 14 ☐ 50 (د) 15 ☐ (د) And 14 other symbols [50]
4. %rostertitle% د	SINGLE-SELECT cs_pchdyn_10 01 ☐ د 02 ☐ د

6. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.6) F \$pch_unit_filter E cs_pchdyn_10==1 && cs_pchqty_10!=-95 W1 IsAnswered(cs_pchmin_10) && IsAnswered(cs_pchgrm_10) ? cs_pchgrm_10>=cs_pchmin_10: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_10) && IsAnswered(cs_pchgrm_10) ? cs_pchgrm_10<=cs_pchmax_10: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_10 01 ☐ ئۆمۆر 02 ☐ پۆیۆمۆر 03 ☐ دۆرۆیۆم 04 ☐ یۆم 10 ☐ ئایۆم 48 ☐ پۆم / ئۆمۆر 05 ☐ ئۆم 06 ☐ سۆم سۆمۆر 07 ☐ دۆمۆیۆم سۆمۆر 08 ☐ ئۆم سۆمۆر 09 ☐ یۆم 11 ☐ یۆم ئۆم 12 ☐ ئۆم / ئۆم 13 ☐ ئۆم 14 ☐ یۆم 15 ☐ ئۆم And 34 other symbols [51]
ئۆمۆر سۆمۆر ئۆمۆر E cs_pchunt_10==96	TEXT cspchunt_oth_10
7. (سۆمۆر (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_10*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_10) W1 IsAnswered(cs_pchmin_10) && IsAnswered(cs_pchgrm_10) ? cs_pchgrm_10>=cs_pchmin_10: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_10) && IsAnswered(cs_pchgrm_10) ? cs_pchgrm_10<=cs_pchmax_10: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_10 00 ☐ ئۆمۆر سۆمۆر 01 ☐ ئۆم 02 ☐ ئۆم 03 ☐ ئۆم 04 ☐ ئۆم 05 ☐ ئۆمۆر 06 ☐ 500 (ئۆمۆر) 07 ☐ 1 (ئۆمۆر) 08 ☐ 2 (ئۆمۆر) 09 ☐ 5 (ئۆمۆر) 10 ☐ 1 (ئۆمۆر ئۆمۆر) 11 ☐ 1.5 (ئۆمۆر) 12 ☐ 5 (ئۆمۆر) 13 ☐ 10 (ئۆمۆر) 14 ☐ 50 (ئۆمۆر) 15 ☐ (ئۆمۆر) And 14 other symbols [52]
VARIABLE cs_pchunt_10==96? null : cs_pchqty_10==95? cs_csmgrm_10 : cs_pchqty_10*unit_size[@rowcode*10000 + (int)cs_pchunt_10*100 + (cs_pchsize_10 ?? 0)].convrn	DOUBLE cs_pchgrm_10
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_10
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_10

2. اُچرُ F \$cons_unit_filter W1 IsAnswered(cs_csmin_11) && IsAnswered(cs_pchgrm_11) ? c s_csmgrm_11>=cs_csmin_11: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_11) && IsAnswered(cs_pchgrm_11) ? c s_csmgrm_11<=cs_csmax_11: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmunt_11 01 ☐ گَڙو 02 ☐ ٻڙي گَڙو 03 ☐ ڇڙي مَ 04 ☐ ڇي مَ 10 ☐ اڙو گَڙو 48 ☐ ٻڙو / گَڙو 05 ☐ گَڙو 06 ☐ سڙو سڙو 07 ☐ ڇڙو سڙو 08 ☐ ڇڙو سڙو 09 ☐ گَڙو 11 ☐ سڙو گَڙو 12 ☐ گَڙو / ڇڙو 13 ☐ ٻڙو 14 ☐ گَڙو 15 ☐ ڇڙو And 34 other symbols [53]
اڙو سڙو ڇڙو مَ ٻڙو E cs_csmunt_11== -96	TEXT cs_csmunt_oth_11
VARIABLE (int)cons_units[@rowcode*100 + (int)cs_csmunt_11].page	LONG cs_csmpge_11
VARIABLE cs_csmunt_11!= -96 ? cs_csmqty_11*unit_size[@rowcode*1000 0 + (int)cs_csmunt_11*100 + (cs_csmsze_11 ?? 0)].convrsn : null	DOUBLE cs_csmgrm_11
VARIABLE (int)items[@rowcode].csmin	LONG cs_csmin_11
VARIABLE (int)items[@rowcode].csmax	LONG cs_csmax_11
STATIC TEXT E cs_csmpge_11>0 SHOW THE RESPONDENT THE BOOKLET ON PAGE %cs_csmpge_11%. MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.	

6. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.6) F \$pch_unit_filter E cs_pchdyn_11==1 && cs_pchqty_11!=-95 W1 IsAnswered(cs_pchmin_11) && IsAnswered(cs_pchgrm_11) ? cs_pchgrm_11>=cs_pchmin_11: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_11) && IsAnswered(cs_pchgrm_11) ? cs_pchgrm_11<=cs_pchmax_11: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_11 01 ☐ 1 02 ☐ 2 03 ☐ 3 04 ☐ 4 10 ☐ 10 48 ☐ 48 05 ☐ 5 06 ☐ 6 07 ☐ 7 08 ☐ 8 09 ☐ 9 11 ☐ 11 12 ☐ 12 13 ☐ 13 14 ☐ 14 15 ☐ 15 And 34 other symbols [55]
7. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.7) E cs_pchunt_11==96	TEXT cspchunt_oth_11
7. (سەرچۆ (ئاستۆدۆزۆسۆ یۆ یۆ ئایۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_11*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_11) W1 IsAnswered(cs_pchmin_11) && IsAnswered(cs_pchgrm_11) ? cs_pchgrm_11>=cs_pchmin_11: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_11) && IsAnswered(cs_pchgrm_11) ? cs_pchgrm_11<=cs_pchmax_11: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_11 00 ☐ 0 01 ☐ 1 02 ☐ 2 03 ☐ 3 04 ☐ 4 05 ☐ 5 06 ☐ 500 07 ☐ 1 08 ☐ 2 09 ☐ 5 10 ☐ 1 11 ☐ 1.5 12 ☐ 5 13 ☐ 10 14 ☐ 50 15 ☐ 1 And 14 other symbols [56]
VARIABLE cs_pchunt_11==96? null : cs_pchqty_11==95? cs_csmgrm_11 : cs_pchqty_11*unit_size[@rowcode*10000 + (int)cs_pchunt_11*100 + (cs_pchsize_11 ?? 0)].convrnsn	DOUBLE cs_pchgrm_11
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_11
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_11

2. اُچھ F \$cons_unit_filter W1 IsAnswered(cs_csmin_12) && IsAnswered(cs_pchgrm_12) ? c s_csmgrm_12>=cs_csmin_12: true M1 Quantity consumed looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_csmax_12) && IsAnswered(cs_pchgrm_12) ? c s_csmgrm_12<=cs_csmax_12: true M2 Quantity consumed looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_csmunt_12 01 ☐ گھڑ 02 ☐ پھل/پھل 03 ☐ دھڑ 04 ☐ چھ 10 ☐ گھڑ 48 ☐ گھڑ / گھڑ 05 ☐ گھڑ 06 ☐ گھڑ 07 ☐ گھڑ 08 ☐ گھڑ 09 ☐ گھڑ 11 ☐ گھڑ 12 ☐ گھڑ/گھڑ 13 ☐ گھڑ 14 ☐ گھڑ 15 ☐ گھڑ And 34 other symbols [57]
اُچھ E cs_csmunt_12== -96	TEXT cs_csmunt_oth_12
VARIABLE (int)cons_units[@rowcode*100 + (int)cs_csmunt_12].page	LONG cs_csmpge_12
VARIABLE cs_csmunt_12!= -96 ? cs_csmqty_12*unit_size[@rowcode*1000 0 + (int)cs_csmunt_12*100 + (cs_csmsze_12 ?? 0)].convrsn : null	DOUBLE cs_csmgrm_12
VARIABLE (int)items[@rowcode].csmin	LONG cs_csmin_12
VARIABLE (int)items[@rowcode].csmax	LONG cs_csmax_12
STATIC TEXT E cs_csmpge_12>0 SHOW THE RESPONDENT THE BOOKLET ON PAGE %cs_csmpge_12%. MAKE SURE THE UNIT AND SIZE THEY REPORT CORRESPONDS TO THE ONE SPECIFIED ON THE PICTURE.	

6. (سەرچۆ (ئاستۆدۆزۆر یۆ یۆ ئایۆ.6) F \$pch_unit_filter E cs_pchdyn_12==1 && cs_pchqty_12!=-95 W1 IsAnswered(cs_pchmin_12) && IsAnswered(cs_pchgrm_12) ? cs_pchgrm_12>=cs_pchmin_12: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_12) && IsAnswered(cs_pchgrm_12) ? cs_pchgrm_12<=cs_pchmax_12: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchunt_12 01 ☐ ئۆمۆر 02 ☐ پۆیۆمۆر 03 ☐ دۆیۆمۆر 04 ☐ یۆمۆر 10 ☐ ئایۆمۆر 48 ☐ پۆمۆر / ئۆمۆر 05 ☐ ئۆمۆر 06 ☐ سۆمۆر 07 ☐ دۆمۆر 08 ☐ ئۆمۆر 09 ☐ یۆمۆر 11 ☐ یۆمۆر 12 ☐ ئۆمۆر / ئۆمۆر 13 ☐ ئۆمۆر 14 ☐ یۆمۆر 15 ☐ ئۆمۆر And 34 other symbols [59]
ئۆمۆر سۆمۆر E cs_pchunt_12==96	TEXT cspchunt_oth_12
7. (سۆمۆر (ئاستۆدۆزۆر یۆ یۆ ئایۆ.7) F unit_size.Keys.Contains((@rowcode*10000)+(int)cs_pchunt_12*100) + @optioncode) E unit_with_different_size.Keys.Contains((@rowcode*100)+(int)cs_pchunt_12) W1 IsAnswered(cs_pchmin_12) && IsAnswered(cs_pchgrm_12) ? cs_pchgrm_12>=cs_pchmin_12: true M1 Quantity purchased looks small. Check quantity, unit, size and confirm with respondent. W2 IsAnswered(cs_pchmax_12) && IsAnswered(cs_pchgrm_12) ? cs_pchgrm_12<=cs_pchmax_12: true M2 Quantity purchased looks large. Check quantity, unit, size and confirm with respondent.	SINGLE-SELECT cs_pchsize_12 00 ☐ ئۆمۆر سۆمۆر 01 ☐ ئۆمۆر 02 ☐ ئۆمۆر 03 ☐ ئۆمۆر 04 ☐ ئۆمۆر 05 ☐ ئۆمۆر 06 ☐ 500 ئۆمۆر 07 ☐ 1 ئۆمۆر 08 ☐ 2 ئۆمۆر 09 ☐ 5 ئۆمۆر 10 ☐ 1 ئۆمۆر 11 ☐ 1.5 ئۆمۆر 12 ☐ 5 ئۆمۆر 13 ☐ 10 ئۆمۆر 14 ☐ 50 ئۆمۆر 15 ☐ ئۆمۆر And 14 other symbols [60]
VARIABLE cs_pchunt_12==96? null : cs_pchqty_12==95? cs_csmgrm_12 : cs_pchqty_12*unit_size[@rowcode*10000 + (int)cs_pchunt_12*100 + (cs_pchsize_12 ?? 0)].convrnsn	DOUBLE cs_pchgrm_12
VARIABLE (int)items[@rowcode].pchmin	LONG cs_pchmin_12
VARIABLE (int)items[@rowcode].pchmax	LONG cs_pchmax_12

8. %cs_pchqty_12% %cs_pchunt_12% of
%rosteritle% ؟

NUMERIC: DECIMAL

cs_pchamt_12

- I IN MVR
- E cs_pchdyn_12==1
- W1 IsAnswered(cs_pchprc_12) ? self > cs_pchprc_12*\$prclow : true
- M1 The amount spent looks small given what was purchased. Check amount spent, quantity, unit and size.
- W2 IsAnswered(cs_pchprc_12) ? self < cs_pchprc_12*\$prchhigh : true
- M2 The amount spent looks large given what was purchased. Check amount spent, quantity, unit and size.

VARIABLE
cs_pchqty_12==95? cs_csmqty_12*unit_size[@rowcode*10000 + (int)cs_csmunt_12*100 + (cs_csmsze_12 ?? 0)].price : cs_pchqty_12*unit_size[@rowcode*10000 + (int)cs_pchunt_12*100 + (cs_pchsize_12 ?? 0)].pri

DOUBLE

cs_pchprc_12

[And 2 other symbols \[7\]](#)

SUPERVISOR: %cs_csmunt_oth_12%
%cspchunt_oth_12% has been selected as other unit in consumption or purchase. Confirm that you have double checked that it is a legitimate unit (i.e. not already an option, cannot be easily converted to one of the provided options, defining well the specified quantity, and a valid unit for purchasing).

SINGLE-SELECT
SCOPE: SUPERVISOR

sup12_12

- 01 ☐ ٧٧٧٧
- 02 ☐ ٧٧٧٧

E cs_csmunt_12==96 || cs_pchunt_12==96

INTERVIEWER: Take time

DATE: CURRENT TIME

cs_endTime

E IsAnswered(cs_strtme)

STATIC TEXT

E file==2 && IsAnswered(cs_endTime)

INTERVIEWER: Copy the check code to the main file on the other tablet.

Consumption check code: %cs_chkcde%

END OF QUESTIONNAIRE

1. INTERVIEWER: Record location of the HH E file==1	GPS hhlocn ----- N ----- W ----- A
VARIABLE (int)hhlocn.GpsDistance(Building_location)	LONG dislst
2. INTERVIEWER: The location you have recorded is not close to the household location from the listing. Explain the reason why. E dislst>100	TEXT rsnfar -----
3. INTERVIEWER: Final interview result F hhidy==2 ? // if not been able to identify @optioncode==4 : hhrpav==2 ? // if no respondent available @optioncode==5 : hhcnst==2 ? // if refused @optioncode==6 : hhcnst==1 ? // else, if an interview And 176 other symbols f11	SINGLE-SELECT status 01 ☐ Complete 02 ☐ Partially complete (refused) 03 ☐ Partially complete (unavailable) 04 ☐ Unable to identify household 05 ☐ Long term unavailable 06 ☐ Refused 07 ☐ Not used 08 ☐ Labour quarter with 10 or more inhabitants, no interview
4. INTERVIEWER: Provide details on why you have not been able to complete the interview and what you have attempted. E status>1 && file==1 V1 self.Length>20 M1 Give a detailed description	TEXT incpde -----
SUPERVISOR: Q2. Did you correct all error messages? E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup2 01 ☐ "نعم" 02 ☐ "لا"
SUPERVISOR: Q3. Did you look at all comments for the warning messages and resolve any outstanding issues? E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup3 01 ☐ "نعم" 02 ☐ "لا"
SUPERVISOR: Q4. Did you read all interviewer comments, take action if necessary, and add your comments? I there should be a supervisor comment for each interviewer comments E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup4 01 ☐ Yes, action taken 02 ☐ No, there were no comments provided by interviewer
SUPERVISOR: Q5. Are all questions, rosters and sections answered? E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup5 01 ☐ "نعم" 02 ☐ "لا"

SUPERVISOR: Q6. Did you look through all unanswered questions? I there should be a supervisor comment for each interviewer comments E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup6 01 ☐ "نعم" 02 ☐ No, there were no unanswered questions
SUPERVISOR: Q7. Did you take action for all unanswered questions (i.e call interviewer to clarify, rejected interview)? I there should be a supervisor comment for each interviewer comments E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup7 01 ☐ "نعم" 02 ☐ "مرفوض"
SUPERVISOR: Q8. Did you flag questions that you will re-check once the interview modifies? E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup8 01 ☐ "نعم" 02 ☐ "مرفوض" 03 ☐ Did not reject the questionnaire
SUPERVISOR: Q9. Are there any errors that are actually correct? I there should be a supervisor comment for each interviewer comments E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup9 01 ☐ "نعم" 02 ☐ "مرفوض"
SUPERVISOR: Q10. Is there anything in the interview file that needs HQ's attention? E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup10 01 ☐ "نعم" 02 ☐ "مرفوض"
SUPERVISOR: Q10a. What needs HQ's attention? E sup10==1	TEXT SCOPE: SUPERVISOR sup10b
SUPERVISOR: Q11. Is the final interview result (Q3) correct? E (file==1 secuse==1) && status.InList(1,2,3)	SINGLE-SELECT SCOPE: SUPERVISOR sup11 01 ☐ "نعم" 02 ☐ "مرفوض"
SUPERVISOR: Q17. There are members currently in school, but no expenditure units with school expenses in this file. Check in the other interview file that educational expenses are recorded. The interviewer should revisit and reinterview the educational expenses if they are missing. Make sure this actually happens. Are educational expenses in the other interview file? I Contact HQ if in doubt. E UsualMembers.Any(x=>x.Edu_schoolattendance==1) // at least 1 member currently at school && !expunit2.Any(y=>y.exp_itemyn_9==1) // and no educational expenses	SINGLE-SELECT SCOPE: SUPERVISOR sup17 01 ☐ "نعم" 02 ☐ No, asked to re-interview 03 ☐ No, feedback given to interviewer but cannot re-interview, specify reason in comment

SUPERVISOR: Q18. There is no member with any form of income (job or other income) in this file. Check in the other interview file if one member has any income. If not, check what the household is living from. Ask the interviewer to revisit and re-do personal interviews, add members if necessary. Make sure this actually happens. Are all household incomes recorded in the other file?

I Contact HQ if in doubt.

E UsualMembers.Any(x=>x.Age.InRange(18,99) && x.in_intloc==1) // any adult member in this interview file && !UsualMembers.Any(x=>x.hasincome==true) // not at least 1 member with income of any kind

SINGLE-SELECT
SCOPE: SUPERVISOR

sup18

- 01 ☐ لا شيء
- 02 ☐ No, asked to re-interview
- 03 ☐ No, feedback given to interviewer but cannot re-interview, specify reason in comment

SUPERVISOR: Q19. Look at all questions with error or warning messages and any comments left by the interviewer. Check if the interviewer made a mistake. Address all errors by commenting, rejecting and explaining to the interviewer so they can correct, or by leaving a comment if it cannot be addressed.

Before approving, are there any error messages remaining in the interview?

E (file==1 || secuse==1) && status.InList(1,2,3)

SINGLE-SELECT
SCOPE: SUPERVISOR

sup19

- 01 ☐ Yes, but all have been addressed and commented on
- 02 ☐ متروك

SUPERVISOR: Q20. Are any of the remaining error messages flagging answers that are actually correct?

E sup19==1

SINGLE-SELECT
SCOPE: SUPERVISOR

sup20

- 01 ☐ Yes, specify which ones in comments
- 02 ☐ No, all remaining errors are interviewer mistakes

SUPERVISOR: Q21. Check that all questions are answered by using the navigation panel colors and the unanswered filter. Take all actions possible to complete the interview. If possible, reject to the interviewer and ask to revisit or call about individual missing questions. Make sure the revisit happens. Give feedback to the interview if necessary.

Before approving, are there any unanswered questions?

E (file==1 || secuse==1) && status.InList(1,2,3)

SINGLE-SELECT
SCOPE: SUPERVISOR

sup21

- 01 ☐ Yes, but cannot be completed and enough information is given why
- 02 ☐ No, all questions are answered

APPENDIX A — ENABLING CONDITIONS

- [1] fshiss: ﴿سَمِعْتُ رَسُولَ اللَّهِ صَلَّى اللَّهُ عَلَيْهِ وَسَلَّمَ يَقُولُ: «مَنْ دَخَلَ مَدِينَةً مِنْ مدائن العرب لم يزل فيها حتى يخرج منها على فسطاط أو مطبخ»﴾ (%fshincmain%)

Enablement Condition:

```
fshincmain==1 // fishing for income in past 12 months
|| occupation.Count(x=>x.fshrel==1)>0 // or one occupation with fishing
&& (proxyYN==1) /* opens second set of questions in the subsection*/
|| fshprcss.ContainsAny(1,2,3,4,5,6)
|| fshinc.ContainsOnly(1)
```

- [2] sup15: SUPERVISOR: Q15. The household consumed food and drinks at home, but did not eat any rice, bread, pasta, or meat, fish, vegetables, or milk and oils. This is very unlikely. Check with the interviewer and explain the reason why. Make sure they administered well the consumption form. In case they have skipped (parts) they have to re-do the consumption form entirely, and you have to double check with respondent that it happened.

Enablement Condition:

```
cs_Q1==1 && // they cooked at home
(cs_csmdyn_1.Yes.Length==0 || // they ate no rice, bread, pasta
 (cs_csmdyn_3.Yes.Length==0 && cs_csmdyn_4.Yes.Length==0 && cs_csmdyn_7.Yes.Length==0) || // or no meat, fish and
 veg
cs_csmdyn_5.Yes.Length==0 // or no milks and oils
)
```

- [3] : F6D. FISHERIES

Enablement Condition:

```
(fshinc.ContainsAny(1) && IsAnswered(work_for_income) || /* opens first set of question inside subsection*/
(proxyYN==1 && Age>=15)) /* opens second set of questions in the subsection*/
&& IsAnswered(in strtime) && IsAnswered(work for income)
```

- [4] $\lambda \text{ سرع دراز، مخمدری و وفوفی:}$

Enablement Condition:

```
!@rowcode.InList(401,402,403,404,406,407,408,409) ? // if neither tuna nor reef fish rows
cs_csmdyn 4.Yes.Contains(@rowcode) : // then open if the row was selected in consumption section
@rowcode.InList(401,402,403,404) ? // if tuna row
tuna 4.Contains(@rowcode) : // open if selected in tuna MSQ
@rowcode.InList(406,407,408,409) ? // if reef fish row
reef_4.Contains(@rowcode) : // open if selected in reef fish MSQ
false
```

APPENDIX B — VALIDATION CONDITIONS AND MESSAGES

- [1] **relhhh: 6-**. %rosteritle% **رَءِىَ** %head% **رَءِىَ**

Validation Condition:

```
/* Check that head has different gender than spouse(s) */
// if head is current person, and does at least one spouse exist?
ishead==1 && UsualMembers.Any(x=>x.relhhh==2) ?

// if so, check that there is no spouse with the same gender as that of the head
!( UsualMembers.Any(a=>a.relhhh==2 && a.Sex!=null && a.Sex==Sex) ) :

// if not, no problem
true
```

Validation Message: The head and his/her spouse typically have different genders. Please confirm.

Validation Condition:

```
/* Check that spouse has different gender than head */
// if head is current person, and does at least one spouse exist?
relhhh==2 && UsualMembers.Any(x=>x.ishead==1) ?

// if so, check whether spouse has different gender than head
!(UsualMembers.Any(a=>a.ishead==1 && a.Sex!=null && a.Sex==Sex) ) :

// if not, no problem
true
```

Validation Message: Spouse typically has a different genders than his/her spouse (the head of household). Please confirm.

Validation Condition:

```
/* Check that children Age is atleast 12 years less than head */
// if child
relhhh==3 ?

// check the Age difference
!( UsualMembers.Any(a=>a.ishead==1 && a.Age!=null && a.Age-12<Age) ) :

// if not, no problem
true
```

Validation Message: Children age should be atleast 12 years less than fathers/Mothers's Age.

Validation Condition:

```
/* Check that Mother/Father Age is atleast 12 years greater than head */
// if mother/father
relhhh==6 ?

// if so, check the Age difference
!( UsualMembers.Any(a=>a.ishead==1 && a.Age!=null && a.Age+12>Age) ) :

// if not, no problem
true
```

Validation Message: Mother/Father's Age should be atleast 12 years greater than children Age.

- [2] **total_cost_2: 13-** **جَمْعُ كُلِّ شَيْءٍ فِي الْبَيْتِ لَا يَكُونُ أَكْثَرَ مِنْ كُلِّ شَيْءٍ فِي الْبَيْتِ**

Validation Condition:

```
(air_cost_2==--99 ? 0 : air_cost_2) +
(sea_cost_2==--99 ? 0 : sea_cost_2) +
(land_cost_2==--99 ? 0 : land_cost_2) +
(food_cost_2==--99 ? 0 : food_cost_2) +
(accom_cost_2==--99 ? 0 : accom_cost_2) +
(leisure_cost_2==--99 ? 0 : leisure_cost_2) +
(edu_train_cost_2==--99 ? 0 : edu_train_cost_2) +
(edu_train_cost_2==--99 ? 0 : edu_train_cost_2)
<=self
```

Validation Message: Total cannot be smaller than breakdowns.

- [3] **Edu_levelattending: 8-**. %rosteritle% **جَمْعُ كُلِّ شَيْءٍ فِي الْبَيْتِ لَا يَكُونُ أَكْثَرَ مِنْ كُلِّ شَيْءٍ فِي الْبَيْتِ**

Validation Condition:

```
new[] {
    0, /* pre school */
    5,6,7,8,9,10,11,12,13,14,15,16,17, /* grade */
    14, /* O'level */
    14, /* A'level */
    14, /* Diploma */
    14, /* Degree */
    17, /* Masters */
    17, /* pHd */
    14, /* Certificate */
    5}[self.Value]<=Age/* Special needs */
```

Validation Message: Error: Too young to be in the specified grade

- [4] **HighestCert: 9-**. %rosteritle% **جَمْعُ كُلِّ شَيْءٍ فِي الْبَيْتِ لَا يَكُونُ أَكْثَرَ مِنْ كُلِّ شَيْءٍ فِي الْبَيْتِ**

Validation Condition:

```
new[]{  
    15, /* O' level */  
    16, /* A' level */  
    15, /* Academic/vocational certificate/Diploma (less than 6 months)*/  
    15, /* Academic/vocational certificate/Diploma (more than 6 months) */  
    17, /* First degree/ MBBS */  
    17, /* Master's Degree */  
    17, /* PHD */  
    5}[self.Value]<=Age/* No certificate */
```

Validation Message: Error: Too young to achieve specified certificate!

APPENDIX D — CATEGORIES

[1] atllIsInd: pre-loaded: Atoll and Island

Categories: 1000: MALE, 1001: Henviru, 1002: Galolhu, 1003: Machchangothi, 1004: Maafannu, 1005: Villigili, 1006: HulhuMale, 2001: HA Thur
aakunu, 2002: HA Uligamu, 2005: HA Mulhadhoo, 2006: HA Hoarafushi, 2007: HA Ihavandhoo, 2008: HA Kelaa, 2009: HA Vashafaru, 2010: HA
Dhidhdhoo, 2011: HA Filladhoo, 2012: HA Maarandhoo, 2013: HA Thakandhoo, 2014: HA Utheemu, 2015: HA Muraidhoo, 2016: HA Baarah, 202
1: HA Maafahi, 2023: HA Huvahandhoo, 2024: HA Berinmadhoo, 2025: HA Gaffaru, 2041: HA Dhonakulhi - Island Hideaway, 2042: HA Alidhoo,
2043: HA Manafaru, 2051: HA Mulidhoo, 2092: HA Hathifushi, 2102: HDh Hondaidhoo, 2103: HDh Hanimaadhdoo, 2104: HDh Finey, 2105: HDh
Naivaadhoo, 2106: HDh Hirimaradhoo, 2107: HDh Nolvivaranfuru, 2108: HDh Nellaidhoo, 2109: HDh Nolvivaramu, 2110: HDh Kuribi, 2112: HD
h Kulhudhuffushi, 2113: HDh Kumundhoo, 2114: HDh Neykurendhoo, 2115: HDh Vaikaradhoo, 2117: HDh Makunudhoo, 2122: HDh Theefaridho
o (agricultural island), 2123: HDh Naagoashi, 2124: HDh Kudamuraidhoo, 2125: HDh Hondafushi, 2180: HDh Maavaidhoo, 2181: HDh Faridhoo,
2182: HDh Kuburudhoo, 2191: HDh Keylakunu, 2196: HDh Kudafaru, 2201: Sh Kaditheemu, 2202: Sh Noomaraa, 2203: Sh Goidhoo, 2204: Sh Fe
ydhoo, 2205: Sh Feevah, 2206: Sh Bilehffahi, 2207: Sh Foakaidhoo, 2208: Sh Narudhoo, 2210: Sh Maroshi, 2211: Sh Lhaimagu, 2213: Sh Koman
doo, 2214: Sh Maaugoodhoo, 2215: Sh Funadhoo, 2216: Sh Milandhoo, 2221: Sh Nilandhoo, 2222: Sh Keekimini, 2223: Sh Dholhiadhoo, 2224: S
h Madidhoo, 2226: Sh Medhukuburudhoo, 2227: Sh Eriadhoo, 2230: Sh Eskasdhoo, 2241: Sh Vagaru, 2280: Sh Maakandoodhoo, 2281: Sh Gallia
dhoo, 2282: Sh Kabaalifaru, 2284: Sh Hirubaidhoo, 2297: Sh Firubaidhoo, 2302: N Hebadhoo, 2303: N Kedhikolhudhoo, 2304: N Tholhendhoo, 2
305: N Maalhendhoo, 2306: N Kudafari, 2307: N Landhoo, 2308: N Maafaru, 2309: N Lhohi, 2310: N Miladhoo, 2311: N Magoodhoo, 2312: N Ma
nadhoo, 2313: N Holhudhoo, 2314: N Fodhdhoo, 2315: N Velidhoo, 2321: N Bomasdhoo, 2323: N Minaavaru, 2324: N Maafunafaru, 2326: N Kari
nmavattaru, 2327: N Dhigurah, 2328: N Kuredhivaru, 2354: N Kuramaadhdoo, 2381: N Vavathi, 2382: N Maakurandhoo, 2383: N Felivaru, 2387:
N Kendhivaru, 2401: R Alifushi, 2402: R Vaadhoo, 2403: R Rasgetheemu, 2404: R Agolitheemu, 2407: R Ugoofaar, 2409: R Maakurathu, 2410:
R Rasmaadhdoo, 2411: R Innamaadhdoo, 2412: R Maduvvari, 2413: R Iguraidhoo, 2414: R Fainu, 2416: R Meedhoo, 2417: R Kinolhas, 2418: R Hulh
udhuffaar, 2419: R Dhuvaafaru, 2421: R Ifuru, 2424: R Lhohi, 2425: R Kudafushi, 2428: R Madivaafaru, 2429: R Muravandhoo, 2430: R Ufulandh
oo, 2451: R Ugulu, 2454: R Dhigali, 2458: R Gaaudhoodhoo, 2459: R Kadholhudhoo, 2501: B Kudarikili, 2502: B Kamadhoo, 2503: B Kendhoo, 25
06: B Kihaadhdoo, 2507: B Dhonfanu, 2508: B Dharavandhoo, 2509: B Maalhos, 2510: B Eydhafushi, 2512: B Thulhaadhdoo, 2513: B Hithaadhdoo,
2514: B Fulhadhdoo, 2515: B Fehendhoo, 2516: B Goidhoo, 2529: B Maarikili, 2530: B Undoodhoo, 2544: B Kunfunadhoo, 2547: B Kihavanhuraval
hi, 2548: B Mudhdoo, 2581: B Maaddoo, 2583: B Dhandhoo, 2593: B Hibavidhoo, 2595: B Miriandhoo, 2597: B Funadhoo, 2601: Lh Hinnavar, 2
602: Lh Naifaru, 2603: Lh Kurendhoo, 2604: Lh Olhuvelifushi, 2624: Lh Faadhoo, 2626: Lh Hudhufushi, 2627: Lh Maduvvari, 2632: Lh Maafilaa
fus hi, 2641: Lh Kanuhuraa, 2642: Lh Komandoo, 2643: Lh Kuredhdoo, 2691: Lh Maidhoo, 2692: Lh Lhohi, 2701: K Kaashidhoo, 2702: K Gaafaru, 270
3: K Dhiffushi, 2704: K Thuludhoo, 2705: K Huraa, 2706: K Himmafushi, 2711: K Gulhi, 2712: K Maafushi, 2713: K Guraidhoo, 2722: K Thilafushi,
2723: K Kuda Bandos, 2725: K Madivaru, 2727: K Kagi, 2728: K Gulheefalhu, 2731: K Aarah, 2732: K Dhoonidhoo, 2733: K Funadhoo, 2734: K Giri
fushi, 2736: K Feydhoofinolhu, 2738: K Farukolhufushi (club med), 2743: K Baros, 2744: K Biyaadhdoo, 2749: K Makunufushi, 2750: K Dhigufinolhu
, 2754: K Four Season Resort (Kuda Hura), 2755: K Furanafushi, 2758: K Giraavaru, 2760: K Lankanfushi, 2765: K Vihamanaafushi, 2766: K Velas
saru, 2768: K Mankunudhoo, 2769: K Meerufenfushi, 2770: K Nakachchafushi (Huvafenfushi), 2771: K Olhuveli, 2783: K Villivaru, 2790: K Kodhip
paru, 2791: K Maadhoo, 2795: K Bangal Falhu, 2801: AA Thoddoo, 2802: AA Rasdhoo, 2804: AA Ukulhas, 2805: AA Mathiveri, 2806: AA Bodufolh
udhoo, 2807: AA Feridhoo, 2808: AA Maalhos, 2809: AA Himandhoo, 2841: AA Bathala, 2842: AA Ellaidhoo, 2844: AA Gangehi, 2845: AA Halave
li, 2846: AA Kurameedhoo, 2847: AA Maayafushi, 2848: AA Madoogali, 2849: AA Kudafolhudhoo, 2851: AA Velidhoo, 2853: AA Kadholhudhoo, 2901:
ADh Hangnameedhoo, 2902: ADh Omadhoo, 2903: ADh Kuburudhoo, 2904: ADh Mahibadhdoo, 2905: ADh Mandhoo, 2906: ADh Dhagethi, 290
7: ADh Dhigurah, 2908: ADh Fenfushi, 2909: ADh Dhidhdhoo, 2910: ADh Maamigili, 2921: ADh Ariyadhoo (Agriculture + Picnic island), 2941: AD
h Angaaga, 2944: ADh Dhiffushi, 2947: ADh Machchafushi, 2949: ADh Rangalifinolhu, 2950: ADh Moofushi, 2952: ADh Nalaguraidhoo, 2953: A
Dh Thundufushi, 2955: ADh Vakarfalhi, 2956: ADh Vilamendhoo, 2982: ADh Bodufinolhu, 3001: V Fulidhoo, 3002: V Thinadhoo, 3003: V Felidho
o, 3004: V Keyodhoo, 3005: V Rakeedhoo, 3023: V Kunavashi, 3041: V Alimatha, 3042: V Dhiggiri, 3101: M Raimandhoo, 3102: M Madifushi, 3103
: M Veyvah, 3104: M Mulah, 3105: M Muli, 3106: M Naalaafushi, 3107: M Kolhufushi, 3108: M Dhiggaru, 3109: M Maduvvari, 3121: M Thuvaru (A
gricultural island), 3122: M Fenfuraveli, 3123: M Kudaufushi, 3141: M Hakuraahuraa, 3201: F Feali, 3202: F Himithi, 3203: F Biledhdhoo, 320
4: F Magoodhoo, 3205: F Dharaboodhoo, 3206: F Nilandhoo, 3221: F Maafushi, 3241: F Filitheyo, 3301: Dh Meedhoo, 3302: Dh Badidhoo, 3303:
Dh Ribudhoo, 3304: Dh Hulhudheli, 3305: Dh Gemendhoo, 3307: Dh Maaeboodhoo, 3308: Dh Kudahuvadhoo, 3321: Dh Dhoores, 3322: Dh Vorn
muli (tpt network), 3326: Dh Maadheli, 3331: Dh Vaanee (used by Police as a Training Centre), 3342: Dh Meedhuffushi, 3343: Dh Embudhufushi
and Olhuveli, 3401: Th Buruni, 3402: Th Vilufushi, 3403: Th Madifushi, 3404: Th Dhiyamigili, 3405: Th Guraidhoo, 3406: Th Kadoodhoo, 3407: Th
Vandhoo, 3408: Th Hirilandhoo, 3409: Th Gaadhiffushi, 3410: Th Thimarafushi, 3411: Th Veymandoo, 3412: Th Kibidhoo, 3413: Th Omadhoo, 34
21: Th Fondhoo, 3422: Th Kanimeedhoo, 3492: Th Kolhufushi, 3495: Th Funadhoo, 3501: L Isdhoo, 3502: L Dhabidhoo, 3503: L Maabaidhoo, 35
04: L Mundhoo, 3505: L Kalhaidhoo, 3506: L Gamu, 3507: L Maavah, 3508: L Fonadhoo, 3509: L Gaadhoo, 3510: L Maamendhoo, 3511: L Hithad
hoo, 3512: L Kunahandhoo, 3513: L Kalaidhoo, 3522: L Maandhoo, 3525: L Mendhoo, 3531: L Kadhdhoo, 3541: L Olhuveli, 3591: L Isdhoo-kalaidd
oo, 3596: L Hulhiyandhoo, 3601: GA Kolamaafushi, 3602: GA Viligili, 3603: GA Maamendhoo, 3604: GA Nilandhoo, 3605: GA Dhaandhoo

[2] hh cons hh: سِدْ هَسِيَّ تْسَرْدَرْ دَرْ سِرْوَوَّرْ وَوَقْعَ دِي زَعْدَزْ زِزْ زِعْم؟ دُؤَرْ وَوَقْعَ نُونِ دِي تْسِرْسَرْ عَوْ رُوَمَ دِي زِعْم دِرْ دِرْ لَنْزْ وُسْرُوَسْ

[illegible]

[3] ex item 9: سَمْعُ رَسْمِ رَسْمِ رَسْمِ

Categories: 10101001: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی 10102001: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی 10501001: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی 10501002: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی 10501003: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی 10201001: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی 10201002: رَؤِیہ سَنَدُوں نَدَرَسُی جَدِئَسَنَسُی

[4] ex_item_4: ج. سُرْقُوْهُمُ رُوْزُرُ ۖ سُرَسْرٰتُھُمْ وَّوُفُوْهُمُ ۚ

[5] placebirth_atlIsd: س۲.۱ رځو پېرلېدوونکي د نړۍ لوست

APPENDIX D—CATEGORIES

mandoo, 3412: Th Kibidhoo, 3413: Th Omadhoo, 3421: Th Fondhoo, 3422: Th Kanimeedhoo, 3441: Th Malefushi, 3494: Th Elaa, 3495: Th Funad dhoo, 3491: Th Kalhufheyfushi, 3496: Th Kalhufahalafushi, 3492: Th Kolhufushi, 3493: Th Ufuriyaa, 3501: L Isdhoo, 3502: L Dhabidhoo, 3503: L Maabaidhoo, 3504: L Mundhoo, 3506: L Gamu, 3507: L Maavah, 3508: L Fonadhoo, 3509: L Gaadhoo, 3510: L Maamendhoo, 3511: L Hithadhoo, 3512: L Kunahandhoo, 3513: L Kalaidhoo, 3521: L Baresdhoo, 3522: L Maandhoo, 3523: L Hulhimendhoo, 3524: L Vadinolhu, 3525: L Mendhoo, 3531: L Kadhdhoo, 3541: L Olhuveli, 3505: L Kalhaidhoo, 3591: L Isdhoo-kalaidhoo, 3590: L Guraidhoo, 3596: L Hulhiyandhoo, 3592: L Kandaru, 3 601: GA Kolamaafushi, 3602: GA Viligili, 3603: GA Maamendhoo, 3604: GA Nilandhoo, 3605: GA Dhaandhoo, 3606: GA Dhevvhadhoo, 3607: GA K oday, 3609: GA Gemanafushi, 3610: GA Kanduhulhudhoo, 3621: GA Kooddoo, 3622: GA Kedheraa, 3623: GA Hirifushi, 3624: GA Dhigurah, 3641 : GA Meradhoo, 3642: GA Funamauddua, 3643: GA Falhumaafushi, 3644: GA Hadahaa, 3681: GA Dhiyadhoo, 3682: GA Maanaagalaa, 3680: GA Mahadhdhoo, 3683: GA Vodamulaa, 3684: GA Maamuta, 3701: GDh Madeveli, 3702: GDh Hoadedhdhoo, 3703: GDh Nadallaa, 3704: GDh Gadhdhoo, 3705: GDh Rathafandhoo, 3706: GDh Vaadhoo, 3707: GDh Fiyoari, 3710: GDh Thinadhoo, 3711: GDh Fares-Maathodaa, 3721: GDh Konot taa (New Resort), 3722: GDh Menthandhoo, 3723: GDh Vatavarrhea, 3724: GDh Maavarulaa, 3725: GDh Lonudhoohtutaa, 3726: GDh Funamau duaa, 3727: GDh Kodaanehutaa, 3728: GDh Hulhehdhoo, 3729: GDh Kashiulhudhoo, 3730: GDh Hauddaa, 3731: GDh Kaadedhoo, 3741: GDh Magudhuva, 3708: GDh Maathodaa, 3709: GDh Fares, 3796: GDh Dhigulabaadhoo, 3793: GDh Havoddaa, 3795: GDh Havodigalaa, 3791: GDh Kadalagalaa, 3792: GDh Kafenaa, 3794: GDh Maagoderehaa, 3801: Gn Fuvahmulah, 3901: S Meedhoo, 3902: S Hithadhoo, 3903: S Maradhoo, 3904: S Feydhoo, 3905: S Maradhoo-Feydhoo, 3906: S Hulhudhoo, 3931: S Gan, 3941: S Ocean Reef, 3942: S Herethere, 3943: S Villingili, 390 7: S Hulhu Meedhoo

[6] placebirth_OtherCountry: س.2.2 دَوْلَتُ أُخْرَى

Categories: 0100: Africa, 0101: Algeria, 0102: Angola, 0103: Benin, 0104: Botswana, 0105: Burkina Faso, 0106: Burundi, 0107: Cameroon, 0108 : Cape Verde, 0109: Central African Republic, 0110: Chad, 0111: Comoros, 0112: Congo, 0113: Cote d' Ivoire, 0114: Democratic Republic of the Congo, 0115: Djibouti, 0116: Egypt, 0117: Equatorial Guinea, 0118: Eritrea, 0119: Ethiopia, 0120: Gabon, 0121: Gambia, 0122: Ghana, 0123: Guinea, 0124: Guinea-Bissau, 0125: Kenya, 0126: Lesotho, 0127: Liberia, 0128: Libyan Arab Jamahiriya, 0129: Madagascar, 0130: Malawi, 0131: Mali, 0132: Mauritania, 0133: Mauritius, 0134: Morocco, 0135: Mozambique, 0136: Namibia, 0137: Niger, 0138: Nigeria, 0139: Reunion, 0140: Rwanda, 0141: Saint Helena, 0142: Sao Tome and Principe, 0143: Senegal, 0144: Seychelles, 0145: Sierra Leone, 0146: Somalia, 0147: South Africa, 0148: Sudan, 0149: Swaziland, 0150: Togo, 0151: Tunisia, 0152: Uganda, 0153: United Republic of Tanzania, 0154: Westernm Sahara, 0155: Zambia, 0156: Zimbabwe, 0200: Asia, 0201: Afghanistan, 0202: Armenia, 0203: Azerbaijan, 0204: Bahrain, 0205: Bangladesh, 0206: Bhutan, 020 7: Brunei Darussalam, 0208: Cambodia, 0209: China, 0210: China, Hong Kong SAR, 0211: Cyprus, 0212: Dem. People's Rep. Of Korea, 0213: East Timor, 0214: Gaza Strip, 0215: Georgia, 0216: India, 0217: Indonesia, 0218: Iran (Islamic Rep. Of), 0219: Iraq, 0220: Israel, 0221: Japan, 0222: Jordan, 0223: Kazakhstan, 0224: Kuwait, 0225: Kyrgyzstan, 0226: Lao People's Democratic Republic, 0227: Lebanon, 0228: Macau, 0229: Malaysia, 0230: Mongolia, 0231: Myanmar, 0232: Nepal, 0233: Oman, 0234: Pakistan, 0235: Philippines, 0236: Qatar, 0237: Republic of Korea, 0238: Saudi Arabia, 0239: Singapore, 0240: Sri Lanka, 0241: Syrian Arab Republic, 0242: Tajikistan, 0243: Thailand, 0244: Turkmenistan, 0245: Turkey, 0246: United Arab Emirates, 0247: Uzbekistan, 0248: Viet Nam, 0249: Yemen, 0300: Europe, 0301: Albania, 0302: Andorra, 0303: Austria, 0304 : Belarus, 0305: Belgium, 0306: Bosnia and Herzegovina, 0307: Bulgaria, 0308: Channel Islands, 0309: Croatia, 0310: Czech Republic, 0311: Denmark, 0312: Estonia, 0313: Faeroe Islands, 0314: Finland, 0315: France, 0316: Germany, 0317: Gibraltar, 0318: Greece, 0319: Holy See, 0320: Hungary, 0321: Iceland, 0322: Ireland, 0323: Isle of Man, 0324: Italy, 0325: Latvia, 0326: Liechtenstein, 0327: Lithuania, 0328: Luxembourg, 032 9: Malta, 0330: Monaco, 0331: Netherland, 0332: Norway, 0333: Poland, 0334: Portugal, 0335: Republic of Moldova, 0336: Rumania, 0337: Russian Federation, 0338: San Marino, 0339: Slovakia, 0340: Slovenia, 0341: Spain, 0342: Sweden, 0343: Switzerland, 0344: TFYR Macedonia, 0345: Ukraine, 0346: United Kingdom, 0347: Yugoslavia, 0400: America, 0401: Anguilla, 0402: Antigua and Barbuda, 0403: Argentina, 0404: Aruba, 04 05: Bahamas, 0406: Barbados, 0407: Belize, 0408: Bermuda, 0409: Bolivia, 0410: Brazil, 0411: British Virgin Islands, 0412: Canada, 0413: Cayman Islands, 0414: Chile, 0415: Colombia, 0416: Costa Rica, 0417: Cuba, 0418: Dominica, 0419: Dominican Republic, 0420: Ecuador, 0421: El Salvador, 0422: Falkland Islands, 0423: French Guiana, 0424: Greenland, 0425: Grenada, 0426: Guadeloupe, 0427: Guatemala, 0428: Guyana, 042 9: Haiti, 0430: Honduras, 0431: Jamaica, 0432: Martinique, 0433: Mexico, 0434: Montserrat, 0435: Netherland and Antilles, 0436: Nicaragua, 043 7: Paraguay, 0438: Panama, 0439: Peru, 0440: Puerto Rico, 0441: Saint Kitts and Nevis, 0442: Saint Lucia, 0443: St. Pierre and Miquelon, 0444: St. Vincent and the Greanadines, 0445: Suriname, 0446: Trinidad and Tobago, 0447: Turks and Caicos Islands, 0448: United States of America, 0 449: United States Virgin Islands, 0450: Uruguay, 0451: Venezuela, 0500: Oceania, 0501: American Samoa, 0502: Australia, 0503: Cook Islands, 0504: Fiji, 0505: French Polynesia, 0506: Guam, 0507: Kiribati, 0508: Marshall Islands, 0509: Micronesia (Federated State of), 0510: Nauru, 051 1: New Caledonia, 0512: New Zealand, 0513: Niue, 0514: Northern Mariana Islands, 0515: Palau, 0516: Papua New Guinea, 0517: Pitcairn, 051 8: Samoa, 0519: Solomon Islands, 0520: Tokelau, 0521: Tonga, 0522: Tuvalu, 0523: Vanuatu, 0524: Wallis and Funtuna Islands, 9999: Not State d

[7] placeofregistration_atlIsd: س.3.1 دَوْلَتُ أُخْرَى

Categories: 1000: MALE, 1006: Hulhule, 2001: HA Thuraakunu, 2002: HA Uligamu, 2005: HA Mulhadhoo, 2006: HA Hoarafushi, 2007: HA Ihava ndhoo, 2008: HA Kelaa, 2009: HA Vashafaru, 2010: HA Dhidhdhoo, 2011: HA Filladhoo, 2012: HA Maarandhoo, 2013: HA Thakandhoo, 2014: HA Utheemu, 2015: HA Muraidhoo, 2016: HA Baarah, 2021: HA Maafahi, 2023: HA Huvahandhoo, 2024: HA Berinmadhoo, 2025: HA Gaffaru, 2041 : HA Dhonakulhi - Island Hideaway, 2042: HA Alidhoo, 2043: HA Manafaru, 2092: HA Hathifushi, 2091: HA Dhapparuhuraa, 2093: HA Madulu, 2 051: HA Mulidhoo, 2103: HDh Hanimaadhoo, 2104: HDh Finay, 2105: HDh Naivaadhoo, 2106: HDh Hirimaradhoo, 2107: HDh Nolvivaranfaru, 2 108: HDh Nellaidhoo, 2109: HDh Nolvivaramu, 2110: HDh Kuribi, 2112: HDh Kulhudhuffushi, 2113: HDh Kumundhoo, 2114: HDh Neykurendhoo , 2115: HDh Vaikaradhoo, 2117: HDh Makunudhoo, 2121: HDh Vaikaramuraiddhoo (agricultural island), 2122: HDh Theefaridhoo (agricultural isl and), 2123: HDh Naagoashi, 2124: HDh Kudamuraidhoo, 2125: HDh Hondafushi, 2180: HDh Maavaiddhoo, 2181: HDh Faridhoo, 2182: HDh Kubu rudhoo, 2102: HDh Hondaidhoo, 2191: HDh Keylakunu, 2196: HDh Kudafaru, 2197: HDh Muiri, 2183: HDh Kuredhigandu, 2201: Sh Kaditheemu, 2202: Sh Noomaraa, 2203: Sh Goidhoo, 2204: Sh Feydhoo, 2205: Sh Feevah, 2206: Sh Bilehffahi, 2207: Sh Foakaidhoo, 2208: Sh Narudhoo, 221 0: Sh Maroshi, 2211: Sh Lhaimagu, 2213: Sh Komandoo, 2214: Sh Maaugoodhoo, 2215: Sh Funadhoo, 2216: Sh Milandhoo, 2221: Sh Nilandhoo, 2222: Sh Keekimini, 2223: Sh Dholhiadhoo, 2224: Sh Madidhoo, 2225: Sh Madikuredhdho, 2226: Sh Medhukuburudhoo, 2227: Sh Eriadhoo, 222 8: Sh Nalandhoo, 2229: Sh Gaakoshibee, 2230: Sh Eskasdhoo, 2280: Sh Maakandoodhoo, 2281: Sh Galliadhoo, 2282: Sh Kabaalifaru, 2283: Sh R inbudhoo, 2284: Sh Hirubaidhoo, 2241: Sh Vagaru, 2297: Sh Firubaidhoo, 2296: Sh Dolhiyadhoo Kudarah, 2302: N Hebadhoo, 2303: N Kedhnikolh udhoo, 2305: N Maalhendhoo, 2306: N Kudafari, 2307: N Landhoo, 2308: N Maafaru, 2309: N Lhohi, 2310: N Miladhoo, 2311: N Magoodhoo, 23 12: N Manadhoo, 2313: N Holhudhoo, 2314: N Fodhdhoo, 2315: N Velidhoo, 2321: N Bomasdhoo, 2322: N Thaburudhoo, 2323: N Minaavaru, 23 24: N Maafunafaru, 2325: N Maavelavaru, 2326: N Karinmavattaru, 2327: N Dhigurah, 2328: N Kuredhivaru, 2329: N Loafaru, 2330: N Badaidhi dhoo, 2380: N Dhonaerikandoodhoo, 2381: N Vavathi, 2382: N Maakurandhoo, 2383: N Felivaru, 2384: N Burehifasdhoo, 2385: N Orivaru, 23 86: N Medhufaru, 2387: N Kendhivaru, 2341: N Kudafunafaru, 2342: N Medha, 2343: N Randheli, 2344: N Fushivelavaru, 2304: N Tholhendhoo, 2354: N Kuramaadhoo, 2401: R Alifushi, 2402: R Vaadhoo, 2403: R Rasgetheemu, 2404: R Agolhitheemu, 2407: R Ugoofaar, 2409: R Maakurath u, 2410: R Rasmaadhoo, 2411: R Innamaadhoo, 2412: R Maduvvari, 2413: R Iguraidhoo, 2414: R Fainu, 2416: R Meedhoo, 2417: R Kinolhas, 2418 : R Hulhudhuffaar, 2419: R Dhuvaafaru, 2421: R Ifuru, 2422: R Furaveri, 2423: R Thaavathaa, 2424: R Lhohi, 2425: R Kudafushi, 2426: R Neyo, 2 427: R Loama Maamigili, 2428: R Madivaafaru, 2429: R Muravandhoo, 2430: R Ufulandhoo, 2441: R Meedhuppar, 2458: R Gaauhdoodhoo, 245 9: R Kadholhudhoo, 2454: R Dhigali, 2455: R Maamunagau, 2451: R Ugulu, 2501: B Kudarikilu, 2502: B Kamadhoo, 2503: B Kendhoo, 2506: B Kih aadhoo, 2507: B Dhonfanu, 2508: B Dharavandhoo, 2509: B Maalhos, 2510: B Eydhafushi, 2512: B Thulhaadhoo, 2513: B Hithaadhoo, 2514: B F ulhadhoo, 2515: B Fehendhoo, 2516: B Goidhoo, 2522: B Anhenunfushi, 2523: B Dhigufaru, 2524: B Fares, 2525: B Kanufushi, 2526: B Kashidho

[8] prevresidence: 5س. %rostertitle% نَعْمَ يَسْأَلُكَ رَبُّكَ عَنْ نِعْمَتِهِ فَبِأَيِّ نِعْمَةٍ تَنفِيهَا

APPENDIX D — CATEGORIES

29: R Muravandhoo, 2430: R Ufulandhoo, 2441: R Meedhupparu, 2458: R Gaaudhoodhoo, 2459: R Kadholhudhoo, 2454: R Dhigali, 2455: R Maa munagau, 2451: R Ugulu, 2499: R NOT STATED, 2501: B Kudarikilu, 2502: B Kamadhoo, 2503: B Kendhoo, 2506: B Kihaadhoo, 2507: B Dhonfanu , 2508: B Dharavandhoo, 2509: B Maalhos, 2510: B Eydhafushi, 2512: B Thulhaadhoo, 2513: B Hithaadhoo, 2514: B Fulhadhoo, 2515: B Fehend hoo, 2516: B Goidhoo, 2522: B Anhenunfushi, 2523: B Dhigufaru, 2524: B Fares, 2525: B Kanufushi, 2526: B Kashidhoo, 2527: B Milaidhoo, 2528 : B Vakkaru, 2529: B Maarikili, 2530: B Undoodhoo, 2580: B Finolhas, 2581: B Maaddoo, 2582: B Maamaduvuri, 2583: B Dhandhoo, 2541: B Dhu nikolhu, 2542: B Kihaadhuffaru, 2543: B Fonimagoodhoo, 2544: B Kunfunadhoo, 2545: B Horubadhoo, 2546: B Landaagiraavaru, 2547: B Kihavan huravalhi, 2548: B Mudhdoo, 2597: B Funadhoo, 2593: B Hibavidhoo, 2595: B Miriandhoo, 2599: B NOT STATED, 2601: LH Hinnavaru, 2602: LH Naifaru, 2603: LH Kurendhoo, 2604: LH Olhuvelifushi, 2621: LH Felivaru, 2622: LH Maabinhuraa, 2623: LH Vavvaru, 2624: LH Faadhoo, 2625: LH Dhiffushi maidhoo, 2626: LH Hudhufushi, 2627: LH Maduvvari, 2631: LH Madivaru, 2632: LH Maafilaafushi, 2641: LH Kanuhuraa, 2644: LH Mad hiriguraidhu, 2645: LH Kanifushi, 2642: LH Komandoo, 2643: LH Kuredhdhoo, 2695: LH Dhidhdhoo, 2692: LH Lhohi, 2693: LH Lhosalaafushi, 2691: LH Maidhoo, 2699: LH NOT STATED, 2701: K Kaashidhoo, 2702: K Gaafaru, 2703: K Dhiffushi, 2704: K Thulusdhoo, 2705: K Huraa, 2706: K Him mafushi, 2711: K Gulhi, 2712: K Maafushi, 2713: K Guraidhoo, 2722: K Thilafushi, 2728: K Gulheefalhu, 2723: K Kuda Bandos, 2724: K Kanduiygi ri, 2729: K Gaagandu, 2730: K Kodhipparu, 2791: K Maadhoo, 2792: K Kuda Villingili, 2793: K Thunbafushi, 2794: K Olhahali, 2795: K Bangal Falh u, 2731: K Aarah, 2732: K Dhoonidhoo, 2733: K Funadhoo, 2734: K Girifushi, 2735: K Gaamaadhoo, 2736: K Feydhoofoinolhu, 2737: K Uthuruithilaf alhu, 2738: K Farukolhufushi (club med), 2741: K Asdhoo Island, 2742: K Bandos, 2743: K Baros, 2744: K Biyaadhoo, 2745: K Boduhithi, 2746: K B olifushi, 2748: K Club Rannalhi, 2749: K Makunufushi, 2750: K Dhigufinolhu, 2751: K Embudhoo village, 2752: K Eriyadhoo, 2753: K Fihaalhohi, 27 54: K Four Season Resort (Kuda Hura), 2755: K Furanafushi, 2756: K Bodufinolhu, 2757: K Gasfinolhu, 2758: K Giraavaru, 2759: K Helegeli, 2760 : K Lankanfushi, 2761: K Ihuru (Angsana Resort & Spa Maldives), 2762: K Kandooma, 2763: K Kanifinolhu (Club Med), 2764: K Kudahithi, 2765: K Vihamanaafushi, 2766: K Velassar, 2767: K Lhohifushi, 2768: K Mankunudhoo, 2769: K Meerufenfushi, 2770: K Nakachchafushi (Huvaafenfushi), 2771: K Olhuveli, 2772: K Palm Tree (Veligandu Huraa), 2773: K Lankanfinolhu, 2774: K Medhufinolhu, 2775: K Mahaana elhi Huraa, 2776: K Ziya araiyfushi, 2777: K Kanuoiy Huraa, 2778: K Thulhaagiri, 2779: K Hembadhu, 2780: K Embudhu Finolhu, 2781: K Vaadoo, 2782: K Vabbinfaru, 278 3: K Villivaru, 2727: K Kagi, 2725: K Madivaru, 2796: K Rasfari, 2726: K Vaagali, 2799: K NOT STATED, 2801: AA Thoddoo, 2802: AA Rasdhoo, 280 4: AA Ukulhas, 2805: AA Mathiveri, 2806: AA Bodufolhudhoo, 2807: AA Feridhoo, 2808: AA Maalhos, 2809: AA Himandhoo, 2841: AA Bathala, 2 842: AA Ellaidhoo, 2843: AA Fesdhoo, 2844: AA Gangehi, 2845: AA Halaveli, 2846: AA Kuramathi, 2847: AA Maayafushi, 2848: AA Madoogali, 28 49: AA Kudafolhudhoo, 2850: AA Veligan'du, 2851: AA Velidhoo, 2852: AA Dhonimigili, 2853: AA Kadholhudhoo, 2881: AA Madivaru, 2882: AA M ushimasmigili, 2899: AA NOT STATED, 2901: Adh Hangnameedhoo, 2902: Adh Omadhoo, 2903: Adh Kuburudhoo, 2904: Adh Mahibadhoo, 2905 : Adh Mandhoo, 2906: Adh Dhagethi, 2907: Adh Dhigurah, 2908: Adh Fenfushi, 2909: Adh Dhidhdhoo, 2910: Adh Maamigili, 2911: Adh Ariyadhoo o (Agriculture + Picnic island), 2922: Adh Theluveligaa (resort under construction), 2923: Adh Raidhigaru (picnic island), 2941: Adh Angaaga, 294 2: Adh Dhidhdhoofoinolhu, 2943: Adh Athurugau, 2944: Adh Dhiffushi, 2945: Adh Kuda Rah, 2946: Adh Huvahendhoo, 2947: Adh Machchafushi, 2 948: Adh Mirihi, 2949: Adh Rangalifinolhu, 2950: Adh Moofushi, 2951: Adh Villingilivaru, 2952: Adh Nalaguraidhoo, 2953: Adh Thundufushi, 2954 : Adh Maafushivaru, 2955: Adh Vakarfalhi, 2956: Adh Vilamendhoo, 2982: Adh Bodufinolhu, 2981: Adh Innaafushi, 2999: Adh NOT STATED, 300 1: V Fulidhoo, 3002: V Thinadhoo, 3003: V Felidhoo, 3004: V Keyodhoo, 3005: V Rakeedhoo, 3021: V Anbaraa (Picnic Island), 3022: V Bodumohur aa, 3023: V Kunavashi, 3024: V Aarah (Picnic Island), 3041: V Alimatha, 3042: V Dhiggiri, 3051: V Foththeyo Bodufushi, 3099: V NOT STATED, 310 1: M Raimandhoo, 3103: M Veyvah, 3104: M Mulah, 3105: M Muli, 3106: M Naalaafushi, 3107: M Kolhufushi, 3108: M Dhiggaru, 3109: M Maduv vari, 3121: M Thuvuru (Agricultural island), 3122: M Fenfuraveli, 3123: M Kudausfushi, 3141: M Hakuraahuraa, 3142: M Medhufushi, 3102: M M adifushi, 3199: M NOT STATED, 3201: F Feeali, 3203: F Biledhdhoo, 3204: F Magoodhoo, 3205: F Dharaboodhoo, 3206: F Nilandhoo, 3221: F Ma afushi, 3241: F Filithyoo, 3202: F Himithi, 3299: F NOT STATED, 3301: Dh Meedhoo, 3302: Dh Badidhoo, 3303: Dh Ribudhoo, 3304: Dh Hulhudhel i, 3307: Dh Maaboodhoo, 3308: Dh Kudahuvadhoo, 3321: Dh Dhoores, 3322: Dh Vommuli (tpt network), 3323: Dh Faandhoo, 3324: Dh Lhohi, 3 325: Dh Udhdhoo, 3326: Dh Maadheli, 3331: Dh Vaanee (used by Police as a Training Centre), 3341: Dh Velavaru, 3342: Dh Meedhuffushi, 3343 : Dh Embudhufushi and Olhuveli, 3305: Dh Gemendhoo, 3350: Dh Aluvifushi, 3399: Dh NOT STATED, 3401: Th Buruni, 3402: Th Vilufushi, 3403: Th Madifushi, 3404: Th Dhiyamigili, 3405: Th Guraidhoo, 3406: Th Kadoodhoo, 3407: Th Vandhoo, 3408: Th Hirilandhoo, 3409: Th Gaadiffushi, 3410: Th Thimarafushi, 3411: Th Veymandoo, 3412: Th Kibidhoo, 3413: Th Omadhoo, 3421: Th Fondhoo, 3422: Th Kanimeedhoo, 3441: Th Male fushi, 3494: Th Elaa, 3495: Th Funaddhoo, 3491: Th Kalhudheyfushi, 3496: Th Kalhufahalafushi, 3492: Th Kolhufushi, 3493: Th Ufuriyaa, 3499: T h NOT STATED, 3501: L Isdhoo, 3502: L Dhabidhoo, 3503: L Maabaidhoo, 3504: L Mundhoo, 3506: L Gamu, 3507: L Maavah, 3508: L Fonadhoo, 3509: L Gaadhoo, 3510: L Maamendhoo, 3511: L Hithadhoo, 3512: L Kunahandhoo, 3513: L Kalaidhoo, 3521: L Baresdhoo, 3522: L Maandhoo, 3 523: L Hulhimendhoo, 3524: L Vadinolhu, 3525: L Mendhoo, 3531: L Kadhdhoo, 3541: L Olhuveli, 3505: L Kalhaidhoo, 3591: L Isdhoo-kalaidhoo, 3 590: L Guraidhoo, 3596: L Hulhiyandhoo, 3592: L Kandaru, 3599: L NOT STATED, 3601: GA Kolamaafushi, 3602: GA Viligili, 3603: GA Maamendh oo, 3604: GA Nilandhoo, 3605: GA Dhaandhoo, 3606: GA Dhevvhadhoo, 3607: GA Kodey, 3609: GA Gemanafushi, 3610: GA Kanduhulhudhoo, 36 21: GA Kooddoo, 3622: GA Kedheraa, 3623: GA Hirifushi, 3624: GA Dhigurah, 3641: GA Meradhoo, 3642: GA Funamauddua, 3643: GA Falhuma afushi, 3644: GA Hadahaa, 3681: GA Dhiyadhoo, 3682: GA Maanaagalaa, 3680: GA Mahadhdhoo, 3683: GA Vodamulaa, 3684: GA Maamuta, 36 99: GA NOT STATED, 3701: GDh Madeveli, 3702: GDh Hoadedhdhoo, 3703: GDh Nadallaa, 3704: GDh Gadhdhoo, 3705: GDh Rathafandhoo, 37 06: GDh Vaadhoo, 3707: GDh Fiyoari, 3710: GDh Thinadhoo, 3711: GDh Fares-Maathodaa, 3721: GDh Konottaa (New Resort), 3722: GDh Menth andhoo, 3723: GDh Vatavarrhea, 3724: GDh Maavarulaa, 3725: GDh Lonudhoohuttaa, 3726: GDh Funamauduaa, 3727: GDh Kodaanehutta, 372 8: GDh Hulhehdhoo, 3729: GDh Kashiulhudhoo, 3730: GDh Hauddaa, 3731: GDh Kaadedhoo, 3741: GDh Magudhuvaa, 3708: GDh Maathodaa, 3709: GDh Fares, 3796: GDh Dhigulabaadhoo, 3793: GDh Havoddaa, 3795: GDh Havodigalaa, 3791: GDh Kadahalagalaa, 3792: GDh Kafenaa, 3794: GDh Maagoderehaa, 3799: GDh NOT STATED, 3801: Gn Fuvahmulah, 3901: S Meedhoo, 3902: S Hithadhoo, 3903: S Maradhoo, 3904: S F eydhoo, 3905: S Maradhoo-Feydhoo, 3906: S Hulhudhoo, 3931: S Gan, 3941: S Ocean Reef, 3942: S Herethere, 3943: S Villingili, 3907: S Hulhu Meedhoo, 3999: S NOT STATED, 9999: Not stated, 100: Africa, 101: Algeria, 102: Angola, 103: Benin, 104: Botswana, 105: Burkina Faso, 106: B urundi, 107: Cameroon, 108: Cape Verde, 109: Central African Republic, 110: Chad, 111: Comoros, 112: Congo, 113: Cote d' Ivoire, 114: Democ ratic Republic of the Congo, 115: Djibouti, 116: Egypt, 117: Equatorial Guinea, 118: Eritrea, 119: Ethiopia, 120: Gabon, 121: Gambia, 122: Ghana, 123: Guinea, 124: Guinea-Bissau, 125: Kenya, 126: Lesotho, 127: Liberia, 128: Libyan Arab Jamahiriya, 129: Madagascar, 130: Malawi, 131: Mali , 132: Mauritania, 133: Mauritius, 134: Morocco, 135: Mozambiqui, 136: Namibia, 137: Niger, 138: Nigeria, 139: Reunion, 140: Rwanda, 141: Sai nt Helena, 142: Sao Tome and Principe, 143: Senegal, 144: Seychelles, 145: Sierra Leone, 146: Somalia, 147: South Africa, 148: Sudan, 149: Sw aziland, 150: Togo, 151: Tunisia, 152: Uganda, 153: United Republic of Tanzania, 154: Westernm Sahara, 155: Zambia, 156: Zimbabwe, 200: Asi a, 201: Afghanistan, 202: Armenia, 203: Azerbaijan, 204: Bahrain, 205: Bangladesh, 206: Bhutan, 207: Brunei Darussalam, 208: Cambodia, 20 9: China, 210: China, Hong Kong SAR, 211: Cyprus, 212: Dem. People's Rep. Of Korea, 213: East Timor, 214: Gaza Strip, 215: Georgia, 216: India , 217: Indonesia, 218: Iran (Islamic Rep. Of), 219: Iraq, 220: Israel, 221: Japan, 222: Jordan, 223: Kazakhstan, 224: Kuwait, 225: Kyrgyzstan, 226: Lao People's Democratic Republic, 227: Lebanon, 228: Macau, 229: Malaysia, 230: Mongolia, 231: Myanmar, 232: Nepal, 233: Oman, 234: Pakis tan, 235: Philippines, 236: Qatar, 237: Republic of Korea, 238: Saudi Arabia, 239: Singapore, 240: Sri Lanka, 241: Syrian Arab Republic, 242: Tajik istan, 243: Thailand, 244: Trukmenistan, 245: Turkey, 246: United Arab Emirates, 247: Uzbekistan, 248: Viet Nam, 249: Yemen, 300: Europe, 30 1: Albania, 302: Andorra, 303: Austria, 304: Belarus, 305: Belgium, 306: Bosnia and Herzegovina, 307: Bulgaria, 308: Channel Islands, 309: Cro atia, 310: Czech Republic, 311: Denmark, 312: Estonia, 313: Faeroe Islands, 314: Finland, 315: France, 316: Germany, 317: Gibraltar, 318: Gree ce, 319: Holy See, 320: Hungary, 321: Iceland, 322: Ireland, 323: Isle of Man, 324: Italy, 325: Latvia, 326: Liechtenstein, 327: Lithuania, 328: Lux embourg, 329: Malta, 330: Monaco, 331: Netherland, 332: Norway, 333: Poland, 334: Portugal, 335: Republic of Moldova, 336: Rumania, 337: R ussian Federation, 338: San Marino, 339: Slovakia, 340: Slovenia, 341: Spain, 342: Sweden, 343: Switzerland, 344: TFYR Macedonia, 345: Ukrain e, 346: United Kingdom, 347: Yugoslavia, 400: America, 401: Anguilla, 402: Antigua and Barbuda, 403: Argentina, 404: Aruba, 405: Bahamas, 4 06: Barbados, 407: Belize, 408: Bermuda, 409: Bolivia, 410: Brazil, 411: British Virgin Islands, 412: Canada, 413: Cayman Islands, 414: Chile, 41

5: Colombia, 416: Cost Rica, 417: Cuba, 418: Dominica, 419: Dominican Republic, 420: Ecuador, 421: El Salvador, 422: Falkland Islands, 423: French Guiana, 424: Greenland, 425: Grenada, 426: Guadeloupe, 427: Guatemala, 428: Guyana, 429: Haiti, 430: Honduras, 431: Jamaica, 432: Martinique, 433: Mexico, 434: Montserrat, 435: Netherland and Antilles, 436: Nicaragua, 437: Paraguay, 438: Penema, 439: Peru, 440: Puerto Rico, 441: Saint Kitts and Nevis, 442: Saint Lucia, 443: St. Pierre and Miquelon, 444: St. Vincent and the Greanadines, 445: Suriname, 446: Trinidad and Tobago, 447: Turks and Caicos Islands, 448: United States of America, 449: United States Virgin Islands, 450: Uruguay, 451: Venezuela, 500: Oceania, 501: American Samoa, 502: Australia, 503: Cook Lands, 504: Fiji, 505: French Polynesia, 506: Guam, 507: Kiribati, 508: Marshall Islands, 509: Micronesia (Federated State of), 510: Nauru, 511: New Caledonia, 512: New Zealand, 513: Niue, 514: Northern Mariana Islands, 515: Palau, 516: Papua New Guinea, 517: Pitcairn, 518: Samoa, 519: Solomon Islands, 520: Tokelau, 521: Tonga, 522: Tuvalu, 523: Vanuatu, 524: Wallis and Funtuna Islands, 8888: Other Specify

[9] Edu_Levelattending: 8-س. %rosteritle% جڙجڙ ڏيڻ ۽ ڏسڻ واري ٿاڻ ۾ ڇڏڻ

Categories: 0: 10, 1: 10, 2: 9, 3: 8, 4: 7, 5: 6, 6: 5, 7: 4, 8: 3, 9: 2, 10: 1, 11: 0, 12: 0, 13: 0, 14: 0, 15: 0, 16: 0, 17: 0, 18: 0, 19: 0, 20: 0, 21: 0, 22: 0, 23: 0, 24: 0, 25: 0, 26: 0, 27: 0, 28: 0, 29: 0, 30: 0, 31: 0, 32: 0, 33: 0, 34: 0, 35: 0, 36: 0, 37: 0, 38: 0, 39: 0, 40: 0, 41: 0, 42: 0, 43: 0, 44: 0, 45: 0, 46: 0, 47: 0, 48: 0, 49: 0, 50: 0, 51: 0, 52: 0, 53: 0, 54: 0, 55: 0, 56: 0, 57: 0, 58: 0, 59: 0, 60: 0, 61: 0, 62: 0, 63: 0, 64: 0, 65: 0, 66: 0, 67: 0, 68: 0, 69: 0, 70: 0, 71: 0, 72: 0, 73: 0, 74: 0, 75: 0, 76: 0, 77: 0, 78: 0, 79: 0, 80: 0, 81: 0, 82: 0, 83: 0, 84: 0, 85: 0, 86: 0, 87: 0, 88: 0, 89: 0, 90: 0, 91: 0, 92: 0, 93: 0, 94: 0, 95: 0, 96: 0, 97: 0, 98: 0, 99: 0

[10] noinc_reasn: 8-س. %rosteritle% جڙجڙ ڏيڻ ۽ ڏسڻ واري ٿاڻ ۾ ڇڏڻ

Categories: 1: 10, 2: 9, 3: 8, 4: 7, 5: 6, 6: 5, 7: 4, 8: 3, 9: 2, 10: 1, 11: 0, 12: 0, 13: 0, 14: 0, 15: 0, 16: 0, 17: 0, 18: 0, 19: 0, 20: 0, 21: 0, 22: 0, 23: 0, 24: 0, 25: 0, 26: 0, 27: 0, 28: 0, 29: 0, 30: 0, 31: 0, 32: 0, 33: 0, 34: 0, 35: 0, 36: 0, 37: 0, 38: 0, 39: 0, 40: 0, 41: 0, 42: 0, 43: 0, 44: 0, 45: 0, 46: 0, 47: 0, 48: 0, 49: 0, 50: 0, 51: 0, 52: 0, 53: 0, 54: 0, 55: 0, 56: 0, 57: 0, 58: 0, 59: 0, 60: 0, 61: 0, 62: 0, 63: 0, 64: 0, 65: 0, 66: 0, 67: 0, 68: 0, 69: 0, 70: 0, 71: 0, 72: 0, 73: 0, 74: 0, 75: 0, 76: 0, 77: 0, 78: 0, 79: 0, 80: 0, 81: 0, 82: 0, 83: 0, 84: 0, 85: 0, 86: 0, 87: 0, 88: 0, 89: 0, 90: 0, 91: 0, 92: 0, 93: 0, 94: 0, 95: 0, 96: 0, 97: 0, 98: 0, 99: 0

[11] lastcommute: 4.3-س. %rosteritle% جڙجڙ ڏيڻ ۽ ڏسڻ واري ٿاڻ ۾ ڇڏڻ

Categories: 1000: MALE, 1009: Hulhumale', 1005: Villimale', 1006: Hulhule, 2001: HA Thuraakunu, 2002: HA Uligamu, 2005: HA Mulhadhoo, 2006: HA Hoarafushi, 2007: HA Ihavandhoo, 2008: HA Kelaa, 2009: HA Vashafaru, 2010: HA Dhidhdhoo, 2011: HA Filladhoo, 2012: HA Maarandhoo, 2013: HA Thakandhoo, 2014: HA Utheemu, 2015: HA Muraidhoo, 2016: HA Baarah, 2021: HA Mafahi, 2023: HA Huwahandhoo, 2024: HA Berinmadhoo, 2025: HA Gaffaru, 2041: HA Dhonakulhi - Island Hideaway, 2042: HA Alidhoo, 2043: HA Manafaru, 2092: HA Hathifushi, 2091: HA Dhapparuhuraa, 2093: HA Madulu, 2051: HA Mulidhoo, 2103: HDh Hanimaadhoo, 2104: HDh Finay, 2105: HDh Naivaadhoo, 2106: HDh Hirimarahoo, 2107: HDh Nohivaramfaru, 2108: HDh Nellaidhoo, 2109: HDh Nohivaramu, 2110: HDh Kuribi, 2112: HDh Kulhudhuffushi, 2113: HDh Kumundhoo, 2114: HDh Neykurendhoo, 2115: HDh Vaikaradhoo, 2117: HDh Makundhoo, 2121: HDh Vaikaramuraidhoo (agricultural island), 2122: HDh Theefaridhoo (agricultural island), 2123: HDh Naagoashi, 2124: HDh Kudamuraidhoo, 2125: HDh Hondafushi, 2180: HDh Maavaidhoo, 2181: HDh Faridhoo, 2182: HDh Kuburudhoo, 2102: HDh Hondaiddhoo, 2191: HDh Keylakunu, 2196: HDh Kudafaru, 2197: HDh Muiri, 2183: HDh Kur edhigandu, 2201: Sh Kaditheemu, 2202: Sh Noomaraa, 2203: Sh Goidhoo, 2204: Sh Feydhoo, 2205: Sh Feevah, 2206: Sh Bilehffahi, 2207: Sh Foa kaidhoo, 2208: Sh Narudhoo, 2210: Sh Maroshi, 2211: Sh Lhaimagu, 2213: Sh Komandoo, 2214: Sh Maaugoodhoo, 2215: Sh Funadhoo, 2216: Sh Milandhoo, 2221: Sh Nilandhoo, 2222: Sh Keekimini, 2223: Sh Dholhidhoo, 2224: Sh Madidhoo, 2225: Sh Madikuredhdhoo, 2226: Sh Medhukuburudhoo, 2227: Sh Eriadhoo, 2228: Sh Nalandhoo, 2229: Sh Gaakoshibee, 2230: Sh Eskasdhoo, 2280: Sh Maakandoodhoo, 2281: Sh Galliaadhoo, 2282: Sh Kabaalifar, 2283: Sh Rinbudhoo, 2284: Sh Hirubaidhoo, 2241: Sh Vagaru, 2297: Sh Firubaidhoo, 2296: Sh Dolhiyadhoo Kudarah, 2302: N Hebadhoo, 2303: N Kedhikolhudhoo, 2305: N Maalhendhoo, 2306: N Kudafari, 2307: N Landhoo, 2308: N Maafaru, 2309: N Lhohi, 2310: N Miladhoo, 2311: N Magoodhoo, 2312: N Manadhoo, 2313: N Holhudhoo, 2314: N Fodhdhoo, 2315: N Velidhoo, 2321: N Bomasdhoo, 2322: N Thaburudhoo, 2323: N Minaavaru, 2324: N Maafunafaru, 2325: N Maavelavaru, 2326: N Karinmavattaru, 2327: N Dhigurah, 2328: N Kuredhivaru, 2329: N Loafaru, 2330: N Badaidhidhoo, 2380: N Dhonaerikandoodhoo, 2381: N Vavathi, 2382: N Maakurandhoo, 2383: N Felivaru, 2384: N Burehifasdhoo, 2385: N Orivaru, 2386: N Medhufaru, 2387: N Kendhivaru, 2341: N Kudafunafaru, 2342: N Medha, 2343: N Randheli, 2344: N Fushivelavaru, 2304: N Tholhendhoo, 2354: N Kuramaadhoo, 2401: R Alifushi, 2402: R Vaadhoo, 2403: R Rasgetheemu, 2404: R Agolhitheemu, 2407: R Ugoofaar, 2409: R Maakurathu, 2410: R Rasmaadhoo, 2411: R Innamaadhoo, 2412: R Maduvvari, 2413: R Iguraidhoo, 2414: R Fainu, 2416: R Meedhoo, 2417: R Kinolhas, 2418: R Hulhudhuffaar, 2419: R Dhuvafaru, 2421: R Ifuru, 2422: R Furaveri, 2423: R Thaavathaa, 2424: R Lhohi, 2425: R Kudafushi, 2426: R Neyo, 2427: R Loama Maamigili, 2428: R Madivaafaru, 2429: R Muravandhoo, 2430: R Ufulandhoo, 2441: R Meedhuparu, 2458: R Gaadhoo, 2459: R Kadholhudhoo, 2454: R Dhigali, 2455: R Maamunagau, 2451: R Ugulu, 2501: B Kudarikilu, 2502: B Kamadhoo, 2503: B Kendhoo, 2506: B Kihaadhoo, 2507: B Dhonfaru, 2508: B Dharavandhoo, 2509: B Maalhos, 2510: B Eydhafushi, 2512: B Thulhaadhoo, 2513: B Hithaadhoo, 2514: B Fulhadhoo, 2515: B Fehendhoo, 2516: B Goidhoo, 2522: B Anhenunfushi, 2523: B Dhigurah, 2524: B Fares, 2525: B Kanufushi, 2526: B Kashidhoo, 2527: B Milaidhoo, 2528: B Vakkaru, 2529: B Maarikili, 2530: B Undoodhoo, 2580: B Finolhas, 2581: B Maaddoo, 2582: B Maamaduvvari, 2583: B Dhandhoo, 2541: B Dhunikolhu, 2542: B Kihaadhuffaru, 2543: B Fonimagoodhoo, 2544: B Kunfunadhoo, 2545: B Horubadhu, 2546: B Landaagiraavaru, 2547: B Kihavanhuravalhi, 2548: B Mudhdoo, 2597: B Funadhoo, 2593: B Hibavidhoo, 2595: B Miriandhoo, 2601: LH Hinnavaru, 2602: LH Naifar, 2603: LH Kurendhoo, 2604: LH Olhuvelifushi, 2621: LH Felivaru, 2622: LH Maabinhuraa, 2623: LH Vavaru, 2624: LH Faadhoo, 2625: LH Dhiffushi maidhoo, 2626: LH Hudhufushi, 2627: LH Maduvvari, 2631: LH Madivaru, 2632: LH Maafilaafushi, 2641: LH Kanuhuraa, 2644: LH Madhiriguraidhu, 2645: LH Kanifushi, 2642: LH Komandoo, 2643: LH Kuredhdhoo, 2695: LH Dhidhdhoo, 2692: LH Lhohi, 2693: LH Lhosalfushi, 2691: LH Maidhoo, 2701: K Kaashidhoo, 2702: K Gaafaru, 2703: K Dhiffushi, 2704: K Thulusdhoo, 2705: K Huraa, 2706: K Himmafushi, 2711: K Gulhi, 2712: K Maafushi, 2713: K Guraidhoo, 2722: K Thilafushi, 2728: K Gulheefalhu, 2723: K Kuda Bandos, 2724: K Kanduiyigiri, 2729: K Gaagandu, 2790: K Kodhipparu, 2791: K Maadhoo, 2792: K Kuda Villingili, 2793: K Thunbafushi, 2794: K Olhahali, 2795: K Bangal Falhu, 2731: K Aarah, 2732: K Dhoonidhoo, 2733: K Funadhoo, 2734: K Girifushi, 2735: K Gaamaadhoo, 2736: K Feydhoo, 2737: K Uthuruthilafalhu, 2738: K Farukolhufushi (club med), 2741: K Asdhoo Island, 2742: K Bandos, 2743: K Baros, 2744: K Biyaadhoo, 2745: K Boduhithi, 2746: K Bolifushi, 2748: K Club Rannalhi, 2749: K Makunufushi, 2750: K Dhigufinolhu, 2751: K Embudhoo village, 2752: K Eriyadhoo, 2753: K Fihahhohi, 2754: K Four Season Resort (Kuda Hura), 2755: K Furanaafushi, 2756: K Bodufinolhu, 2757: K Gasfinolhu, 2758: K Giraavaru, 2759: K Helegeli, 2760: K Lankanfushi, 2761: K Ihuru (Angsana Resort & Spa Maldives), 2762: K Kandooma, 2763: K Kanifinolhu (Club Med), 2764: K Kudahithi, 2765: K Vihamanaafushi, 2766: K Velassaru, 2767: K Lhohifushi, 2768: K Mankunudhoo, 2769: K Meerufenfushi, 2770: K Nakachchafushi (Huvaafenfushi), 2771: K Olhuveli, 2772: K Palm Tree (Veligandu Huraa), 2773: K Lankanfinolhu, 2774: K Medhufinolhu, 2775: K Mahaana elhi Huraa, 2776: K Ziyaarayifushi, 2777: K Kanuoiy Huraa, 2778: K Thulhaagiri, 2779: K Hembadhu, 2780: K Embudhu Finolhu, 2781: K Vaadoo, 2782: K Vabbinfaru, 2783: K Villivaru, 2727: K Kagi, 2725: K Madivaru, 2796: K Rasfari, 2726: K Vaagali, 2801: AA Thoddoo, 2802: AA Rasdhoo, 2804: AA A Ukulhas, 2805: AA Mathiveri, 2806: AA Bodufolhudhoo, 2807: AA Feridhoo, 2808: AA Maalhos, 2809: AA Himandhoo, 2841: AA Bathala, 2842: AA Elaidhoo, 2843: AA Fesdhoo, 2844: AA Gangeli, 2845: AA Halaveli, 2846: AA Kuramathi, 2847: AA Maayafushi, 2848: AA Madoogali, 2849: AA Kudafolhudhoo, 2850: AA Veligan'du, 2851: AA Velidhoo, 2852: AA Dhoniimigili, 2853: AA Kadholhudhoo, 2881: AA Madivaru, 2882: AA Mushi masmigili, 2901: Adh Hangnameedhoo, 2902: Adh Omadhoo, 2903: Adh Kuburudhoo, 2904: Adh Mahibadhoo, 2905: Adh Mandhoo, 2906: Adh Dhagethi, 2907: Adh Dhigurah, 2908: Adh Fenfushi, 2909: Adh Dhidhdhoo, 2910: Adh Maamigili, 2921: Adh Ariyadhoo (Agriculture + Picnic island), 2922: Adh Thelueligaa (resort under construction), 2923: Adh Raidhigaru (picnic island), 2941: Adh Angaaga, 2942: Adh Dhidhdhoofinolhu, 2943: Adh Athurugau, 2944: Adh Dhiffushi, 2945: Adh Kuda Rah, 2946: Adh Huvaandhoo, 2947: Adh Machchafushi, 2948: Adh Mirihi, 2949: Adh Rangalifinolhu, 2950: Adh Moofushi, 2951: Adh Villingilivaru, 2952: Adh Nalaguraidhoo, 2953: Adh Thundufushi, 2954: Adh Maafushivaru, 2955: Adh Vakarfalhi, 2956: Adh Vilamendhoo, 2982: Adh Bodufinolhu, 2981: Adh Innafushi, 3001: V Fulidhoo, 3002: V Thinadhoo, 3003: V Felidhoo, 3004: V Keyodhoo, 3005: V Rakeedhoo, 3021: V Anbaraa (Picnic Island), 3022: V Bodumohuraa, 3023: V Kunavashi, 3024: V Aarah (Picnic Island)

[illegible]

[14] `cs_csmstze_1: 3.س. <font color="maroon">%cs_csmstze_1%</font> جى سىمى`
 Categories: 0: سىمى 1: سىمى 2: سىمى 3: سىمى 4: سىمى 5: سىمى 6: سىمى 7: سىمى 8: سىمى 9: سىمى 10: سىمى 11: سىمى 12: سىمى 13: سىمى 14: سىمى 15: سىمى 16: سىمى 17: سىمى 18: سىمى 19: سىمى 20: سىمى 21: سىمى 22: سىمى 23: سىمى 24: سىمى 25: سىمى 26: سىمى 27: سىمى 28: سىمى 29: سىمى

[illegible][illegible]

155 / 162

- [illegible]

- [32] cs_pchsz_5:7. (سَدْرَج (اِسْرَدُوزْ سَرِ يُوْ هِرْ سَرِجْ.

[illegible]

- [33] cs_csmunt_6: 2. مُسَرِّعٌ

[illegible]

- [34] `cs_csmsize_6: 3س. <font color="maroon">%cs_csmunt 6%</font> سُسُورُج`

Categories: 0: $\text{مَرْدُ$ 1: $\text{مَرْدُ$ 2: مَرْدُ 3: مَرْدُ 4: مَرْدُ 5: مَرْدُ 6: مَرْدُ 7: مَرْدُ 8: مَرْدُ 9: مَرْدُ 10: مَرْدُ 11: مَرْدُ 12: مَرْدُ 13: مَرْدُ 14: مَرْدُ 15: مَرْدُ 16: مَرْدُ 17: مَرْدُ 18: مَرْدُ 19: مَرْدُ 20: مَرْدُ 21: مَرْدُ 22: مَرْدُ 23: مَرْدُ 24: مَرْدُ 25: مَرْدُ 26: مَرْدُ 27: مَرْدُ 28: مَرْدُ 29: مَرْدُ

- [35] cs_pchunt 6:6 (أَسْرَدُزْزَرْ سُرْ يَفِي أَرَاظَ)

[illegible]

- [36] cs_pchsz_6: 7. (سَدَرْجِ (اِسْرَدَرْجِ سَرْجِ اِسْرَجِ)

Categories: 0: سِدْرُ عَجْم 1: نُجْم 2: أَنْدَس 3: خُصْب 4: قَهْ 5: وَعُزْرَت 6: نُجْم 7: 1: سِدْرُ عَجْم 8: 2: سِدْرُ عَجْم 9: 5: سِدْرُ عَجْم 10: نُجْم 11: خُصْب 12: 5: سِدْرُ عَجْم 13: 10: سِدْرُ عَجْم 14: 50: سِدْرُ عَجْم 15: نُجْم 16: مَرْوِي 17: قَهْ 18: قَهْ 19: وَعُزْرَت 20: نُجْم 21: خُصْب 22: قَهْ 23: 300: دُو 24: 500: دُو 25: 1.5: سِدْرُ عَجْم 26: 5: خُصْب 27: خُصْب 28: نُجْم 29: مَرْوِي

- [37] cs_csmunt_7: 2. مُسَرِّعٌ

Categories: 1: سۆز ئۆزگەرتىش: 11: ئىسەنمە، 9: ئىسىم، 8: تەننى سۆز، 7: تەننى سۆز، 6: سۆز سۆز، 5: ئۆزگەرتىش، 48: بەدەن، 10: ئۆزگەرتىش، 3: ئۆزگەرتىش، 2: ئۆزگەرتىش، 12: ئۆزگەرتىش، 13: ئۆزگەرتىش، 14: ئۆزگەرتىش، 15: ئۆزگەرتىش، 16: ئۆزگەرتىش، 17: ئۆزگەرتىش، 18: ئۆزگەرتىش، 19: ئۆزگەرتىش، 20: ئۆزگەرتىش، 21: ئۆزگەرتىش، 22: ئۆزگەرتىش، 23: ئۆزگەرتىش، 24: ئۆزگەرتىش، 25: ئۆزگەرتىش، 26: ئۆزگەرتىش، 27: ئۆزگەرتىش، 28: ئۆزگەرتىش، 29: ئۆزگەرتىش، 30: ئۆزگەرتىش، 31: ئۆزگەرتىش، 32: ئۆزگەرتىش، 33: ئۆزگەرتىش، 34: ئۆزگەرتىش، 35: ئۆزگەرتىش، 36: ئۆزگەرتىش، 37: ئۆزگەرتىش، 38: ئۆزگەرتىش، 39: ئۆزگەرتىش، 40: ئۆزگەرتىش، 41: ئۆزگەرتىش، 42: ئۆزگەرتىش، 43: ئۆزگەرتىش، 44: ئۆزگەرتىش، 45: ئۆزگەرتىش، 46: ئۆزگەرتىش، 47: ئۆزگەرتىش، 49: ئۆزگەرتىش، 96: ئۆزگەرتىش

- [38] cs_csmsize_7: 3. سَمَرْج

Categories: 0: مَرْدُ دَرُز 1: مَرْدُ دَرُز 2: مَرْدُ دَرُز 3: مَرْدُ دَرُز 4: مَرْدُ دَرُز 5: مَرْدُ دَرُز 6: مَرْدُ دَرُز 7: مَرْدُ دَرُز 8: مَرْدُ دَرُز 9: مَرْدُ دَرُز 10: مَرْدُ دَرُز 11: مَرْدُ دَرُز 12: مَرْدُ دَرُز 13: مَرْدُ دَرُز 14: مَرْدُ دَرُز 15: مَرْدُ دَرُز 16: مَرْدُ دَرُز 17: مَرْدُ دَرُز 18: مَرْدُ دَرُز 19: مَرْدُ دَرُز 20: مَرْدُ دَرُز 21: مَرْدُ دَرُز 22: مَرْدُ دَرُز 23: مَرْدُ دَرُز 24: مَرْدُ دَرُز 25: مَرْدُ دَرُز 26: مَرْدُ دَرُز 27: مَرْدُ دَرُز 28: مَرْدُ دَرُز 29: مَرْدُ دَرُز

- [39] cs_pchunt 7:6 (أَسْرُؤُزْزِرْ يَوْمَئِذٍ أَرْهَقَ)

Categories: 1: يَسْرُوعِي: 11: يَسْرِي: 9: سَدُوت، 8: تَعِي سَدُوت، 7: تَرَجِي سَدُوت، 6: سَدِ سَدُوت، 5: لَوْنَج، 48: بَدَل / فَرَسْتَس، 10: دَرُ لَوْنَج، 4: جَع، 3: دَرَجِي جَع، 2: بَرِي جَع، 12: دَوْنِ لَوْنَج، 13: لَوْنُوم، 14: سَر، 15: قَر، 16: دَرِي جَع، 17: بَعِي، 18: هَوَس، 19: تَوِي، 20: بَدَل / جَع دَرِي جَع، 21: هَوَسِي، 22: تَسْرُومِي، 23: دَوْنِ لَوْنَج، 24: دَوْنِ دَرِي جَع، 25: بَدَل / دَوْنِ لَوْنَج، 26: تَرَجِي هَوَس، 27: تَرِي، 28: تَرِي، 29: سَدُوتِي لَوْنَج (دَوْنِي)، 30: قَرِي، 31: جَعِي بَدَل / جَع دَرِي جَع، 32: جَعِي، 33: يَد، 34: قَرِي، 35: سَر، 36: فَرِي، 37: دَوْنِ، 38: دَرِي، 39: لَوْنِ / هَوَسِي، 40: فَوْمِي، 41: هَوَسِي، 42: دَوْنِ، 43: هَوَس / هَوَسِي، 44: دَرِي دَوْنِ جَع، 45: جَرِي، 46: نَوَسِي دَرِي جَع، 47: تَعِي، 49: سَرِي تَرِي جَع، 96: (دَوْنِ سَرِي تَرِي جَع)

- [40] cs pchsz 7:7. (سورع) (أشْرُوْزُرْ سُرْ يَغْ هِرْ سِرْ)

[illegible]

- [41] cs csmunt 8:2. ^{مُزْمَنْ}

Categories: 1: سَوْرَتُ الْبَقَرَةِ: 11: سُورَةُ: 9: سُورَةُ: 8: تَوَاتُجُ سُورَتِ، 7: سُورَةُ سُورَتِ، 6: سُورَةُ سُورَتِ، 5: سُورَةُ سُورَتِ، 48: سُورَةُ سُورَتِ، 10: سُورَةُ سُورَتِ، 4: سُورَةُ سُورَتِ، 3: سُورَةُ سُورَتِ، 12: سُورَةُ سُورَتِ، 13: سُورَةُ سُورَتِ، 14: سُورَةُ سُورَتِ، 15: سُورَةُ سُورَتِ، 16: سُورَةُ سُورَتِ، 17: سُورَةُ سُورَتِ، 18: سُورَةُ سُورَتِ، 19: سُورَةُ سُورَتِ، 20: سُورَةُ سُورَتِ، 21: سُورَةُ سُورَتِ، 22: سُورَةُ سُورَتِ، 23: سُورَةُ سُورَتِ، 24: سُورَةُ سُورَتِ، 25: سُورَةُ سُورَتِ، 26: سُورَةُ سُورَتِ، 27: سُورَةُ سُورَتِ، 28: سُورَةُ سُورَتِ، 29: سُورَةُ سُورَتِ، 30: سُورَةُ سُورَتِ، 31: سُورَةُ سُورَتِ، 32: سُورَةُ سُورَتِ، 33: سُورَةُ سُورَتِ، 34: سُورَةُ سُورَتِ، 35: سُورَةُ سُورَتِ، 36: سُورَةُ سُورَتِ، 37: سُورَةُ سُورَتِ، 38: سُورَةُ سُورَتِ، 39: سُورَةُ سُورَتِ، 40: سُورَةُ سُورَتِ، 41: سُورَةُ سُورَتِ، 42: سُورَةُ سُورَتِ، 43: سُورَةُ سُورَتِ، 44: سُورَةُ سُورَتِ، 45: سُورَةُ سُورَتِ، 46: سُورَةُ سُورَتِ، 47: سُورَةُ سُورَتِ، 49: سُورَةُ سُورَتِ، 96: سُورَةُ سُورَتِ

- [42] `cs_csmsize_8: 3.س. <font color="maroon">%cs csmunt 8%</font> سُسْمُونُج`

[illegible]

- [43] cs pchunt 8:6 (أُسْرُوْهُنَّ لِمَن رَّزَقْنَاهُنَّ مِن دُونِ أَبَوَيْهِنَّ لِيَجْنُبَنَّهُنَّ الْفَاحِشَةَ وَهُنَّ رِجَالٌ مُّشْرِكُونَ)

Categories: 1: سَوْدُوتْ، 2: سَوْدُوتْ، 3: سَوْدُوتْ، 4: سَوْدُوتْ، 5: سَوْدُوتْ، 6: سَوْدُوتْ، 7: سَوْدُوتْ، 8: سَوْدُوتْ، 9: سَوْدُوتْ، 10: سَوْدُوتْ، 11: سَوْدُوتْ، 12: سَوْدُوتْ، 13: سَوْدُوتْ، 14: سَوْدُوتْ، 15: سَوْدُوتْ، 16: سَوْدُوتْ، 17: سَوْدُوتْ، 18: سَوْدُوتْ، 19: سَوْدُوتْ، 20: سَوْدُوتْ، 21: سَوْدُوتْ، 22: سَوْدُوتْ، 23: سَوْدُوتْ، 24: سَوْدُوتْ

158 / 162

[56] cs_pchsz_11:7. (سَدْرُ عِ (اِسْرَدُزْزُرْ سُرْ يَفِيْ اِسْرُحْ

[57] cs_csmunt_12: 2. مُسَرِّعٌ

[58] cs_csmnt_12: سُومُوعْ. %cs_csmnt_12%

[59] cs_pchunt_12: 6. (اِسْرَعُ اِسْرَعُ سُرْعَى رَاغِبٍ)

[60] cs_pchsz_12: 7. (سَدِيعُ الرُّسُلِ يُؤْمِنُ بِرَبِّهِ)

Categories: 0: $\text{مَرْدُ 1} \text{ بِرْدُ 10}$; 1: مَرْدُ 10 ; 2: مَرْدُ 10 ; 3: مَرْدُ 10 ; 4: مَرْدُ 10 ; 5: مَرْدُ 10 ; 6: مَرْدُ 10 ; 7: مَرْدُ 10 ; 8: مَرْدُ 10 ; 9: مَرْدُ 10 ; 10: مَرْدُ 10 ; 11: مَرْدُ 10 ; 12: مَرْدُ 10 ; 13: مَرْدُ 10 ; 14: مَرْدُ 10 ; 15: مَرْدُ 10 ; 16: مَرْدُ 10 ; 17: مَرْدُ 10 ; 18: مَرْدُ 10 ; 19: مَرْدُ 10 ; 20: مَرْدُ 10 ; 21: مَرْدُ 10 ; 22: مَرْدُ 10 ; 23: مَرْدُ 10 ; 24: مَرْدُ 10 ; 25: مَرْدُ 10 ; 26: مَرْدُ 10 ; 27: مَرْدُ 10 ; 28: مَرْدُ 10 ; 29: مَرْدُ 10

APPENDIX E — VARIABLES

[1] AgeCurrent:

```
/* This calculate the age from dob and start date */ // if month is unknown, calculate age based on year of interview //and year of DOB
DOBMonth == -99 & DOBYear > 0 ? /* if only year is known*/ f1_strtme.Value.Year - DOBYear : DOBMonth == f1_strtme.Value.Month &
DOBYear == f1_strtme.Value.Year ? /* if current year and month*/ 0 : DOBMonth > 0 & DOBYear > 0 ? /* if year and month are known*/
FullYearsBetween( new DateTime((int) DOBYear, (int) DOBMonth, (int) 15), f1_strtme ) : -1
```

[2] askprt:

```
(Nationality==2 && Age <=15) // if a foreigner and 15 or under | | Nationality==1 ? // or if Maldivian of any age category, then check if there is
hhmembers.Any(x=> (x.Sex==1 && x.Age >= (Age + 12) && x.Age <= (Age + 60)) // any potential mother | | (x.Sex==2 && x.Age >= (Age + 12)) //
any potential father ) : false // otherwise keep it closed
```

[3] hrs1wk:

```
(hrs_grw_crops_fruits ?? 0) + (hrs_raise_poultry_graze_anmls ?? 0) + (hrs_catchfish_othrwaterprdt ?? 0) + (hrs_nonperisable lnglstg_foods ?? 0) +
(hrs_grmnt_frntnr_cnstrctn_rpair ?? 0) + (hrs_srvc_associatn_charity ?? 0) + (hrs_non_comp ?? 0) + (hrs_wthoutpay ?? 0) +
(hrs_unpaidhwk_takngcare ?? 0) + (additional_hours ?? 0)
```

[4] nfditm:

```
cs_csmdyn_1.Yes.Count() + cs_csmdyn_2.Yes.Count() + cs_csmdyn_3.Yes.Count() + cs_csmdyn_4.Yes.Count() + cs_csmdyn_5.Yes.Count() +
cs_csmdyn_6.Yes.Count() + cs_csmdyn_7.Yes.Count() + cs_csmdyn_8.Yes.Count() + cs_csmdyn_9.Yes.Count() + cs_csmdyn_10.Yes.Count() +
cs_csmdyn_11.Yes.Count() + cs_csmdyn_12.Yes.Count()
```

[5] cs_pchprc_10:

```
cs_pchqty_10==95? cs_csmqty_10*unit_size[@rowcode*10000 + (int)cs_csmunt_10*100 + (cs_csmsze_10 ?? 0)].price :
cs_pchqty_10*unit_size[@rowcode*10000 + (int)cs_pchunt_10*100 + (cs_pchsze_10 ?? 0)].price
```

[6] cs_pchprc_11:

```
cs_pchqty_11==95? cs_csmqty_11*unit_size[@rowcode*10000 + (int)cs_csmunt_11*100 + (cs_csmsze_11 ?? 0)].price :
cs_pchqty_11*unit_size[@rowcode*10000 + (int)cs_pchunt_11*100 + (cs_pchsze_11 ?? 0)].price
```

[7] cs_pchprc_12:

```
cs_pchqty_12==95? cs_csmqty_12*unit_size[@rowcode*10000 + (int)cs_csmunt_12*100 + (cs_csmsze_12 ?? 0)].price :
cs_pchqty_12*unit_size[@rowcode*10000 + (int)cs_pchunt_12*100 + (cs_pchsze_12 ?? 0)].price
```


APPENDIX F — CATEGORIES FILTERS

[1] [status: 3. INTERVIEWER: Final interview result](#)
hhidfy==2 ? // if not been able to identify @optioncode==4 : hhrpav==2 ? // if no respondent available @optioncode==5 : hhcnst==2 ? // if refused
@optioncode==6 : hhcnst==1 ? // else, if an interview has started @optioncode<=3 : secuse==2 ? // if a secondary file and not used
@optioncode==7 : nbinlq>=10? // if a labour quarter with 10 or more persons @optioncode==8 : true

Legend and structure of information in this file

Name of section		Type of question, scope		Variable name
Enabling condition for this section	Question title	Answer options		
E s4_other_sources_which.Contains(98)	SECTION 5: OTHER INCOME SOURCES			
	Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur?	MULTI-SELECT SCOPE: PREFILLED		s4_re1_leaders_other
I This refers to family relations E s3_time_other > 0 V1 s4_re1_leaders_which.Contains(98) M1 Can not be itself V2 (s3_time_other_breeding_advice <= (50 - s3_time_art_insem_advice)) s3_time_other_breeding_advice == 0 M2 This person is not in the list F optioncode != s5_ignored_option_code		01 ☐ Community animal health workers 02 ☐ Private 03 ☐ Government 04 ☐ Livestock keepers association 05 ☐ NGO And 5 other [13]		
Additional information: "I" – Question instruction "E" – Enabling condition "V1" – Validation condition №1 "M1" – Message for validation №1 "F" – Filter in Categorical questions		Link to full set in appendix		

Breadcrumbs	
Type or roster	Roster Title
CHAPTER 3 IDENTIFICATION / Roster: generated by fixed list:	LEADER RELATION DETAILS
01 Ward Livestock Officer	
02 Village Livestock Officer	
99 Other (specify)	
List items	